INDEXES TO THE JOURNAL OF THE AMERICAN CERAMIC SOCIETY

INCLUDING ADVANCED CERAMIC MATERIALS AND COMMUNICATIONS

compiled by

The American Ceramic Society

VOLUME 79, 1996

AUTHOR INDEX TO THE JOURNAL OF THE AMERICAN CERAMIC SOCIETY INCLUDING ADVANCES IN CERAMICS AND COMMUNICATIONS

Numbers in parentheses refer to *monthly* issue of the *Journal*; numbers following are *page* numbers.

Aasland, Siv and Grande, Tor
Crystallization of ZBLAN Glass. (8) 2205
Abé, Hiroyuki *See Muraoka, Mikio*
Abe, Yoshihiro See Kasuga, Toshihiro; Nogami, Masayuki; Ota, Yoshio
Abrams, Lloyd *See Craig, Bradley D.*
Adachi, Hirohiko See Nakayasu, Tetsuo
Adachi, Yasuo See Tateyama, Hiroshi
Adair, James H. *See Bell, Nelson S.; Cho, Seung Beom*
Adams, Jane W. See Russell, Laura M.
Affatigato, Mario; Osborne, Danny H.; and Haglund, *Richard F., Jr.*
Effect of Surface Roughness on the Acid Etching of Amorphous Silica. (3) 688
Agarwal, Monika *See Shin, Hyunjung*
Aggarwal, Ishwar D. See Jewell, John M.; Sanghera, Jas S.
Ahlén, Niklas; Johnsson, Mats; and Nygren, Mats
Carbothermal Synthesis of TiC Whiskers via a Vapor–Liquid–Solid Growth Mechanism. (11) 2803
Ainger, F. See Komarneni, Sridhar
Aizawa, Mamoru *See Hasegawa, Minoru*
Aizawa, Tatsuhiko See Yen, Bing K.
Akai, Tomoko; Yamanaka, Hiroshi; and Wakabayashi, *Hajimu*
Preparation of Copper-Ruby Glasses by Sputtering: The Effect of Atmosphere on the Growth of Copper Particles. (4) 859
Akaishi, Minoru See Taniguchi, Takashi
Akimune, Yoshio See Hirosaki, Naoto
Akinc, Mufit *See Grau, Jason; Meyer, Mitchell K.; Ünal, Özer*
Akiyama, Morito See Shobu, Kazuhisa
Aksay, Ilhan A. *See Shih, Wan Y.; Slamovich, Elliott B.*
Albert, Diane See Butt, Darryl P.
Alcalá, María D.; Real, Concha; and Criado, José M.
A New "Incipient-Wetness" Method for the Synthesis of Chemically Stabilized β-Cristobalite. (6) 1681
Alcalá, María D. See Real, Concha
Aldinger, Fritz *See Uhlig, Harald*
Alexander, Kathleen B. See Becher, Paul F.; Lin, Hua-Tay; Sun, Ellen Y.
Ali, Mohammad N. See Allen, Andrew J.
Allen, Andrew J.; Krueger, Susan; Skandan, Ganesh; Long, Gabrielle G.; Hahn, Horst; Kerch, Helen M.; Parker, John C.; and Ali, Mohammad N.
Microstructural Evolution during the Sintering of Nanostructured Ceramic Oxides. (5) 1201
Alman, David E. See Hawk, Jeffrey A.
Al-Shareef, Husam N. *See Warren, William L.*
Amano, M. See Sakka, Y.
Amarakoon, Vasantha R. W. See Cho, Yong S.
An, Linan and Chan, Helen M.
R-Curve Behavior of In-Situ-Toughened Al_2O_3:$CaAl_{12}O_{19}$ Ceramic Composites. (12) 3142
Andersson, Clarence A.
Derivation of the Exponential Relation for the Effect of Ellipsoidal Porosity on Elastic Modulus. (8) 2181
Andersson, Tomas and Rowcliffe, David J.
Indentation Thermal Shock Test for Ceramics. (6) 1509
Ando, Motohide See Hirosaki, Naoto
Andreasen, Jens H. See Møller, Carsten V.
Andrievskaya, Elena R.; Lopato, Lidia M.; and Smirnov, Vasily P.
The System HfO_2–Y_2O_3–Er_2O_3. (3) 714
Aoki, Makoto; Chiang, Yet-Ming; Kosacki, Igor; Lee, L. Jong-Ren; Tuller, Harry; and Liu, Yaping
Solute Segregation and Grain-Boundary Impedance in High-Purity Stabilized Zirconia. (5) 1169
Aono, Hiromichi and Sugimoto, Eisuke
Ionic Conductivity and Sinterability of NASICON-Type Ceramics: The Systems $NaM_2(PO_4)_3 + yNa_2O$ (M = Ge, Ti, Hf, and Zr). (10) 2786
Aono, Yasuyuki *See Aoyama, Tatsuji*
Aoyama, Tatsuji; Hirota, Ken; Yamaguchi, Osamu; Aono, Yasuyuki; and Matsutani, Nobuya
Characterization and Low-Temperature Sintering of Reactive Mn-Zn Ferrite Powder. (10) 2792
Arai, Yoshihide See Mizusaki, Junichiro
Arima, Momoko; Kakihana, Masato; Nakamura, Yoshiyuki; Yashima, Masatomo; and Yoshimura, Masahiro
Polymerized Complex Route to Barium Titanate Powders Using Barium–Titanium Mixed-Metal Citric Acid Complex. (11) 2847
Arima, Momoko See Kakihana, Masato
Arimoto, Tadashi See Sakamoto, Wataru
Ariyoshi, Akira See Yao, Takeshi
Arwin, Hans See Bergström, Lennart
Asami, Katsuhiko See Li, Jing-Feng
Asoh, Keisuke See Kato, Etsuro
Azoulay, Jacob
YBCO Thin Film Formation near the Stability Line by Resistive Evaporation of BaF_2, Cu, and Y. (2) 568
Bacsa, Revathi R. and Grätzel, Micheal
Rutile Formation in Hydrothermally Crystallized Nanosized Titania. (8) 2185
Bae, Yong W.; Lee, Woo Y.; Yust, Charles S.; Blau, Peter J.; and Besmann, Theodore M.
Synthesis and Friction Behavior of Chemically Vapor Deposited Composite Coatings Containing Discrete TiN and MoS_2 *Phases.* (4) 819
Bae, Yong W. *See Lee, Woo Y.*
Baik, Sunggi See Kim, Sangsub
Baldwin, Stephanie See Sugama, Toshifumi
Balkaş, Cengiz M. and Davis, Robert F.
Synthesis Routes and Characterization of High-Purity, Single-Phase Gallium Nitride Powders. (9) 2309
Ballato, Arthur and Ballato, John
High-Frequency Piezoceramic Equivalent Circuit. (5) 1413
Ballato, John *See Ballato, Arthur*
Balmer, Mari Lou; Eckert, Hellmut; Das, Nandini; and Lange, Fred F.
^{27}Al Nuclear Magnetic Resonance of Glassy and Crystalline $Zr_{(1-x)}Al_xO_{(2-x/2)}$ *Materials Prepared from Solution Precursors.* (2) 321
Bamberger, Carlos E. See Shoup, Shara S.
Bandyopadhyay, Siddharta; Hoffmann, Michael J.; and Petzow, Günter
Densification Behavior and Properties of Y_2O_3-Containing α-SiAlON-Based Composites. (6) 1537
Bannister, Damian J. See Yang, Xugang
Baptista, João L. See Ferreira, Victor M.; Pan, Yi; Zhou, Liqin; Zhou, Minghua
Baratta, Francis I. See Bar-On, Isa
Bar-On, Isa; Baratta, Francis I.; and Cho, Kyu
Crack Stability and Its Effect on Fracture Toughness of Hot-Pressed Silicon Nitride Beam Specimens. (9) 2300
Barsoum, Michel W. and El-Raghy, Tamer
Synthesis and Characterization of a Remarkable Ceramic: Ti_3SiC_2. (7) 1953
Barsoum, Michel W.; Elkind, Alexander; and Selim, Fadel A.
Low Breakdown Voltage Varistors by Grain Boundary Diffusion of Molten Bi_2O_3 in ZnO. (4) 962
Barsoum, Michel W. *See Brodkin, Dmitri*
Bartels, Günter See Krell, Andreas
Bashkansky, Mark; Battle, Phillip R.; Duncan, Michael D.; Kahn, Manfred; and Reintjes, J.
Subsurface Defect Detection in Ceramics Using an Optical Gated Scatter Reflectometer. (5) 1397
Basu, Debabrata See Phani, Kalyan K.
Batchelor, Warren J.; Finlayson, Trevor R.; and Kelly, Georgina L.
Monoclinic Phase Measurement in Mg-PSZ Using X-ray Diffraction. (9) 2477
Battle, Phillip R. See Bashkansky, Mark
Becher, Paul F.; Hsueh, Chun-Hway; Alexander, Kathleen B.; and Sun, Ellen Y.
Influence of Reinforcement Content and Diameter on the R-Curve Response in SiC-Whisker-Reinforced Alumina. (2) 298
Becher, Paul F. See Lin, Hua-Tay; Sun, Ellen Y.
Begg, Bruce D.; Finnie, Kim S.; and Vance, Eric R.
Raman Study of the Relationship between Room-Temperature Tetragonality and the Curie Point of Barium Titanate. (10) 2666
Behrens, Gesa and Heuer, Arthur H.
Thermally Activated Martensitic Transformations in Mg-PSZ. (4) 895
Bell, Nelson S.; Venigalla, Sridhar; Gill, Petra M.; and Adair, James H.
Morphological Forms of Tobermorite in Hydrothermally Treated Calcium Silicate Hydrate Gels. (8) 2175
Bell, Trevor J. *See Montanaro, Laura*
Bellissent, Robert See Uhlig, Harald
Belousov, Valery V.
Liquid-Channel Grain-Boundary Structures. (6) 1703
Bennour, Fatima; Rogez, Jacques; and Mathieu, Jean Claude
Phase Equilibria in the Na_2O–Cs_2O–SiO_2 *System.* (10) 2752
Bentz, Dale P. See Lewis, Jennifer A.

Berdin, Clotilde; Cailletaud, Georges; and Jeulin, Dominique
Brittle Failure Prediction of Ceramics Using a Multiscale Approach. (11) 2825
Bergna, Horacio See Harmer, Mark A.
Bergström, Lennart
Rheological Properties of Concentrated, Nonaqueous Silicon Nitride Suspensions. (12) 3033
Bergström, Lennart; Meurk, Anders; Arwin, Hans; and Rowcliffe, David J.
Estimation of Hamaker Constants of Ceramic Materials from Optical Data Using Lifshitz Theory. (2) 339
Bernard, Claude See Rocabois, Philippe
Berndt, Christopher C. See Lee, Woo Y.; Pajares, Antonia
Bernstein, Jonathan J. See Chen, H. Daniel
Berta, Yolande See Lee, Chung-Kook
Bertinetti, María A.; Turner, Pablo A.; Bolmaro, Raúl E.; and Tomé, Carlos N.
Self-Consistent Method to Calculate Fiber Interactions in a SiC/Al_2O_3 Ceramic Composite. (6) 1466
Besmann, Theodore M. See Bae, Yong W.
Besson, Jean-Louis; Murat, Denis; Rouxel, Tanguy; Valin, Frédéric; and Boncoeur, Marcel
Compressive Creep of a Fine-Grained Polycrystalline Yttria. (3) 773
Bickmore, Clint R. and Laine, Richard M.
Synthesis of Oxynitride Powders via Fluidized-Bed Ammonolysis, Part I: Large, Porous, Silica Particles. (11) 2865
Bickmore, Clint R.; Waldner, Kurt F.; Treadwell, David R.; and Laine, Richard M.
Ultrafine Spinel Powders by Flame Spray Pyrolysis of a Magnesium Aluminum Double Alkoxide. (5) 1419
Birman, Amnon See Martin, Louis Peter
Biswas, Sanjay K. See Jayaram, Vikram
Blackman, Kimberly A. See Lewis, Jennifer A.
Blank, Paul See Krell, Andreas
Blau, Peter J. See Bae, Yong W.
Blumenthal, William R. and Phillips, David S.
High-Temperature Deformation of Single-Crystal Yttrium–Aluminum Garnet (YAG). (4) 1047
Boccaccini, Aldo R. and Fan, Zhongyun
Comment on "Simple Mathematical Model for the Electrical Conductivity of Highly Porous Ceramics." (11) 2997
Bodet, Raphael; Lamon, Jacques; Jia, Nanying; and Tressler, Richard E.
Microstructural Stability and Creep Behavior of Si-C-O (Nicalon) Fibers in Carbon Monoxide and Argon Environments. (10) 2673
Bohner, Marc; Lemaitre, Jacques; and Ring, Terry A.
Effects of Sulfate, Pyrophosphate, and Citrate Ions on the Physicochemical Properties of Cements Made of β-Tricalcium Phosphate–Phosphoric Acid–Water Mixtures. (6) 1427
Bolmaro, Raúl E. See Bertinetti, María A.
Boncoeur, Marcel See Besson, Jean-Louis
Bosch, Pedro See Valenzuela, Miguel A.
Bouvard, D. and McMeeking, R. M.
Deformation of Interparticle Necks by Diffusion-Controlled Creep. (3) 666
Bowman, Keith J. See Zimmerman, Michael H.
Boyer, Larry L. See Tepesch, Patrick D.
Bozkurt, Nazim See Sacks, Michael D.
Breder, Kristin See Lin, Hua-Tay
Bremser, Julie K. See Butt, Darryl P.
Brennan, John J. See Hasselman, D. P. H.; Sheldon, Brian W.; Sun, Ellen Y.
Bridger, Keith See Brown, Steve A.
Brito, Manuel E. See Hirao, Kiyoshi; Shigegaki, Yasuhiro; Watari, Koji
Brodkin, Dmitri and Barsoum, Michel W.
Isothermal Section of Ti–B–C Phase Diagram at 1600°C. (3) 785
Brodkin, Dmitri; Kalidindi, Surya R.; Barsoum, Michel W.; and Zavaliangos, Antonios
Microstructural Evolution during Transient Plastic Phase Processing of Titanium Carbide–Titanium Boride Composites. (7) 1945
Brossa, Francesco See Ferraris, Monica
Broszeit, Erhard See Sternitzke, Martin
Brow, Richard K.; Tallant, David R.; and Turner, Gary L.
Raman and ^{11}B Nuclear Magnetic Resonance Spectroscopic Studies of Alkaline-Earth Lanthanoborate Glasses. (9) 2410
Brown, Jesse J., Jr. See Lee, Kyoungho
Brown, Paul W. See Mei, Weiping; Sample, David R.
Brown, Steve A.; Hom, Craig L.; Massuda, Mona; Prodey, Jacqueline D.; Bridger, Keith; Shankar, Natarajan; and Winzer, Stephen R.
Electromechanical Testing and Modeling of a $Pb(Mg_{1/3}Nb_{2/3})O_3$–$PbTiO_3$–$BaTiO_3$ Relaxor Ferroelectric. (9) 2271
Buchta, Michael A. and Shih, Wei-Heng
Improved Aqueous Dispersion of Silicon Nitride with Aminosilanes. (11) 2940
Bulbulian, Silvia See Valenzuela, Miguel A.
Bullard, Jeffrey W. See Searcy, Alan W.
Burggraaf, Anthonie J. See He, Yingjie
Burton, Benjamin P. See Tepesch, Patrick D.
Butt, Darryl P.; Albert, Diane; and Taylor, Thomas N.
Kinetics of Thermal Oxidation of Silicon Nitride Powders. (11) 2809
Butt, Darryl P.; Lackner, Klaus S.; Wendt, Christopher H.; Conzone, Samuel D.; Kung, Harriet; Lu, Yung-Cheng; and Bremser, Julie K.
Kinetics of Thermal Dehydroxylation and Carbonation of Magnesium Hydroxide. (7) 1892
Cady, C. See Mackin, T. J.
Cailletaud, Georges See Berdin, Clotilde
Callahan, Daniel L.
Comment on "Diffraction Method Detection of Local Lattice Distortion in AlN Ceramics by Convergent Beam Electron." (7) 1982
Calzada, María L. See Tu, Yeur-Luen
Campbell, Geoffrey H.
Σ5 (210)/[001] Symmetric Tilt Grain Boundary in Yttrium Aluminum Garnet. (11) 2883
Cannon, Rowland M. See Pan, Xiaoqing; Wang, Chong-Min
Cantalini, Carlo See Sun, Hong-Tao
Cantrell, John H. See Sathish, Shamachary
Cao, Joe J.; MoberlyChan, Warren J.; De Jonghe, Lutgard C.; Gilbert, Christopher J.; and Ritchie, Robert O.
In Situ Toughened Silicon Carbide with Al-B-C Additions. (2) 461
Carmel, Yuval See Martin, Louis Peter
Carrasquillo, Gilbert See Leone, Edgar A.
Carry, Claude See Sato, Eiichi
Carter, W. Brent See Chung, Yong S.
Carter, W. Craig See Searcy, Alan W.
Casagranda, Albert; Xu, Junde; Evans, Anthony G.; and McMeeking, Robert M.
Pressure Consolidation of Fiber-Reinforced Oxide Matrix Composites: Experiments and Simulations. (5) 1265
Catalano, Massimo See Sun, Hong-Tao
Ceder, Gerbrand See Tepesch, Patrick D.
Čerović, Ljiljana S.; Milonjić, Slobodan K.; Živković, Ljiljana V.; and Uskoković, Dragan P.
Synthesis of Spherical β-Silicon Carbide Particles by Ultrasonic Spray Pyrolysis. (8) 2215
Cerqueira, Marinalva See Leite, Edson R.
Cerri, Jose Alberto; Leite, Edson Roberto; Gouvêa, Douglas; Longo, Elson; and Varela, Jose Arana
Effect of Cobalt(II) Oxide and Manganese(IV) Oxide on Sintering of Tin(IV) Oxide. (3) 799
Chae, Ki-Woong; Niihara, Koichi; and Kim, Doh-Yeon
Effect of Cr_3C_2 Addition on the Sintering of SiC–TiC Composite. (12) 3305
Chan, Chen-Feng and Ko, Yung-Chao
Influence of Coarse Aggregate Content on the Thermal Conductivity of Alumina–Spinel Castables. (11) 2961
Chan, Helen M. See An, Linan; Chou, Irene A.; French, Jonathan D.
Chan, Yin-Wen See Li, Victor C.
Chang, Sekyung See Yang, Jenn-Ming
Chang, Tongshik See Iba, Hisayoshi
Chang, Tzu-Yi See Shyu, Jiin-Jyh
Chatillon, Christian See Rocabois, Philippe
Chaudhuri, S. Ray See Yan, Yongan
Chen, Da-Jiang and Mayo, Merrilea J.
Rapid Rate Sintering of Nanocrystalline ZrO_2–3 mol% Y_2O_3. (4) 906
Chen, H. Daniel; Udayakumar, K. R.; Gaskey, Christopher J.; Cross, L. Eric; Bernstein, Jonathan J.; and Niles, Lance C.
Fabrication and Electrical Properties of Lead Zirconate Titanate Thick Films. (8) 2189
Chen, H. See Munro, R. G.
Chen, I-Wei See Chen, Pei-Lin; Huang, Zhen-Kun; Xue, Liang A.
Chen, Lifu; Wang, Baowei; Liu, Shujie; and Yan, Yongjun
Preparation of Mullite Fiber. (6) 1494
Chen, Long-Qing and Fan, Danan
Computer Simulation Model for Coupled Grain Growth and Ostwald Ripening—Application to Al_2O_3–ZrO_2 Two-Phase Systems. (5) 1163
Chen, Long-Qing See Wang, Yunzhi
Chen, Pei-Lin and Chen, I-Wei
Grain Growth in CeO_2: Dopant Effects, Defect Mechanism, and Solute Drag. (7) 1793; Grain Boundary Mobility in Y_2O_3: Defect Mechanism and Dopant Effects. (7) 1801; Sintering of Fine Oxide Powders: I, Microstructural Evolution. (12) 3129
Chen, Weinong and Ravichandran, G.
Static and Dynamic Compressive Behavior of Aluminum Nitride under Moderate Confinement. (3) 579
Chen, Zhao
Effects of Gadolinia and Alumina Addition on the Densification and Toughening of Silicon Carbide. (2) 530
Cheng, Yi-Bing and Drennan, John
Microstructural Characterization of ZrO_2/O′–SiAlON Composites. (5) 1314
Cherian, Isaac K.; Lehigh, Mitchell D.; Nettleship, Ian; and Kriven, Waltraud M.
Stereological Observations of Platelet-Reinforced Mullite- and Zirconia-Matrix Composites. (12) 3273
Chiang, Yet-Ming See Aoki, Makoto
Ching, Wai-Yim See Mo, Shang-Di
Cho, Doo-Hee; Hirao, Kazuyuki; Fujita, Koji; and Soga, Naohiro
Photochemical Hole Burning and Local Structural Change in Sm^{2+}-Doped Borate Glasses. (2) 327
Cho, Kyeongjae See Tepesch, Patrick D.
Cho, Kyeong-Sik; Kim, Young-Wook; Choi, Heon-Jin; and Lee, June-Gunn
In Situ-Toughened Silicon Carbide–Titanium Carbide Composites. (6) 1711
Cho, Kyu See Bar-On, Isa
Cho, Mun K. See Jang, Hyun M.
Cho, Seong-Jai; Um, Chang-Do; and Kim, Seock-Sam
Wear and Wear Transition in Silicon Carbide Ceramics during Sliding. (5) 1247
Cho, Seong-Jai See Oh, Kyung-Sik
Cho, Seung Beom; Venigalla, Sridhar; and Adair, James H.
Morphological Forms of α-Alumina Particles Synthesized in 1,4-Butanediol Solution. (1) 88
Cho, Woo-Seok and Yoshimura, Masahiro
Room-Temperature Preparation of Crystallized $Ba_{1-x}Sr_xWO_4$ Solid-Solution Films by an Electrochemical Method. (10) 2783
Cho, Yong S. and Amarakoon, Vasantha R. W.
Nanoscale Coating of Silicon and Manganese on Ferrimagnetic Yttrium Iron Garnets. (10) 2755
Choi, Doo-Jin See Kim, Dong-Joo
Choi, Heon-Jin See Cho, Kyeong-Sik
Choi, Ji-Won See Kucheiko, Sergey
Choi, S. K. See Han, K. R.
Choi, Se-Young See Lee, Yong-Keun
Choi, Sung R. and Salem, Jonathan A.
Preloading Technique in Dynamic Fatigue Testing of Glass and Ceramics with an Indentation Flaw System. (5) 1228
Chou, Irene A.; Chan, Helen M.; and Harmer, Martin P.
Machining-Induced Surface Residual Stress Behavior in Al_2O_3–SiC Nanocomposites. (9) 2403
Chou, Kuo C. See Yuan, Shi
Christensen, Renee J. and Faber, K. T.
Room-Temperature Cyclic Fatigue of Reaction-Bonded Silicon Nitride Using the Double Cleavage Drilled Compression Specimen. (2) 425
Chung, Su-Jin See Park, Seung-Eek
Chung, Yong S.; Hill, D. Norman; Carter, W. Brent; and Lackey, W. Jack
Chemical Vapor Deposition of $YBa_2Cu_3O_x$ in a Cold Plasma Reactor Using an Aerosol Vaporization Technique. (3) 673
Chung, Yong-Chae and Wuensch, Bernhardt J.
Growth of Nickel Oxide Single Crystals and Bicrystals via Chemical Vapor Transport. (3) 695
Cima, Michael J. See Hirakata, Keigo
Cinibulk, Michael K. and Hay, Randall S.
Textured Magnetoplumbite Fiber–Matrix Interphase Derived from Sol–Gel Fiber Coatings. (5) 1233
Cinibulk, Michael K.; Welch, John R.; and Hay, Randall S.
Preparation of Thin Sections of Coated Fibers for Characterization by Transmission Electron Microscopy. (9) 2481
Clarke, David R. See Kizler, Peter; Nan, Ce-Wen
Claussen, Nils E. See García, Daniel E.; Lathabai, Srinivasarao
Cole, Robert See Kondos, Pericles A.
Coley, Crystal See Tepesch, Patrick D.
Colombo, Paolo See Pivin, Jean Claude
Cong, Xiandong and Kirkpatrick, R. James
^{17}O MAS NMR Investigation of the Structure of Calcium Silicate Hydrate Gel. (6) 1585
Conzone, Samuel D. See Butt, Darryl P.
Cooley, Kevin M. See Lee, Woo Y.
Cox, Brian N. and Marshall, David B.
Crack Initiation in Fiber-Reinforced Brittle Laminates. (5) 1181
Craig, Bradley D.; Francis, Lorraine F.; and Abrams, Lloyd
Measurement of Porosity in Ceramic Coatings by Thermogravimetric Volatilization of Liquids. (12) 3317
Criado, José M. See Alcalá, María D.; Real, Concha
Cross, L. Eric See Chen, H. Daniel; Elissalde, Catherine; Markowski, Kelley
Cruciani, Gary See Ramberg, C. Eric
Cruickshank, Karen M.; Jing, Xiping; Wood, Graeme; Lachowski, Eric E.; and West, Anthony R.
Barium Neodymium Titanate Electroceramics: Phase Equilibria Studies of $Ba_{6-3x}Nd_{8+2x}Ti_{18}O_{54}$ Solid Solution. (6) 1605
Curran, Sean See Leone, Edgar A.
Cutard, Thierry; Huger, Marc; Fargeot, Dominique; and Gault, Christian
High-Temperature Ultrasonic Characterization of the Mechanical and Microstructural Behavior of a Fibrous Composite with a Magnesium Lithium Aluminum Silicate Glass-Ceramic Matrix. (4) 957
Cutler, Raymond A. See Lakshminarayanan, R.
Cutler, Willard A.; Zok, Frank W.; and Lange, Fred F.
Mechanical Behavior of Several Hybrid Ceramic-Matrix-Composite Laminates. (7) 1825
Dadon, David See Martin, Louis Peter

Dai, Xunhu; Xu, Z.; and Viehland, Dwight
Long-Time Relaxation from Relaxor to Normal Ferroelectric States in $Pb_{0.91}La_{0.06}(Zr_{0.65}Ti_{0.35})O_3$. (7) 1957
Dallapiccola, Elisabetta See Sorarù, Gian Domenico
Damjanovic, Dragan See Shulman, Holly S.
D'Andrea, Gennaro See Sorarù, Gian Domenico
Danforth, Stephen C. See Leone, Edgar A.; Pan, Xiaoqing
Das, Nandini See Balmer, Mari Lou
Date, Sadgopal K. See Potdar, Hari S.
Davis, Robert F. See Balkaş, Cengiz M.
Day, Delbert E. See Kang, Seunggu; Ray, Chandra S.
Day, P. S.; Skamser, D. J.; Faber, K. T.; Jennings, H. M.; and Johnson, D. Lynn
Damage Tolerance of Silicon Carbide- and Alumina-Matrix Surface Composites. (4) 1117
de Biasi, Ronaldo S.; Fernandes, Antonio A. R.; and Grillo, Maria L. N.
Measurement of Small Concentrations of Vanadium in Rutile (TiO_2) Using Electron Spin Resonance. (8) 2179
de Oliveira, Antonio Pedro Novaes; Barbieri, Luisa; Leonelli, Cristina; Manfredini, Tiziano; and Pellacani, Gian Carlo
Physical Properties of Quenched Glasses in the Li_2O–ZrO_2–SiO_2 System. (4) 1092
de Vries, J. W. C. See Zheng, Jiehai
de Waal, Henk See Yan, Yingchao
De Guire, Mark R. See Shin, Hyunjung
De Jonghe, Lutgard C. See Cao, Joe J.; Wu, Shun J.
Deshpande, Subhash B. See Potdar, Hari S.
Dey, Nishit; Socie, Darrell F.; and Hsia, K. Jimmy
Tensile Creep Behavior of a Vitreous-Bonded Aluminum Oxide under Static and Cyclic Loading (9) 2353
Dimos, Duane See Warren, William L.
Ding, Jun; Tsuzuki, Takuya; and McCormick, Paul G.
Ultrafine Alumina Particles Prepared by Mechanochemical/Thermal Processing. (11) 2956
Ding, Zhenya See Xie, Weimin
Djuric, Mirjana; Mihajlov, Andjelka; Petrasinovic-Stojkanovic, Ljiljana; and Zivanovic, Branislav
Thermodynamic Analysis of the Metastable Regions for the Al_2O_3–SiO_2 System. (5) 1252
Dohrup, Jesper; Høyvald, Annette; Mogensen, Gurli; Jacobsen, Claus J. H.; and Villadsen, Jørgen
Formation of New Compounds $Ln_4Al_2O_9$ in the Ln_2O_3·Al_2O_3 System (Ln = La, Pr, Tb). (11) 2959
Domergue, Jean-Marc; Heredia, Fernando E.; and Evans, Anthony G.
Hysteresis Loops and the Inelastic Deformation of 0/90 Ceramic Matrix Composites. (1) 161
Domínguez-Rodríguez, Arturo See Gómez-García, Diego
Donaldson, Kimberly Y. See Hasselman, D. P. H.; Russell, Laura M.
Donato, Antonio T. See Tang, Xun
Dougherty, Joseph P. See Sample, David R.
Dravid, Vinayak P. See Isabell, Thomas C.
Drennan, John See Cheng, Yi-Bing
Drew, Robin A. L. See Hadian, Ali Mohammad
Droillard, Christine and Lamon, Jacques
Fracture Toughness of 2-D Woven SiC/SiC CVI-Composites with Multilayered Interphases. (4) 849
Du, Yong See Yashima, Masatomo
Du, Zheng Z. See Evans, Anthony G.
Duncan, Michael D. See Bashkansky, Mark
Dutton, Rollie E.; Pagano, Nicholas J.; and Kim, Ran Y.
Crack Initiation in Borosilicate Glass–SiC Fiber Composites. (4) 865
Eckert, Hellmut See Balmer, Mari Lou
Eckert, James O., Jr.; Hung-Houston, Catherine C.; Gersten, Bonnie L.; Lencka, Malgorzata M.; and Riman, Richard E.
Kinetics and Mechanisms of Hydrothermal Synthesis of Barium Titanate. (11) 2929
Edirisinghe, Mohan J. See Matar, Samir A.
Egashira, Yasuyuki See Liu, Yi Jun
Ehret, Gabrielle See Yamegni-Noubeyo, Jean-Celestin
Einset, Erik O.
Capillary Infiltration Rates into Porous Media with Applications to Silcomp Processing. (2) 333
Ekström, Thommy See Shen, Zhijian
ElBatal, Hatem Abdel Rahman See Khedr, Amal AbouBakr
Elissalde, Catherine; Cross, L. Eric; and Randall, Clive A.
Structural–Property Relations in a Reduced and Internally Biased Oxide Wafer (RAINBOW) Actuator Material. (8) 2041
Elkind, Alexander See Barsoum, Michel W.
Ellerby, Donald T. See Fahrenholtz, William G.
Ellis, Donald E. See Wu, Yue
Ellsworth, Susan E. See Stebbins, Jonathan F.
El-Raghy, Tamer See Barsoum, Michel W.
Elthon, Don See Geny, Joel; Lawanier, Jean-Pierre
Endicott, M. R. See Kenkre, V. M.
Enoki, Manabu See Tsuda, Hiroshi
Enomoto, Naoya See Kim, Dae-Weon
Epstein, J. S. See Mackin, T. J.
Erdogan, Fazil See Lee, Woo Y.
Ericsson, Torsten See Odén, Magnus
Evans, Anthony G.; Zok, Frank W.; McMeeking, Robert M.; and Du, Zheng Z.
Models of High-Temperature, Environmentally Assisted Embrittlement in Ceramic-Matrix Composites. (9) 2345
Evans, Anthony G. See Casagranda, Albert; Domergue, Jean-Marc; Lynch, Christopher S.; Mackin, T. J.; Tu, Wen-Chiang
Evans, Julian R. G. See Matar, Samir A.
Ewsuk, Kevin G. See Fahrenholtz, William G.; Loehman, Ronald E.
Faber, Anne Jans See Yan, Yingchao
Faber, K. T. See Christensen, Renee J.; Day, P. S.; Zimmerman, Michael H.
Faccio, Marco See Sun, Hong-Tao
Fahrenholtz, William G.; Ewsuk, Kevin G.; Ellerby, Donald T.; and Loehman, Ronald E.
Near-Net-Shape Processing of Metal–Ceramic Composites by Reactive Metal Penetration. (9) 2497
Fan, Danan See Chen, Long-Qing
Fan, Zhongyun See Boccaccini, Aldo R.
Fang, Tsang-Tse See Tsay, Jenq-Dar
Fargeot, Dominique See Cutard, Thierry
Feng, Aiguo and Munir, Zuhair A.
Relationship between Field Direction and Wave Propagation in Activated Combustion Synthesis. (8) 2049
Feng, Man See Huang, Keqin
Fernandes, Antonio A. R. See de Biasi, Ronaldo S.
Ferraris, Monica; Rabajol, Paolo; Paracchini, Luigi; and Brossa, Francesco
Vacuum Plasma Spray Deposition of Titanium Particle/Glass-Ceramic Matrix Biocomposites. (6) 1515
Ferreira, José M. F. See Zhou, Minghua
Ferreira, Victor M. and Baptista, João L.
Role of Niobium in Magnesium Titanate Microwave Dielectric Ceramics. (6) 1697
Ferroni, Luca See Montanaro, Laura
Fett, Theo; Munz, Dietrich; Seidel, Jurgen; Stech, Martin; and Rödel, Jurgen
Correlation between Long and Short Crack *R*-curves in Alumina Using the Crack Opening Displacement and Fracture Mechanical Weight Function Approach. (5) 1189
Fields, B. Anne and Wiederhorn, Sheldon M.
Creep Cavitation in a Siliconized Silicon Carbide Tested in Tension and Flexure. (4) 977
Finlayson, Trevor R. See Batchelor, Warren J.
Finnie, Kim S. See Begg, Bruce D.
Fischer-Cripps, Anthony C. and Lawn, Brian R.
Stress Analysis of Contact Deformation in Quasi-Plastic Ceramics. (10) 2609
Fischer-Cripps, Anthony C.; Lawn, Brian R.; Pajares, Antonia; and Wei, Lanhua
Stress Analysis of Elastic–Plastic Contact Damage in Ceramic Coatings on Metal Substrates. (10) 2619
Fondeur, Fernando and Mitchell, Brian S.
Infrared Studies of Calcia–Alumina Fibers. (9) 2469
Fonseca, António T. See Zhou, Minghua
Francis, Lorraine Falter See Wolf, William D.; Craig, Bradley D.; Lewis, Jennifer A.
Franks, George V. and Lange, Fred F.
Plastic-to-Brittle Transition of Saturated, Alumina Powder Compacts. (12) 3161
Fraser, Hamish L. See Sandhage, Kenneth H.
Freimuth, Herbert; Hessel, Volker; Kölle, Harald; Lacher, Manfred; Ehrfeld, Wolfgang; Vaahs, Tilo; and Brück, Martin
Formation of Complex Ceramic Miniaturized Structures by Pyrolysis of Poly(vinylsilazane). (6) 1457
French, Jonathan D.; Chan, Helen M.; Harmer, Martin P.; and Miller, Gary A.
High-Temperature Fracture Toughness of Duplex Microstructures. (1) 58
French, Jonathan D. and Wiederhorn, Sheldon M.
Tensile Specimens from Ceramic Components. (2) 550
French, Jonathan D. See Luecke, William E.
French, Roger H. See Mo, Shang-Di
Friebele, E. Joseph See Jewell, John M.
Fritsch, Sophie and Navrotsky, Alexandra
Thermodynamic Properties of Manganese Oxides. (7) 1761
Fujimine, Satoshi See Miyaji, Fumiaki
Fujita, Koji See Cho, Doo-Hee
Fukuda, Koichiro; Maki, Iwao; and Ito, Suketoshi
Thermoelastic Behavior in Ca_2SiO_4 Solid Solutions. (11) 2925; Thermal Hysteresis for the $\alpha_L' \leftrightarrow \beta$ Transformations in Strontium Oxide-Doped Dicalcium Silicates. (11) 2969
Fukuda, Koichiro; Maki, Iwao; Ito, Suketoshi; and Ikeda, Susumu
Structure Change in Strontium Oxide-Doped Dicalcium Silicates. (10) 2577
Fuller, Edwin R., Jr. See Zimmerman, Michael H.
Fun, Qian Duan See Kim, Nam Heun
Galler, Michael A. See Lewis, Jennifer A.
Gan, Dershin See Lin, Ying-Chun
Ganesh, Ramaratnam and Goo, Edward
Microstructure and Dielectric Characteristics of $(Pb,Ba_{0.5-x},Sr_{0.5})TiO_3$ Ceramics. (1) 225
Garbulsky, Gerardo D. See Tepesch, Patrick D.
García, Daniel E.; Janssen, Rolf; and Claussen, Nils E.
Microstructure Development in *In Situ* Reinforced Reaction-Bonded Aluminum Niobate-Based Composites. (9) 2266
Gaskey, Christopher J. See Chen, H. Daniel
Gauckler, Ludwig J. See Hallstedt, Bengt; Hidber, Pirmin C.
Gault, Christian See Cutard, Thierry
Gawlicki, Marek See Śiósarczyk, Anna
Genevrier, Marc and Mocellin, Alain
Reaction Sintering and Mechanical Behavior of Cordierite Containing Sapphirine Dispersoids. (8) 2098
Geny, Joel; Meen, James K.; and Elthon, Don
Phase Equilibria of the La_2O_3–SrO–CuO System at 950°C and 10 kbar. (12) 3083
Gershon, David See Martin, Louis Peter
Gersten, Bonnie L. See Eckert, James O. Jr.
Gilbert, Christopher J. See Cao, Joe J.
Gill, Petra M. See Bell, Nelson S.
Glass, S. Jill and Green, David J.
Mechanical Properties of Infiltrated Alumina–Y-TZP Composites. (9) 2227
Glass, S. Jill See Kenkre, V. M.
Glendenning, Malcolm D. and Lee, William E.
Microstructural Development on Crystallizing Hot-Pressed Pellets of Cordierite Melt-derived Glass Containing B_2O_3 and P_2O_5. (3) 705
Gómez-García, Diego; Martínez-Fernández, Julián; Domínguez-Rodríguez, Arturo; and Westmacott, Kenneth H.
Zirconium Nitride Precipitation in Nominally Pure Yttria-Stabilized Zirconia. (2) 487; Electron-Beam-Induced Loop Formation on Dislocations in Yttria-Fully-Stabilized Zirconia. (10) 2733
Gong, Zhen-Xiang and Mujumdar, Arun S.
Development of Drying Schedules for One-Side-Heating Drying of Refractory Concrete Slabs Based on a Finite Element Model. (6) 1649
Goñi, S.; Lorenzo, M. P.; Guerrero, A.; and Hernández, M. S.
Calcium Hydroxide Saturation Factors in the Pore Solution of Hydrated Portland Cement Fly Ash Pastes. (4) 1041
Goñi, S. See Lorenzo, P.
Gonzalez, Eduardo J. and Trumble, Kevin P.
Spontaneous Infiltration of Alumina by Copper–Oxygen Alloys. (1) 114
Goo, Edward See Ganesh, Ramaratnam
Goodenough, John B. See Huang, Keqin
Gopalan, Venkatraman and Raj, Rishi
Domain Structure–Second Harmonic Generation Correlation in Potassium Niobate Thin Films Deposited on a Strontium Titanate Substrate. (12) 3289
Goto, Seichi See Nakayasu, Tetsuo
Gouvêa, Douglas See Cerri, Jose Alberto
Grande, Tor See Aasland, Siv
Grätzel, Micheal See Bacsa, Revathi R.
Grau, Jason and Akinc, Mufit
Synthesis of Nickel Sulfide by Homogeneous Precipitation from Acidic Solutions of Thioacetamide. (4) 1073
Graule, Thomas J. See Hidber, Pirmin C.
Green, David J. See Glass, S. Jill
Griffin, Alair See Mumm, Daniel R.
Griffin, Curtis W. See Mumm, Daniel R.
Griffith, Michelle L. and Halloran, John W.
Freeform Fabrication of Ceramics via Stereolithography. (10) 2601
Grillo, Maria L. N. See de Biasi, Ronaldo S.
Grutzeck, Michael W. See Kwan, Stephen
Gu, Bing-lin See Gui, Hong
Gu, Hui See Pan, Xiaoqing
Guerrero, A. See Goñi, S.; Lorenzo, P.
Gui, Hong; Gu, Bing-lin; and Zhang, Xiao-wen
Order–Disorder Transition in $(A'A'')BO_3$ and $A(B'B'')O_3$ Complex Perovskite Crystals. (2) 381
Gupta, Vijay See Kumaria, Shashwat
Haber, Richard A. See Haerle, Andrew G.
Hadian, Ali Mohammad and Drew, Robin A. L.
Strength and Microstructure of Silicon Nitride Ceramics Brazed with Nickel–Chromium–Silicon Alloys. (3) 659
Haerle, Andrew G. and Haber, Richard A.
Experimental Evaluation of a New Flocculation–Filtration Model for Ceramic Shape Forming Processes. (9) 2385
Haerle, Andrew G. See Smith, Peter A.
Haga, Mikichika See Sakai, Mototsugu
Haglund, Richard F., Jr. See Affatigato, Mario
Hahn, Horst See Allen, Andrew J.
Haire, Richard G. See Shoup, Shara S.
Halliyal, Arvind See Rao, Radhika M. V.
Halloran, John W. See Griffith, Michelle L.; Liu, Yin
Hallstedt, Bengt; Risold, Daniel; and Gauckler, Ludwig J.
Thermodynamic Evaluation of the Bi-Cu-O System. (2) 353
Hamaji, Yukio See Kajiyoshi, Koji
Han, Joo-Hwan See Shin, Seung-Doh
Han, K. R.; Lim, C. S.; Hong, M. J.; Choi, S. K.; and Kwon, S. H.
Surface Modification of Silicon Nitride Powder with Aluminum. (2) 574
Haneda, Hajime See Sakaguchi, Isao
Harada, Kouichi; Kanai, Hideyuki; and Yamashita, Yohachi
Effect of Mn on Aging of $(Pb_{0.63}Ba_{0.37})(Zr_{0.7}Ti_{0.3})O_3$ Dielectric Ceramics. (8) 2109
Harald, Kölle See Freimuth, Herbert
Härdtl, Karl Heinz See Schäufele, Ansgar B.

Harmer, Mark A.; Bergna, Horacio; Saltzberg, Michael; and Hu, Yu H.
Preparation and Properties of Borosilicate-Coated Alumina Particles from Alkoxides. (6) 1546
Harmer, Martin P. See Chou, Irene A.; French, Jonathan D.; Stearns, Laura C.
Hartman, J. Stephen See MacKenzie, Kenneth J. D.
Hasegawa, Minoru; Itatani, Kiyoshi; Aizawa, Mamoru; Howell, F. Scott; and Kishioka, Akira
Low-Temperature Synthesis of Aluminum Silicon Carbide Using Ultrafine Aluminum Carbide and Silicon Carbide Powders. (1) 275
Hashida, Toshiyuki See Hosoi, Kazuyuki; Li, Victor C.
Hashimoto, Koji See Li, Jing-Feng
Hashimoto, Shinobu and Yamaguchi, Akira
Synthesis of $MgAl_2O_4$ Whiskers by an Oxidation–Reduction Reaction. (2) 491; Growth Morphology and Mechanism of a Hollow ZnO Polycrystal. (4) 1121; Preparation of Porous Cr_3C_2 Grains with Cr_2O_3. (9) 2503
Hasselman, D. P. H.; Donaldson, Kimberly Y.; Thomas, J. R., Jr.; and Brennan, John J.
Thermal Conductivity of Vapor–Liquid–Solid and Vapor–Solid Silicon Carbide Whisker-Reinforced Lithium Aluminosilicate Glass-Ceramic Composites. (3) 742
Hasselman, D. P. H. See Russell, Laura M.
Hausner, Hans See Li, Jian-Guo
Hawk, Jeffrey A.; Alman, David E.; and Petrovic, John J.
Abrasive Wear Behavior of a Si_3N_4–$MoSi_2$ Composite. (5) 1297
Hay, David G. See Lathabai, Srinivasarao
Hay, Randall S. See Cinibulk, Michael K.; Parthasarathy, Triplicane A.
Hayakawa, Naoya See Nogami, Masayuki
Hayama, Seiji See Suzuki, Suguru
Hayashi, Katsuro; Yamamoto, Takahisa; and Sakuma, Taketo
Grain Orientation Dependence of the PTCR Effect in Niobium-Doped Barium Titanate. (6) 1669
Hayashi, Ryuichi See Tsuda, Hiroshi
He, Jun See Kizler, Peter
He, Yingjie; Winnubst, Louis; Burggraaf, Anthonie J.; Verweij, Henk; van der Varst, Paul G. Th.; and de With, Bert
Grain-Size Dependence of Sliding Wear in Tetragonal Zirconia Polycrystals. (12) 3090
Hendry, Alan See Zhe, Xiaoli
Heredia, Fernando E. See Domergue, Jean-Marc
Hermel, Waldemar See Klemm, Hagen
Hernández, M. S. See Goñi, S.
Hernández, S. See Lorenzo, P.
Heuer, Arthur H. See Behrens, Gesa; Shin, Hyunjung
Hidber, Pirmin C.; Graule, Thomas J.; and Gauckler, Ludwig J.
Citric Acid—A Dispersant for Aqueous Alumina Suspensions. (7) 1857
Hill, D. Norman See Chung, Yong S.; Isabell, Thomas C.
Hill, Graham J. See Reece, Michael J.
Hill, Michael D.; White, Grady S.; Hwang, Cheol-Seong; and Lloyd, Isabel K.
Cyclic Damage in Lead Zirconate Titanate. (7) 1915
Hillman, Craig; Suo, Zhigang; and Lange, Fred F.
Cracking of Laminates Subjected to Biaxial Tensile Stresses. (8) 2127
Hillman, Craig See Oechsner, Matthias
Hilpert, Klaus See Peck, Dong-Huyn
Hilz, Gabriela See Kleebe, Hans-Joachim
Hirai, Hisako See Kondo, Ken-Ichi
Hirai, Koichi; Tatsumisago, Masahiro; Takahashi, Masanari; and Minami, Tsutomu
^{29}Si and ^{31}P MAS-NMR Spectra of Li_2S–SiS_2–Li_3PO_4 Rapidly Quenched Glasses. (2) 349
Hirakata, Keigo; Rhine, Wendell E.; and Cima, Michael J.
Surface Chemistry of Lead Titanate and Its Impact on Binder Removal. (4) 1002
Hirano, Masanori and Kato, Etsuro
Hydrothermal Synthesis of Cerium(IV) Oxide. (3) 777
Hirano, Masanori See Kato, Etsuro
Hirano, Shingo; Yoshinaka, Masaru; Hirota, Ken; and Yamaguchi, Osamu
Formation, Characterization, and Hot Isostatic Pressing of Cr_2O_3-Doped ZrO_2 (0.3 mol% Y_2O_3) Prepared by Hydrazine Method. (1) 171
Hirano, Shin-ichi; Yogo, Toshinobu; Kikuta, Ko-ichi; Sakamoto, Wataru; and Koganei, Hirosada
Synthesis of Nd:YVO_4 Thin Films by a Sol–Gel Method. (12) 3041
Hirano, Shin-ichi See Kikuta, Koichi; Ono, Satomi; Sakamoto, Wataru
Hirano, Takeshi See Ohji, Tatsuki
Hirao, Kazuyuki See Cho, Doo-Hee
Hirao, Kiyoshi; Watari, Koji; Brito, Manuel E.; Toriyama, Motohiro; and Kanzaki, Shuzo
High Thermal Conductivity in Silicon Nitride with Anisotropic Microstructure. (9) 2485
Hirao, Kiyoshi See Shigegaki, Yasuhiro
Hirosaki, Naoto; Okamoto, Yusuke; Ando, Motohide; Munakata, Fumio; and Akimune, Yoshio
Thermal Conductivity of Gas-Pressure-Sintered Silicon Nitride. (11) 2878
Hirose, Naohiro and West, Anthony R.
Impedance Spectroscopy of Undoped $BaTiO_3$ Ceramics. (6) 1633
Hirose, Takeshi See Ikuma, Yasuro
Hiroshima, Takuya; Tanaka, Kazuhiko; and Kimura, Toshio
Effects of Microstructure and Composition on the Curie Temperature of Lead Barium Niobate Solid Solutions. (12) 3235
Hirota, Ken See Aoyama, Tatsuji; Hirano, Shingo
Hirschfeld, Deidre A. See Lee, Kyoungho
Höche, Thomas and Rühle, Manfred
Effect of Calcium Doping on the Atomistic Structure of the (1104) Twin Boundary in Alumina. (7) 1961
Hoffbauer, Wilfried See Küper, Gerhild
Hoffman, Mark See Sternitzke, Martin
Hoffmann, Michael J. See Bandyopadhyay, Siddharta; Uhlig, Harald; Wang, Chong-Min
Hoghooghi, Bahar and Raj, Rishi
Heteroepitaxial Growth Kinetics in a CVD Process Using Nickel Oxide on MgO as a Model System. (4) 1019; Controlled Epitaxial Nucleation of Nickel Oxide on Microfabricated Magnesium Oxide Substrates in a CVD Process. (4) 1025
Hoke, Darren A.; Kim, Do Kyung; LaSalvia, Jerry C.; and Meyers, Marc A.
Combustion Synthesis/Dynamic Densification of a TiB_2–SiC Composite. (1) 177
Holmes, John W. See Sørensen, Bent F.
Hom, Craig L. See Brown, Steve A.
Honeyman-Colvin, Paul and Lange, Fred F.
Infiltration of Porous Alumina Bodies with Solution Precursors: Strengthening via Compositional Grading, Grain Size Control, and Transformation Toughening. (7) 1810
Hong, Gye-Won See Lee, Ho-Yong
Hong, Kug Sun; Kim, In-Tae; and Kim, Chong-Don
Order–Disorder Phase Formation in the Complex Perovskite Compounds $Ba(Ni_{1/3}Nb_{2/3})O_3$ and $Ba(Zn_{1/3}Nb_{2/3})O_3$. (12) 3218
Hong, M. J. See Han, K. R.
Hormes, Josef See Küper, Gerhild
Hosoi, Kazuyuki; Hashida, Toshiyuki; Takahashi, Hideaki; Yamasaki, Nakamichi; and Korenaga, Takashi
New Processing Technique for Hydroxyapatite Ceramics by the Hydrothermal Hot-Pressing Method. (10) 2771
Howell, F. Scott See Hasegawa, Minoru
Hsia, K. Jimmy See Dey, Nishit
Hsiang, Hsing-I and Yen, Fu-Su
Effect of Crystallite Size on the Ferroelectric Domain Growth of Ultrafine $BaTiO_3$ Powders. (4) 1053
Hsu, Richard See Kim, Jin Yong
Hsu, Stephen M. See Liu, Haiyan
Hsueh, Chun-Hway See Becher, Paul F.
Hu, Xiaozhi See Wang, Hui
Hu, Yu H. See Harmer, Mark A.
Hu, Yung-Haw See Shih, Wei-Heng
Huang, Jow-Lay and Jih, Jyh-Ming
Investigation of SiC–AlN: Part II, Mechanical Properties. (5) 1262
Huang, Keqin; Feng, Man; and Goodenough, John B.
Sol–Gel Synthesis of a New Oxide-Ion Conductor Sr- and Mg-Doped $LaGaO_3$ Perovskite. (4) 1100
Huang, Wen-hai See Ray, Chandra S.
Huang, Yung See Zhang, Zongtao
Huang, Zhen-Kun and Tien, Tseng-Ying
Solid–Liquid Reaction in the Si_3N_4–AlN–Y_2O_3 System under 1 MPa of Nitrogen. (6) 1717; Rare-Earth Melilite Solid Solution and Its Phase Relations with Neighboring Phases. (8) 2091
Huang, Zhen-Kun; Liu, Shih-Yu; Rosenflanz, Anatoly; and Chen, I-Wei
SiAlON Composites Containing Rare-Earth Melilite and Neighboring Phases. (8) 2081
Hubáček, Milan; Ueki, Masanori; and Satō, Tadao
Orientation and Growth of Grains in Copper-Activated Hot-Pressed Hexagonal Boron Nitride. (1) 283
Hufschmidt, Heike; Weyl, Axel; and Janke, Dieter
High-Temperature Electrical Properties in the ThO_2-Rich Region of ThO_2–RE_2O_3 Systems. (3) 756
Huger, Marc See Cutard, Thierry
Hughes, Jerry See Shih, Wei-Heng
Hung-Houston, Catherine C. See Eckert, James O. Jr.
Huo, Yongzhong and Jiang, Qing
Effect of Polarization Switch upon Stress in Thickness Vibration of a Ferroelectric Plate. (3) 651
Hurd, Alan J. See Kenkre, V. M.
Hwang, Cheol-Seong See Hill, Michael D.
Hwang, Chii-Shyang; Ji, Shi-Dong; and Lin, Sin-Lung
Properties of CeO_2–Al_2O_3–SiO_2 Glasses Prepared in Air. (8) 2212
Hwang, Hae J. See Watari, Koji
Hwang, Shyh-Lung See Sun, Ellen Y.
Hyun, Sang H. and Kang, Beom S.
Synthesis of Titania Composite Membranes by the Pressurized Sol–Gel Technique. (1) 279
Høyvald, Annette See Dohrup, Jesper
Iba, Hisayoshi; Chang, Tongshik; Kagawa, Yutaka; Minakuchi, Hiroyoshi; and Kanamaru, Kuniaki
Fabrication of Optically Transparent Short-Fiber-Reinforced Glass Matrix Composites. (4) 881
Ikeda, Susumu See Fukuda, Koichiro
Ikegami, Takayasu
Contacts and Coordination Numbers in a Compact of Polyhedral Particles. (1) 148; Theoretical Description of a Two-dimensional Compaction Process of Cylinders. (1) 153
Ikesue, Akio and Kamata, Kiichiro
Microstructure and Optical Properties of Hot Isostatically Pressed Nd:YAG Ceramics. (7) 1927
Ikesue, Akio; Kamata, Kiichiro; and Yoshida, Kunio
Synthesis of Transparent Nd-doped HfO_2–Y_2O_3 Ceramics Using HIP. (2) 359; Effects of Neodymium Concentration on Optical Characteristics of Polycrystalline Nd:YAG Laser Materials. (7) 1921
Ikesue, Akio; Yoshida, Kunio; and Kamata, Kiichiro
Transparent Cr^{4+}-Doped YAG Ceramics for Tunable Lasers. (2) 507
Ikuma, Yasuro; Shigemura, Takashi; and Hirose, Takeshi
Temperature Profile of Anatase-TiO_2 Powder Compact during Microwave Heating. (10) 2533
Inagaki, Masahiro See Nakayama, Akira
Inoue, Masashi; Kominami, Hiroshi; and Inui, Tomoyuki
Thermal Decomposition of Alkoxides in an Inert Organic Solvent: Novel Method for the Synthesis of Homogeneous Mullite Precursor. (3) 793
Inui, Saburo See Ota, Yoshio
Inui, Takashi See Yao, Takeshi
Inui, Tomoyuki See Inoue, Masashi
Inukai, Eikichi See Kasuga, Toshihiro
Isabell, Thomas C.; Dravid, Vinayak P.; and Hill, D. Norman
Crack–Interface Interactions in a Tungsten–Yttria-Stabilized-Zirconia Directionally Solidified Eutectic. (2) 412
Iseki, Takayoshi See Kim, Jae-Yuk
Ishida, Hideki See Sasaki, Kaori
Ishihara, Tatsumi; Sato, Keiji; and Takita, Yusaku
Electrophoretic Deposition of Y_2O_3-Stabilized ZrO_2 Electrolyte Films in Solid Oxide Fuel Cells. (4) 913
Ishizaki, Kozo See Saito, Naruki
Isobe, Yasuhide See Kikuta, Koichi
Itatani, Kiyoshi See Hasegawa, Minoru
Ito, Kazutoshi See Unuma, Hidero
Ito, Suketoshi See Fukuda, Koichiro
Itoh, Nobuyuki See Nakayama, Akira
Ives, Lewis K. See Xu, Hockin H. K.
Iwashita, Tetsushi See Ota, Yoshio
Jacob, K. Thomas and Seetharaman, Seshadri
Phase Equilibria, Oxygen Potentials, and Activities in the System Ni–Co–Si–O at 1373 K. (11) 2815
Jacobsen, Claus J. H. See Dohrup, Jesper
Jacobson, Nathan S.; Lee, Kang N.; and Yoshio, Tetsuo
Corrosion of Mullite by Molten Salts. (8) 2161
Jahanmir, Said See Xu, Hockin H. K.
James, Peter F. See Reaney, Ian M.
Jamnik, Janez and Raj, Rishi
Space-Charge-Controlled Diffusional Creep: Volume Diffusion Case. (1) 193
Janas, Victor F. See Ting, Steven M.
Jang, Hyun M. and Cho, Mun K.
Sol–Gel Processing and Pyroelectric Properties of Highly Oriented $Pb(Mg,Zn)_{1/3}Nb_{2/3}O_3$ Thin Films. (6) 1435
Janke, Dieter See Hufschmidt, Heike; Weyl, Axel
Janssen, Rolf See García, Daniel E.
Jayaram, Vikram; Manna, Rampada; Kshetrapal, Manjunath G.; Sarkar, Jaydeep; and Biswas, Sanjay K.
Microstructure Control and Wear of Al_2O_3–SiC–(Al,Si) Composites Made by Melt Oxidation. (3) 770
Jeng, S. M. See Yang, Jenn-Ming
Jennings, Hamlin M. See Day, P. S.; Thomas, Jeffrey J.
Jeon, Jae-Ho; Kim, Joo Seon; Kang, Suk-Joong L.; and Yang, Myung Seung
Atmosphere Control of Interface Migration and Its Effect on Dielectric Property of CuO-Infiltrated Strontium Titanate. (6) 1499
Jeulin, Dominique See Berdin, Clotilde
Jewell, John M.; Friebele, E. Joseph; and Aggarwal, Ishwar D.
Controlled Crystallization and Properties of Zirconium Fluoride-Based Glass-Ceramics. (9) 2397
Ji, Shi-Dong See Hwang, Chii-Shyang
Jia, Nanying See Bodet, Raphael
Jian, Li and Wayman, C. Marvin
Domain Boundary and Domain Switching in a Ceramic Rare-Earth Orthoniobate $LaNbO_4$. (6) 1642
Jiang, Qing See Huo, Yongzhong
Jiang, Zuozhao See Zhang, Zongtao
Jih, Jyh-Ming See Huang, Jow-Lay
Jimbo, Genji See Kamiya, Hidehiro
Jimenez-Becerril, Jaime See Valenzuela, Miguel A.
Jing, Xiping See Cruickshank, Karen M.
Joannopoulos, John See Tepesch, Patrick D.
Job, Lenox S. See Xu, Hockin H. K.
Johnson, D. Lynn See Day, P. S.; Su, Hunghai; Thomas, Jeffrey J.
Johnsson, Mats See Ahlén, Niklas
Joshi, V. C. See Pyare, Ram
Joslin, Debra L. See Lee, Woo Y.
Jung, Hyung-Jin See Kucheiko, Sergey
Junichiro, Tsubaki See Takahashi, Hideo

Kagawa, Yutaka See Iba, Hisayoshi; Mizuno, Mineo; Zhu, Shijie
Kahn, Manfred See Bashkansky, Mark; Wu, Carl C. M.
Kajiyoshi, Koji; Hamaji, Yukio; Tomono, Kunisaburo; Kasanami, Toru; and Yoshimura, Masahiro
Microstructure of Strontium Titanate Thin Film Grown by the Hydrothermal–Electrochemical Method. (3) 613
Kakihana, Masato; Milanova, Maria M.; Arima, Momoko; Okubo, Toru; Yashima, Masatomo; and Yoshimura, Masahiro
Polymerized Complex Route to Synthesis of Pure $Y_2Ti_2O_7$ at 750°C Using Yttrium–Titanium Mixed-Metal Citric Acid Complex. (6) 1673
Kakihana, Masato See Arima, Momoko
Kalidindi, Surya R. See Brodkin, Dmitri
Kamata, Kiichiro See Ikesue, Akio
Kamiya, Hidehiro; Suzuki, Hisao; Kato, Daisuke; and Jimbo, Genji
Influence of Viscous Deformation at the Contact Point of Primary Particles on Compaction of Alkoxide-Derived Fine SiO_2 Granules under Ultrahigh Isostatic Pressure. (9) 2257
Kanai, Hideyuki See Harada, Kouichi; Sato, Yuichi
Kanamaru, Kuniaki See Iba, Hisayoshi
Kaneko, Shoji See Murakami, Kenji
Kang, Beom S. See Hyun, Sang H.
Kang, Seunggu; Lin, Hongy; and Day, Delbert E.
Change in Refractive Index of a Borosilicate Glass Fiber Annealed Below the Glass Transformation Temperature. (10) 2633
Kang, Suk-Joong L. See Jeon, Jae-Ho; Lee, Ho-Yong; Paek, Yeong-Kyeun
Kang, Young Min See Kim, Sangsub
Kanzaki, Shuzo See Hirao, Kiyoshi; Shigegaki, Yasuhiro; Watari, Koji
Karihaloo, Bhushan L. See Mølller, Carsten V.
Kasanami, Toru See Kajiyoshi, Koji
Kasuga, Toshihiro; Nakamura, Koichi; Inukai, Eikichi; and Abe, Yoshihiro
Direct Joining of BSCCO Superconducting Glass-Ceramics Using a Flame-Melting Method. (4) 885
Kasuga, Toshihiro; Ota, Yoshio; Tsuji, Kenji; and Abe, Yoshihiro
Preparation of High-Strength Calcium Phosphate Ceramics with Low Modulus of Elasticity Containing β-$Ca(PO_3)_2$ Fibers. (7) 1821
Kasuga, Toshihiro See Ota, Yoshio
Katagiri, Gen See Sergo, Valter
Katayama, Shingo; Yoshinaga, Ikuko; Yamada, Noriko; and Nagai, Toru
Low-Temperature Synthesis of $Ba(Mg_{1/3}Ta_{2/3})O_3$ Ceramics from Ba-Mg-Ta Alkoxide Precursor. (8) 2059
Kato, Daisuke See Kamiya, Hidehiro
Kato, Etsuro; Hirano, Masanori; Kobayashi, Yuichi; Asoh, Keisuke; Mori, Makoto; and Nakata, Masato
Preparation of Monodisperse Zirconia Particles by Thermal Hydrolysis in Highly Concentrated Solutions. (4) 972
Kato, Etsuro See Hirano, Masanori
Kato, Kazumi; Tsuge, Akira; and Niihara, Ko-ichi
Microstructure and Crystallographic Orientation of Anatase Coatings Produced from Chemically Modified Titanium Tetraisopropoxide. (6) 1483
Kawai, Chihiro and Yamakawa, Akira
Coating of Fine-Grained Silicon Nitride Whiskers on Fiber-like Silicon Nitride. (2) 557
Kawamura, Katsuyuki See Kim, Dae-Weon
Kawasaki, Mutsurou See Zhang, Yao
Kawase, Akihiro See Sakamoto, Wataru
Kecskes, Laszlo J.; Niiler, Andrus; Kottke, Thomas; Logan, Kathryn V.; and Villalobos, Guillermo R.
Dynamic Consolidation of Combustion-Synthesized Alumina–Titanium Diboride Composite Ceramics. (10) 2687
Keller, Joseph See Smith, Peter A.
Kelly, Georgina L. See Batchelor, Warren J.
Kemmochi, Kiyoshi See Tsuda, Hiroshi
Kemp, William See Yasrebi, Mehrdad
Kenkre, V. M.; Endicott, M. R.; Glass, S. Jill; and Hurd, Alan J.
A Theoretical Model for Compaction of Granular Materials. (12) 3045
Kenway, Philip R. See Kizler, Peter
Kera, Yoshiya See Kominami, Hiroshi
Kerans, Ronald J.
Viability of Oxide Fiber Coatings in Ceramic Composites for Accommodation of Misfit Stresses. (6) 1664
Kerch, Helen M. See Allen, Andrew J.; Smith, Peter A.
Kern, William A.; McNallan, Michael J.; and Tressler, Richard E.
Oxidation and Corrosion of $SiC_{(particulate)}$/Al/Al_2O_3 Composites in Sodium Silicate at Elevated Temperatures. (7) 1881
Khachaturyan, A. G. See Wang, Yunzhi
Khedr, Amal AbouBakr and ElBatal, Hatem AbdelRahman
Corrosion of Zinc-Containing Cabal Glasses by Various Leaching Solutions. (3) 733
Kihara, Jungi See Yen, Bing K.
Kikuta, Koichi; Isobe, Yasuhide; Yogo, Toshinobu; Ono, Satomi; and Hirano, Shin-ichi
Orientation Control and Laser-Beam-Assisted Crystallization of Sol–Gel-Derived, Titanium-Doped $LiNbO_3$ Thin Films. (9) 2289
Kikuta, Ko-ichi See Hirano, Shin-ichi; Sakamoto, Wataru
Kim, Byung-Kook See Park, Jae-Hwan
Kim, Chan-Joong See Lee, Ho-Yong
Kim, Chong Hee See Kim, Weon-Ju; Park, Hong Kyu
Kim, Chong-Don See Hong, Kug Sun
Kim, Dae-Weon; Enomoto, Naoya; Nakagawa, Zenbe-e; and Kawamura, Katsuyuki
Molecular Dynamic Simulation in Titanium Dioxide Polymorphs: Rutile, Brookite, and Anatase. (4) 1095
Kim, Do Kyung See Hoke, Darren A.; Kim, Weon-Ju; Park, Hong Kyu
Kim, Doh-Yeon See Chae, Ki-Woong; Oh, Kyung-Sik; Park, Jong-Keuk; Shin, Seung-Doh
Kim, Dong-Joo and Choi, Doo-Jin
High-Temperature Corrosion Resistance of Chemically Vapor Deposited Silicon Carbide against Hydrogen Chloride and Hydrogen Gaseous Environments. (2) 503
Kim, Hee Joon See Liu, Yi Jun
Kim, Hyun-Jai See Kucheiko, Sergey
Kim, Hyun-Min See Kokubo, Tadashi
Kim, In-Tae See Hong, Kug Sun; Park, Seung-Eek
Kim, Jae-Yuk; Iseki, Takayoshi; and Yano, Toyohiko
Pressureless Sintering of Dense Si_3N_4 and Si_3N_4/SiC Composites with Nitrate Additives. (10) 2744
Kim, Jin Yong; Hsu, Richard; and Kumta, Prashant N.
Effect of Incorporation of Nitrogen on the Structure and Dielectric Properties of Modified Oxide Sol-Precipitated Borosilicate Glasses and Glass-Ceramics. (6) 1473
Kim, Joo Seon See Jeon, Jae-Ho
Kim, Ki-Dong
Electrical Conductivity in Mixed-Alkali Aluminosilicate Melts. (9) 2422
Kim, Nam Heun; Fun, Qian Duan; Komeya, Katsutoshi; and Meguro, Takeshi
Phase Reaction and Sintering Behavior in the Pseudoternary System AlN–Y_2O_3–Al_2O_3. (10) 2645
Kim, Ran Y. See Dutton, Rollie E.
Kim, Sangsub; Kang, Young Min; and Baik, Sunggi
Microstructural Model on the Evolution of Domain Structure during Processing of $PbTiO_3$ Thin Films on MgO(100) Substrates. (4) 1105
Kim, Seock-Sam See Cho, Seong-Jai
Kim, Weon-Ju; Kim, Do Kyung; and Kim, Chong Hee
Morphological Effect of Second Phase on the Thermal Conductivity of AlN Ceramics. (4) 1066
Kim, Young-Wook See Cho, Kyeong-Sik
Kimura, Hisamichi M. See Liu, Yi Jun
Kimura, Shoichi See Koike, Junichi; Lin, Dahcheng
Kimura, Toshio; Kuroda, Yukinori; and Lee, Ho Sung
Effect of Phase Transformation on the Sintering of Lead Barium Metaniobate Solid Solutions. (3) 609
Kimura, Toshio See Hiroshima, Takuya
King, Bruce See Liu, Yin
Kirkpatrick, R. James See Cong, Xiandong
Kisailus, David See Shih, Wei-Heng
Kishi, Teruo See Tsuda, Hiroshi
Kishioka, Akira See Hasegawa, Minoru
Kitayama, Mikito and Pask, Joseph A.
Formation and Control of Agglomerates in Alumina Powder. (8) 2003
Kizler, Peter; He, Jun; Clarke, David R.; and Kenway, Philip R.
Structural Relaxation around Substitutional Cr^{3+} Ions in Sapphire. (1) 3
Klaffke, Dieter See Krell, Andreas
Kleebe, Hans-Joachim; Hilz, Gabriela; and Ziegler, Günter
Transmission Electron Microscopy and Electron Energy-Loss Spectroscopy Characterization of Glass Phase in Sol–Gel-Derived Mullite. (10) 2592
Kleebe, Hans-Joachim See Pezzotti, Giuseppe
Klein, Lisa C. See Tahan, Danielle M.
Klemm, Hagen; Tangermann, Katja; Schubert, Christian; and Hermel, Waldemar
Influence of Molybdenum Silicide Additions on High-Temperature Oxidation Resistance of Silicon Nitride Materials. (9) 2429
Knechtel, Mathias See Sternitzke, Martin
Knight, Diane S. and White, William B.
Raman Line Widths in Rare-Earth Sesquisulfide Solid Solutions. (5) 1394
Knowles, Kevin M. See Kumar, Atul; See Turan, Servet
Ko, Yung-Chao See Chan, Chen-Feng
Kobayashi, Yuichi See Kato, Etsuro
Kobertz, Dietmar See Peck, Dong-Huyn
Koganei, Hirosada See Hirano, Shin-ichi
Kogure, Kei; Sines, George; and Lavin, J. Gerard
Creep Behavior of a Pitch-Based Carbon Filament. (1) 46
Kohan, Adrian F. See Tepesch, Patrick D.
Kohyama, Norihiko See Tateyama, Hiroshi
Koike, Junichi and Kimura, Shoichi
Mechanism of Nitridation of Silicon Powder in a Fluidized-Bed Reactor. (2) 365
Kokubo, Tadashi; Miyaji, Fumiaki; Kim, Hyun-Min; and Nakamura, Takashi
Spontaneous Formation of Bonelike Apatite Layer on Chemically Treated Titanium Metals. (4) 1127
Kolar, Drago See Rečnik, Aleksander
Komarneni, Sridhar; Menon, V. C.; Li, Q. H.; Roy, Rustum; and Ainger, F.
Microwave-Hydrothermal Processing of $BiFeO_3$ and $CsAl_2PO_6$. (5) 1409
Komarneni, Sridhar See Ma, Weiping
Komeya, Katsutoshi See Kim, Nam Heun
Kominami, Hiroshi; Matsuo, Kentarou; and Kera, Yoshiya
Crystallization and Transformation of Aluminum Orthophosphates in Organic Solvent Containing a Small Amount of Water. (9) 2506
Kominami, Hiroshi See Inoue, Masashi; Liu, Yi Jun
Kondo, Ken-Ichi; Kukino, Satoru; and Hirai, Hisako
Shock-Compaction of Nano-Sized Diamond Powder, as Examined by Microstructural Analysis. (1) 97
Kondos, Pericles A.; Subramanian, R. Shankar; Cole, Robert; and Weinberg, Michael C.
Dissolution of Rising Helium Bubbles in a Soda–Lime–Silica Glassmelt. (7) 1899
Korenaga, Takashi See Hosoi, Kazuyuki
Kosacki, Igor See Aoki, Makoto
Kottke, Thomas See Kecskes, Laszlo J.
Kotun, Margaret E. See Leone, Edgar A.
Koumoto, Kunihito See Ohta, Hiromichi; Seo, Won-Seon
Koura, Toshiaki See Yashima, Masatomo
Kovar, Desiderio and Readey, Michael J.
Grain Size Distributions and Strength Variability of High-Purity Alumina. (2) 305
Krell, Andreas; Blank, Paul; Wagner, Eckhard; and Bartels, Günter
Advances in the Grinding Efficiency of Sintered Alumina Abrasives. (3) 763
Krell, Andreas and Klaffke, Dieter
Effects of Grain Size and Humidity on Fretting Wear in Fine-Grained Alumina, Al_2O_3/TiC, and Zirconia. (5) 1139
Kriven, Waltraud M. See Cherian, Isaac K.
Krueger, Susan See Allen, Andrew J.
Kruger, Keith L. See Zimmerman, Michael H.
Kshetrapal, Manjunath G. See Jayaram, Vikram
Kucheiko, Sergey; Choi, Ji-Won; Kim, Hyun-Jai; and Jung, Hyung-Jin
Microwave Dielectric Properties of $CaTiO_3$–$Ca(Al_{1/2}Ta_{1/2})O_3$ Ceramics. (10) 2739
Kuharuangrong, Sutin and Schulze, Walter
Characterization of $Bi_{0.5}Na_{0.5}TiO_3$–$PbTiO_3$ Dielectric Materials. (5) 1273
Kukino, Satoru See Kondo, Ken-Ichi
Kulpa, Alina and Troczynski, Tom
Oxidation of TiB_2 Powders below 900°C. (2) 518
Kumar, Atul and Knowles, Kevin M.
Oxidation Behavior of a Si-C-O-Fiber-Reinforced Magnesium Aluminosilicate. (9) 2364; Effect of Oxidation Heat Treatments on the Mechanical Behavior of a Si-C-O-Fiber-Reinforced Magnesium Aluminosilicate. (9) 2375
Kumar, Susmit and Singh, Raj N.
Comment on "Fracture Criteria for Piezoelectric Ceramics". (4) 1133
Kumar, Viswanathan; Marimuthu, Ramadoss; Patil, Shashikumar G.; Ohya, Yutaka; and Takahashi, Yasutaka
A Simple System for the Preparation of Submicrometer Lead Titanate Powders by the Sol–Gel Method. (10) 2775
Kumaria, Shashwat; Singh, Raj N.; and Gupta, Vijay
Effect of Interfacial Shear Strength on Crack–Fiber Interaction Behavior in Ceramic Matrix Composites. (1) 199
Kumta, Prashant N. See Kim, Jin Yong
Kung, Harriet See Butt, Darryl P.
Küper, Gerhild; Peitz, Bettina; Winter, Ines; Hormes, Josef; Schneider, Hartmut; Schmücker, Martin; Voll, Dietmar; and Hoffbauer, Wilfried
Aluminum *K*-Edge Absorption (XANES) Studies of Noncrystalline Mullite Precursors. (3) 813
Kurita, Hisashi See Sakai, Mototsugu
Kuroda, Yukinori See Kimura, Toshio
Kuwabara, Makoto; Morimo, Ken-ichiro; and Matsunaga, Tatsuya
Single-Grain Boundaries in PTC Resistors. (4) 997
Kuwabara, Makoto See Shimooka, Hirokazu
Kuwayama, Yuji See Mizusaki, Junichiro
Kwan, Stephen; LaRosa-Thompson, Judy; and Grutzeck, Michael W.
Structures and Phase Relations of Aluminum-Substituted Calcium Silicate Hydrate. (4) 967
Kwon, S. H. See Han, K. R.
Lachowski, Eric E. See Cruickshank, Karen M.
Lackey, W. Jack See Chung, Yong S.
Lackner, Klaus S. See Butt, Darryl P.
Laine, Richard M. See Bickmore, Clint R.; Liu, Yin
Lakshminarayanan, R.; Shetty, D. K.; and Cutler, Raymond A.
Toughening of Layered Ceramic Composites with Residual Surface Compression. (1) 79

Lal, Lal Ji See Pyare, Ram
Lambropoulos, John C.; Xu, Su; and Tong Fang, Tong
Constitutive Law for the Densification of Fused Silica, with Applications in Polishing and Microgrinding. (6) 1441
Lamon, Jacques See Bodet, Raphael; Droillard, Christine
Lamparter, Hannes-Peter See Uhlig, Harald
Lange, Fred F. See Balmer, Mari Lou; Cutler, Willard A.; Franks, George V.; Hillman, Craig; Honeyman-Colvin, Paul; Oechsner, Matthias; Polli, Andrew D.; Tu, Wen-Chiang; Yanez, Joseph A.
Lara, Victor H. See Valenzuela, Miguel A.
LaRosa-Thompson, Judy See Kwan, Stephen
LaSalvia, Jerry C. See Hoke, Darren A.
Lathabai, Srinivasarao; Hay, David G.; Wagner, Florian; and Claussen, Nils
Reaction-Bonded Mullite/Zirconia Composites. (1) 248
Lavin, J. Gerard See Kogure, Kei
Law, Chung K. See Makino, Atsushi
Lawanier, Jean-Pierre; Meen, James K.; and Elthon, Don
10 kbar Phase Equilibria in the Y-Ba-Cu Oxide System at 950°C. (2) 533
Lawn, Brian R. See Fischer-Cripps, Anthony C.; Liu, Haiyan; Pajares, Antonia; Wuttiphan, Sataporn
Lee, Byung-Kyo See Park, Jun-Hong
Lee, Chung-Kook; Berta, Yolande; and Speyer, Robert F.
Effect of Na_2O Additions in the Crystallization of Barium Ferrite from a $BaO–B_2O_3–Fe_2O_3$ Glass. (1) 183
Lee, Dae-Hee See Park, Jun-Hong
Lee, Ho Sung See Kimura, Toshio
Lee, Ho-Yong; Kim, Chan-Joong; and Hong, Gye-Won
Formation of Pores and Y_2BaCuO_5-Free Regions during Melt Processing of $Y_1Ba_2Cu_3O_x$. (11) 2912
Lee, Ho-Yong; Rhee, Young-Woo; and Kang, Suk-Joong L.
Discontinuous Dissolution and Grain-Boundary Migration in $Al_2O_3–Fe_2O_3$ by Oxygen Partial Pressure Change. (6) 1659
Lee, Ho-Yong See Paek, Yeong-Kyeun
Lee, June-Gunn See Cho, Kyeong-Sik
Lee, Kang N. and Miller, Robert A.
Oxidation Behavior of Mullite-Coated SiC and SiC/SiC Composites under Thermal Cycling between Room Temperature and 1200°–1400°C. (3) 620
Lee, Kang N. See Jacobson, Nathan S.
Lee, Kyoungho; Hirschfeld, Deidre A.; and Brown, Jesse J., Jr.
In Situ Whisker-Reinforced $AlPO_4$-Modified β-Eucryptite Glass-Ceramic: I, Morphology and Crystallization Kinetics. (3) 597
Lee, L. Jong-Ren See Aoki, Makoto
Lee, William E. See Glendenning, Malcolm D.; Reaney, Ian M.
Lee, Woo Y.; Cooley, Kevin M.; Berndt, Christopher C.; Joslin, Debra L.; and Stinton, David P.
High-Temperature Chemical Stability of Plasma-Sprayed $Ca_{0.5}Sr_{0.5}Zr_4P_6O_{24}$ Coatings on Nicalon/SiC Ceramic Matrix Composite and Ni-Based Superalloy Substrates. (10) 2759
Lee, Woo Y.; More, Karren L.; Stinton, David P.; and Bae, Yong W.
Characterization of Si_3N_4 Coated with Chemically-Vapor-Deposited Mullite after Na_2SO_4-Induced Corrosion. (9) 2489
Lee, Woo Y.; Stinton, David P.; Berndt, Christopher C.; Erdogan, Fazil; Lee, Yi-Der; and Mutasim, Zaher
Concept of Functionally Graded Materials for Advanced Thermal Barrier Coating Applications. (12) 3003
Lee, Woo Y.; Stinton, David P.; and Joslin, Debra L.
Interaction of Low-Expansion NZP Ceramics with Na_2SO_4 at 1000°C. (2) 484
Lee, Woo Y. See Bae, Yong W.
Lee, Yi-Der See Lee, Woo Y.
Lee, Yih-Shing; Liao, Kao-Shiang; and Tseng, Tseung-Yuen
Microstructure and Crystal Phases of Praseodymium Oxides in Zinc Oxide Varistor Ceramics. (9) 2379
Lee, Yong-Keun and Choi, Se-Young
Crystallization and Properties of $Fe_2O_3–CaO–SiO_2$ Glasses. (4) 992
Lehigh, Mitchell D. See Cherian, Isaac K.
Leite, Edson R.; Cerqueira, Marinalva; Perazoli, Lenig A.; Nasar, Ricardo S.; Longo, Elson; and Varela, José A.
Mechanism of Phase Formation in $Pb(Zr_xTi_{1-x})O_3$ Synthesized by a Partial Oxalate Method. (6) 1563
Leite, Edson R. See Cerri, Jose Alberto
Lemaitre, Jacques See Bohner, Marc
Lencka, Malgorzata M. See Eckert, James O. Jr.
Leone, Edgar A.; Curran, Sean; Kotun, Margaret E.; Carrasquillo, Gilbert; van Weeren, Remco; and Danforth, Stephen C.
Solid-State ^{29}Si NMR Analysis of Amorphous Silicon Nitride Powder. (2) 513
Lerch, Martin
Nitridation of Zirconia. (10) 2641
Lesher, Charles E. See Mishra, Rajiv S.
Levi, Carlos G. See Polli, Andrew D.
Levush, Baruch See Martin, Louis Peter
Lewis, Jennifer A.; Blackman, Kimberly A.; Ogden, Andrea L.; Payne, James A.; and Francis, Lorraine F.
Rheological Property and Stress Development during Drying of Tape-Cast Ceramic Layers. (12) 3225
Lewis, Jennifer A.; Galler, Michael A.; and Bentz, Dale P.
Computer Simulations of Binder Removal from 2-D and 3-D Model Particulate Bodies. (5) 1377
Li, Jian-Guo and Hausner, Hans
Reactive Wetting in the Liquid-Silicon/Solid-Carbon System. (4) 873
Li, Jie-Fang See Viehland, Dwight
Li, Jing-Feng; Watanabe, Ryuzo; Zhang, Bo-Ping; Asami, Katsuhiko; and Hashimoto, Koji
X-ray Photoelectron Spectroscopy Investigation on the Low-Temperature Degradation of 2 mol% $Y_2O_3–ZrO_2$ Ceramics. (12) 3109
Li, Ming and Sakai, Mototsugu
Mixed-Mode Fracture of Ceramics in Asymmetric Four-Point Bending: Effect of Crack-Face Grain Interlocking/Bridging. (10) 2718
Li, Q. H. See Komarneni, Sridhar
Li, Victor C.; Wu, Hwai-Chung; and Chan, Yin-Wen
Effect of Plasma Treatment of Polyethylene Fibers on Interface and Cementitious Composite Properties. (3) 700
Li, Victor C.; Wu, Hwai-Chung; Maalej, Mohamed; Mishra, Dhanada K.; and Hashida, Toshiyuki
Tensile Behavior of Cement-Based Composites with Random Discontinuous Steel Fibers. (1) 74
Liao, Kao-Shiang See Lee, Yih-Shing
Lim, C. S. See Han, K. R.
Lin, Dahcheng and Kimura, Shoichi
Kinetics of Silicon Monoxide Ammonolysis for Nanophase Silicon Nitride Synthesis. (11) 2947
Lin, Hongy See Kang, Seunggu
Lin, Hua-Tay; Alexander, Kathleen B.; and Becher, Paul F.
Grain Size Effect on Creep Deformation of Alumina–Silicon Carbide Composites. (6) 1530
Lin, Hua-Tay and Breder, Kristin
Creep Deformation in an Alumina–Silicon Carbide Composite Produced via a Directed Metal Oxidation Process. (8) 2218
Lin, Sin-Lung See Hwang, Chii-Shyang
Lin, Ying-Chun; Gan, Dershin; and Shen, Pouyan
Phase Transformation of ZrO_2 in MnZn-Ferrite under Magnetic Field. (2) 559
Litovsky, Efim; Shapiro, Michael; and Shavit, Arthur
Gas Pressure and Temperature Dependences of Thermal Conductivity of Porous Ceramic Materials: Part 2, Refractories and Ceramics with Porosity Exceeding 30%. (5) 1366
Liu, Haiyan and Hsu, Stephen M.
Fracture Behavior of Multilayer Silicon Nitride/Boron Nitride Ceramics. (9) 2452
Liu, Haiyan; Lawn, Brian R.; and Hsu, Stephen M.
Hertzian Contact Response of Tailored Silicon Nitride Multilayers. (4) 1009
Liu, Shih-Yu See Huang, Zhen-Kun
Liu, Shujie See Chen, Lifu
Liu, Yaping See Aoki, Makoto
Liu, Yi Jun; Kim, Hee Joon; Egashira, Yasuyuki; Kimura, Hisamichi; and Komiyama, Hiroshi
Using Simultaneous Deposition and Rapid Growth to Produce Nanostructured Composite Films of AlN/TiN by Chemical Vapor Deposition. (5) 1335
Liu, Yi Jun; Kim, Hee Joon; Takeuchi, Takashi; Egashira, Yasuyuki; Kimura, Hisamichi M.; and Komiyama, Hiroshi
Suppressing the Formation of Cone Structures in Chemical-Vapor-Deposited Aluminum Nitride/Titanium Nitride Films. (4) 1109
Liu, Yimin and Phulé, Pradeep P.
Nucleation- or Growth-Controlled Orientation Development in Chemically Derived Ferroelectric Lead Zirconate Titanate $(Pb(Zr_xTi_{1-x})O_3, x = 0.4)$ Thin Films. (2) 495
Liu, Yin; Zhang, Zhi-Fan; King, Bruce; Halloran, John; and Laine, Richard M.
Synthesis of Yttrium Aluminum Garnet from Yttrium and Aluminum Isobutyrate Precursors. (2) 385
Lloyd, Isabel K. See Hill, Michael D.
Loehman, Ronald E.; Ewsuk, Kevin; and Tomsia, Antoni P.
Synthesis of Al_2O_3–Al Composites by Reactive Metal Penetration. (1) 27
Loehman, Ronald E. See Fahrenholtz, William G.
Logan, Kathryn V. See Kecskes, Laszlo J.
Long Gabrielle G. See Allen, Andrew J.
Longo, Elson See Cerri, Jose Alberto; Leite, Edson R.
Loong, Chun-Keung; Richardson, James W., Jr.; Sukuzi, Sugura; and Ozawa, Masakuni
Crystal Phase and Phonon Densities of States of β′-SiAlON Ceramics, $Si_{6-z}Al_zO_zN_{8-z}$ $(0 \le z \le 4)$. (12) 3250
Lopato, Lidia M. See Andrievskaya, Elena R.
Lopez, Olivia A. See Shea, Lauren E.
Lorenzo, M. P. See Goñi, S.
Lorenzo, P.; Goñi, S.; Hernández, S.; and Guerrero, A.
Effect of Fly Ashes with High Total Alkali Content on the Alkalinity of the Pore Solution of Hydrated Portland Cement Paste. (2) 470
Lowden, Richard A. See Wang, Hongyu; Webb, James E.
Lu, Tian Jian
Crack Branching in All-Oxide Ceramic Composites. (1) 266
Lu, Yung-Cheng See Butt, Darryl P.
Luecke, William E. and French, Jonathan D.
Sources of Strain-Measurement Error in Flag-Based Extensometry. (6) 1617
Lynch, Christopher S. and Evans, Anthony G.
Effects of Off-Axis Loading on the Tensile Behavior of a Ceramic-Matrix Composite. (12) 3113
Ma, Weiping; Brown, Paul W.; and Komarneni, Sridhar
Sequestration of Cesium and Strontium by Tobermorite Synthesized from Fly Ashes. (6) 1707
Maalej, Mohamed See Li, Victor C.
MacKenzie, Kenneth J. D.; Hartman, J. Stephen; and Okada, Kiyoshi
MAS NMR Evidence for the Presence of Silicon in the Alumina Spinel from Thermally Transformed Kaolinite. (11) 2980
Mackin, T. J.; Perry, K. E.; Epstein, J. S.; Cady, C.; and Evans, A. G.
Strain Fields and Damage around Notches in Ceramic-Matrix Composites. (1) 65
Mahía, José; Vázquez-Vázquez, Carlos; Basadre-Pampín, M. Isabel; Mira, Jorge; Rivas, José; López-Quintela, M. Arturo; and Oseroff, Saul B.
Sol–Gel Synthesis of Fine Gd_2CuO_4 Particles: Influence of Synthesis Variables. (2) 407
Maki, Iwao See Fukuda, Koichiro
Makino, Atsushi and Law, Chung K.
Self-Propagating High-Temperature Synthesis Flammable Range and Dominant Parameters for Synthesizing Several Ceramics and Intermetallic Compounds under Heat-Loss Condition. (12) 3097
Malatísi i Riera, Antoni See Yamegni-Nouheyo, Jean-Celestin
Malghan, Subhas G. See Ramakrishnan, Vijay
Manfred, Lacher See Freimuth, Herbert
Manna, Rampada See Jayaram, Vikram
Marimuthu, Ramadoss See Kumar, Viswanathan
Markowski, Kelley; Park, Seung-Eek; Yoshikawa, Shoko; and Cross, L. Eric
Effect of Compositional Variations in the Lead Lanthanum Zirconate Stannate Titanate System on Electrical Properties. (12) 3297
Markowski, Kelley See Pan, Ming-Jen
Marshall, David B. See Cox, Brian N.; Mumm, Daniel R.
Martin, Brück See Freimuth, Herbert
Martin, Louis Peter; Dadon, David; and Rosen, Moshe
Evaluation of Ultrasonically Determined Elasticity–Porosity Relations in Zinc Oxide. (5) 1281
Martin, Louis Peter; Dadon, David; Rosen, Moshe; Gershon, David; Birman, Amnon; Levush, Baruch; and Carmel, Yuval
Ultrasonic and Dielectric Characterization of Microwave-Sintered and Conventionally Sintered Zinc Oxide. (10) 2652
Martínez-Fernández, Julián See Gómez-García, Diego; Morscher, Gregory N.
Mason, Thomas O. See Wu, Yue
Massuda, Mona See Brown, Steve A.
Masuda, Tsuguya See Sasaki, Kaori
Matar, Samir A.; Edirisinghe, Mohan J.; Evans, Julian R. G.; and Twizell, E. H.
Diffusion of Degradation Products in Ceramic Moldings during Pyrolysis: Effect of Geometry. (3) 749
Mathieu, Jean Claude See Bennour, Fatima
Matsunaga, Tatsuya See Kuwabara, Makoto
Matsuo, Kentarou See Kominami, Hiroshi
Matsutani, Nobuya See Aoyama, Tatsuji
Mayer, Joachim See Pan, Xiaoqing; Polli, Andrew D.
Mayo, Merrilea J. See Chen, Da-Jiang; Seidensticker, John R.
McCormick, Paul G. See Ding, Jun
McKittrick, Joanna See Shea, Lauren E.
McMeeking, Robert M. See Bouvard, D.; Casagranda, Albert; Evans, Anthony G.
McNallan, Michael J. See Kern, William A.
Meen, James K. See Geny, Joel; Lawanier, Jean-Pierre
Meguro, Takeshi See Kim, Nam Heun
Mehl, Michael J. See Tepesch, Patrick D.
Melant, Renee M. See Miller, Kelly T.
Menon, V. C. See Komarneni, Sridhar
Messing, Gary L. See Nordahl, C. Scott
Meurk, Anders See Bergström, Lennart
Meyer, Mitchell K. and Akinc, Mufit
Oxidation Behavior of Boron-Modified Mo_5Si_3 at 800°–1300°C. (4) 938; Isothermal Oxidation Behavior of Mo–Si–B Intermetallics at 1450°C. (10) 2763
Meyers, Marc A. See Hoke, Darren A.
Mihajlov, Andjelka See Djuric, Mirjana
Milanova, Maria M. See Kakihana, Masato
Miller, Gary A. See French, Jonathan D.
Miller, Kelly T.; Melant, Renee M.; and Zukoski, Charles F.
Comparison of the Compressive Yield Response of Aggregated Suspensions: Pressure Filtration, Centrifugation, and Osmotic Consolidation. (10) 2545
Miller, Miroslaw See Peck, Dong-Huyn
Miller, Robert A. See Lee, Kang N.
Milne, Steven J. See Tu, Yeur-Luen
Milonjić, Slobodan K. See Čerović, Ljiljana S.

Milošević, Olivera B.; Mirković, Mirjana K.; and Uskoković, Dragan P.
Characteristics and Formation Mechanism of $BaTiO_3$ Powders Prepared by Twin-Fluid and Ultrasonic Spray-Pyrolysis Methods. (6) 1720
Minakuchi, Hiroyoshi See Iba, Hisayoshi
Minami, Tsutomu See Hirai, Koichi
Mirković, Mirjana K. See Milošević, Olivera B.
Mishra, Dhanada K. See Li, Victor C.
Mishra, Rajiv S.; Lesher, Charles E.; and Mukherjee, Amiya K.
High-Pressure Sintering of Nanocrystalline γ-Al_2O_3. (11) 2989
Mitchell, Brian S. See Fondeur, Fernando
Mitchell, Terrence E. See Reimanis, Ivar E.
Mitsuda, Takeshi See Sasaki, Kaori
Miura, Norio See Yoo, Do Joon
Miyaji, Fumiaki; Fujimine, Satoshi; Yoko, Toshinobu; and Sakka, Sumio
Electrical Properties of Nonconventional Bi-Ba-Cu-O Glasses. (7) 1815
Miyaji, Fumiaki See Kokubo, Tadashi
Miyauchi, Masahiko See Nakayama, Akira
Miyayama, Masaru See Okubo, Atsushi
Mizuno, Mineo; Zhu, Shijie; Nagano, Yasuo; Sakaida, Yoshihisa; Kagawa, Yutaka; and Watanabe, Makoto
Cyclic-Fatigue Behavior of SiC/SiC Composites at Room and High Temperatures. (12) 3065
Mizuno, Mineo See Zhu, Shijie
Mizusaki, Junichiro; Tsuchiya, Soji; Waragai, Katsunori; Tagawa, Hiroaki; Arai, Yoshihide; and Kuwayama, Yuji
Simple Mathematical Model for the Electrical Conductivity of Highly Porous Ceramics. (1) 109; Reply to "Comment on 'Simple Mathematical Model for the Electrical Conductivity of Highly Porous Ceramics' ." (11) 2999
Møller, Carsten V.; Andreasen, Jens H.; and Karihaloo, Bhushan L.
Improved Endurance Limit of Zirconia Ceramics by Overloading. (9) 2500
Møller, Carsten V. and Karihaloo, Bhushan L.
Arrest of Fatigue Cracks in Transformation-Toughened Ceramics. (3) 655
Mo, Shang-Di; Ching, Wai-Yim; and French, Roger H.
Electronic Structure of a Near Σ11 *a*-axis Tilt Grain Boundary in α-Al_2O_3. (3) 627
MoberlyChan, Warren J. See Cao, Joe J.
Mocellin, Alain See Genevrier, Marc
Mogensen, Gurli See Dohrup, Jesper
Mohanty, Bishnu Charanarabinda See Nayak, Bijan Bihari
Montanaro, Laura; Ferroni, Luca; Pagliolico, Simonetta; Swain, Michael V.; and Bell, Trevor J.
Influence of Calcination Temperature on the Microstructure and Mechanical Properties of a Gel-Derived and Sintered 3 mol% Y-TZP Material. (4) 1034
Moon, Young Tae See Park, Hong Kyu
More, Karren L. See Lee, Woo Y.
Mori, Makoto See Kato, Etsuro
Mori, Toshiyuki; Yamamura, Hiroshi; and Saito, Syoshichi
Preparation of an Alkali-Element-Doped CeO_2–Sm_2O_3 System and Its Operation Properties as the Electrolyte in Planar Solid Oxide Fuel Cells. (12) 3309
Morimo, Ken-ichiro See Kuwabara, Makoto
Morinaga, Kenji See Takebe, Hiromichi
Morrell, Roger See Reece, Michael J.
Morscher, Gregory N.; Martinez-Fernandez, Julian; and Purdy, Mark J.
Determination of Interfacial Properties Using a Single-Fiber Microcomposite Test. (4) 1083
Moy, Walter See Wu, Carl C. M.
Moya, José S. See Steier, Hanns P.
Moyer, John R.
Phase Diagram for the SiF_4 Join in the System SiO_2–Al_2O_3–SiF_4. (11) 2965
Mujumdar, Arun S. See Gong, Zhen-Xiang
Mukherjee, Amiya K. See Mishra, Rajiv S.
Mukherjee, Sampad See Phani, Kalyan K.
Mumm, Daniel R.; Marshall, David B.; Griffin, Alair; Griffin, Curtis W.; and Turner, Colleen S.
Hardness Variations in Multilayered ZrO_2–Al_2O_3 Composites. (5) 1416
Munakata, Fumio See Hirosaki, Naoto
Munir, Zuhair A. See Feng, Aiguo; Shon, I. J.
Munro, R. G. and Chen, H.
Reference Relations for the Evaluation of the Materials Properties of Orthorhombic $YBa_2Cu_3O_x$ Superconductors. (3) 603; Reference Relations for the Evaluation of the Materials Properties of Orthorhombic $YBa_2Cu_3O_x$ Superconductors. (11) 3000
Munz, Dietrich See Fett, Theo
Murakami, Kenji; Yagi, Isao; and Kaneko, Shoji
Oriented Growth of Tin Oxide Thin Films on Glass Substrates by Spray Pyrolysis of Organotin Compounds. (10) 2557
Muraki, Naoki See Sergo, Valter
Muraoka, Mikio and Abé, Hiroyuki
Subcritical Crack Growth in Silica Optical Fibers in a Wide Range of Crack Velocities. (1) 51
Murat, Denis See Besson, Jean-Louis
Murata, Takahiro See Takebe, Hiromichi
Mutasim, Zaher See Lee, Woo Y.
Muto, Hiroyuki See Sakai, Mototsugu
Nagai, Toru See Katayama, Shingo
Nagano, Yasuo See Mizuno, Mineo; Zhu, Shijie
Nakagawa, Zenbe-e See Kim, Dae-Weon
Nakahira, Atsushi See Ohji, Tatsuki
Nakamura, Koichi See Kasuga, Toshihiro
Nakamura, Takashi See Kokubo, Tadashi
Nakamura, Yoshiyuki See Arima, Momoko
Nakata, Masato See Kato, Etsuro
Nakayama, Akira; Nambu, Shinji; Inagaki, Masahiro; Miyauchi, Masahiko; and Itoh, Nobuyuki
Dielectric Dispersion of Polycrystalline Aluminum Nitride at Microwave Frequencies. (6) 1453
Nakayasu, Tetsuo; Yamada, Tetsuo; Tanaka, Isao; Adachi, Hirohiko; and Goto, Seichi
Electronic Structures of Ln^{3+} α-SiAlONs with Correlations to Solubility and Solution Effects. (10) 2527
Nambu, Shinji See Nakayama, Akira
Nan, Ce-Wen and Clarke, David R.
Piezoelectric Moduli of Piezoelectric Ceramics. (10) 2563; Effect of Variations in Grain Size and Grain Boundary Barrier Heights on the Current–Voltage Characteristics of ZnO Varistors. (12) 3185
Nasar, Ricardo S. See Leite, Edson R.
Nasu, Takakuni See Suzuki, Suguru
Nava, Juan C. See Schmutzler, Hans J.
Navrotsky, Alexandra See Fritsch, Sophie
Nayak, Bijan Bihari; Mohanty, Bishnu Charanarabinda; and Singh, Saroj Kumar
Synthesis of Silicon Carbide from Rice Husk in a dc Arc Plasma Reactor. (5) 1197
Nettleship, Ian See Cherian, Isaac K.
Nguyen, Vinh Q. See Sanghera, Jas S.
Nicholas, Michael G. See Peteves, Stathis D.
Nicholson, Patrick S. See Sarkar, Partho
Nickel, Hubertus See Peck, Dong-Huyn
Niihara, Koichi See Chae, Ki-Woong; Kato, Kazumi; Ohji, Tatsuki; Pan, Xiaoqing
Niiler, Andrus See Kecskes, Laszlo J.
Niles, Lance C. See Chen, H. Daniel
Nishida, Toshihiko See Sergo, Valter
Nobrega, Maria Cecilia S. and Mannheimer, Walter A.
Varistor Performance of ZnO-Based Ceramics Related to Their Densification and Structural Development. (6) 1504
Nogami, Masayuki; Hayakawa, Naoya; Sugioka, Naoya; and Abe, Yoshihiro
Formation of Sm^{2+} Ions in Sol–Gel-Derived Glasses of the System Na_2O–Al_2O_3–SiO_2. (5) 1257
Noma, Hideaki See Tateyama, Hiroshi
Nordahl, C. Scott and Messing, Gary L.
Transformation and Densification of Nanocrystalline θ-Alumina during Sinter Forging. (12) 3149
Nord-Varhaug, Katrin
TEM Investigation of Impurity Phases and the Penetration of Liquid Aluminum in Hot Isostatically Pressed TiB_2 Compacts. (5) 1147
Nutt, Steven R. See Sheldon, Brian W.; Sun, Ellen Y.
Nygren, Mats See Ahlén, Niklas; Shen, Zhijian
Obolenskii, Michail A. See Uvarov, Victor N.
Odén, Magnus and Ericsson, Torsten
Near-Surface Deformation in an Alumina–Silicon Carbide-Whisker Composite due to Surface Machining. (8) 2134
Odler, Ivan See Vanis, Peter
Oechsner, Matthias; Hillman, Craig; and Lange, Fred F.
Crack Bifurcation in Laminar Ceramic Composites. (7) 1834
Ogden, Andrea L. See Lewis, Jennifer A.
Ogiso, Ko-ji See Sakamoto, Wataru
Oh, Kyung-Sik; Kim, Doh-Yeon; and Cho, Seong-Jai
Generation of Cracklike Voids during Sintering of Al_2O_3–$10ZrO_2$ Ceramics and Their Prevention by Presintering with Low Pressure (2 MPa). (6) 1723
Ohji, Tatsuki; Hirano, Takeshi; Nakahira, Atsushi; and Niihara, Koichi
Particle/Matrix Interface and Its Role in Creep Inhibition in Alumina/Silicon Carbide Nanocomposites. (1) 33
Ohta, Hiromichi; Seo, Won-Seon; and Koumoto, Kunihito
Thermoelectric Properties of Homologous Compounds in the ZnO–In_2O_3 System. (8) 2193
Ohya, Yutaka; Saiki, Hisao; Tanaka, Toshimasa; and Takahashi, Yasutaka
Microstructure of TiO_2 and ZnO Films Fabricated by the Sol–Gel Method. (4) 825
Ohya, Yutaka See Kumar, Viswanathan
Okada, Kazuki and Sakuma, Taketo
Tensile Ductility in Zirconia-Dispersed Alumina at High Temperatures. (2) 499
Okada, Kiyoshi See MacKenzie, Kenneth J. D.
Okamoto, Yusuke See Hirosaki, Naoto
Okubo, Atsushi; Miyayama, Masaru; and Yanagida, Hiroaki
Effect of Oxygen-Gas Concentration in the Heat-Treatment Atmosphere and High-Voltage Pulse Application on the Electrical Properties of Carbon Fibers. (12) 3169
Okubo, Toru See Kakihana, Masato
Ono, Satomi; Takeo, Takashi; and Hirano, Shin-ichi
Processing of Highly Oriented $LiNbO_3$ Films for Waveguides from Aqueous Solution. (5) 1343
Ono, Satomi See Kikuta, Koichi
Osborne, Danny H. See Affatigato, Mario
Ota, Ken'ichi See Pezzotti, Giuseppe
Ota, Toshitaka See Unuma, Hidero
Ota, Yoshio; Inui, Saburo; Iwashita, Tetsushi; Kasuga, Toshihiro; and Abe, Yoshihiro
Preparation of CaF_2 Fibers. (11) 2986
Ota, Yoshio See Kasuga, Toshihiro
Ozawa, K. See Sakka, Y.
Ozawa, Masakuni See Loong, Chun-Keung; Suzuki, Suguru
Padture, Nitin P. See Wuttiphan, Sataporn
Paek, Yeong-Kyeun; Lee, Ho-Yong; and Kang, Suk-Joong L.
Direction of Liquid Film Migration Induced by Chromic Oxide in Alumina–Anorthite. (12) 3029
Pagano, Nicholas J. See Dutton, Rollie E.
Pagliolico, Simonetta See Montanaro, Laura
Pajares, Antonia; Wei, Lanhua; Lawn, Brian R.; and Berndt, Christopher C.
Contact Damage in Plasma-Sprayed Alumina-Based Coatings. (7) 1907
Pajares, Antonia See Fischer-Cripps, Anthony C.
Pal, Uday B. See Yuan, Shi
Pan, Ming-Jen; Park, Seung-Eek; Park, Colin W.; Markowski, Kelley A.; Yoshikawa, Shoko; and Randall, Clive A.
Superoxidation and Electrochemical Reactions during Switching in $Pb(Zr,Ti)O_3$ Ceramics. (11) 2971
Pan, Xiaoqing
Atomistic Structure of Silicon Nitride/Silicate Glass Interfaces. (11) 2975
Pan, Xiaoqing; Gu, Hui; van Weeren, Remco; Danforth, Stephen C.; Cannon, Rowland M.; and Rühle, Manfred
Grain-Boundary Microstructure and Chemistry of a Hot Isostatically Pressed High-Purity Silicon Nitride. (9) 2313
Pan, Xiaoqing; Mayer, Joachim; Rühle, Manfred; and Niihara, Koichi
Silicon Nitride Based Ceramic Nanocomposites. (3) 585
Pan, Xiaoqing See Wang, Chong-Min
Pan, Yi and Baptista, João L.
Chemical Instability of Silicon Carbide in the Presence of Transition Metals. (8) 2017
Pantano, Carlo G. See Singh, Anant K.
Paracchini, Luigi See Ferraris, Monica
Park, Colin W. See Pan, Ming-Jen
Park, Hong Kyu; Moon, Young Tae; Kim, Do Kyung; and Kim, Chong Hee
Formation of Monodisperse Spherical TiO_2 Powders by Thermal Hydrolysis of $Ti(SO_4)_2$. (10) 2727
Park, Jae-Hwan; Kim, Byung-Kook; and Park, Soon Ja
Electrostrictive Coefficients of $0.9Pb(Mg_{1/3}Nb_{2/3})O_3$·$0.1PbTiO_3$ Relaxor Ferroelectric Ceramics in the Ferroelectricity-Dominated Temperature Range. (2) 430
Park, Jong-Keuk and Kim, Doh-Yeon
Effect of Grain Size on Diffusion-Induced Grain-Boundary Migration in $Ba(Zn_{1/3}Nb_{2/3})O_3$ Ceramics. (5) 1405
Park, Jun-Hong; Lee, Dae-Hee; Shin, Hyo-Soon; and Lee, Byung-Kyo
Transition of the Particle-Growth Mechanism with Temperature Variation in the Molten-Salt Method. (4) 1130
Park, S. B. See Sun, C. T.
Park, Seung-Eek; Chung, Su-Jin; and Kim, In-Tae
Ferroic Phase Transitions in $(Na_{1/2}Bi_{1/2})TiO_3$ Crystals. (5) 1290
Park, Seung-Eek See Markowski, Kelley; Pan, Ming-Jen
Park, Soon Ja See Park, Jae-Hwan; Yoo, Do Joon
Parker, John C See Allen, Andrew J.
Parthasarathy, Triplicane A.; Hay, Randall S.; and Ruh, Robert
High-Temperature Deformation of SiC-Whisker-Reinforced MgO-PSZ/Mullite Composites. (2) 475
Pask, Joseph A. See Kitayama, Mikito
Paszkiewicz, Zofia See Ślósarczyk, Anna
Patil, Shashikumar G. See Kumar, Viswanathan
Payne, James A. See Lewis, Jennifer A.
Pearson, Dale S. See Yanez, Joseph A.
Peck, Dong-Huyn; Miller, Miroslaw; Kobertz, Dietmar; Nickel, Hubertus; and Hilpert, Klaus
Vaporization of $LaCrO_3$: Partial and Integral Thermodynamic Properties. (12) 3266
Peigney, Alain and Rousset, Abel
Phase Transformations and Melting Effects During the Sintering of Bismuth-Doped Zinc Oxide Powders. (8) 2113
Peitz, Bettina See Küper, Gerhild
Pelino, Mario See Sun, Hong-Tao
Perazoli, Lenig A. See Leite, Edson R.
Perry, K. E. See Mackin, T. J.
Peteves, Stathis D. and Nicholas, Michael G.
Evaluation of Brazed Silicon Nitride Joints: Microstructure and Mechanical Properties. (6) 1553

Petrasinovic-Stojkanovic, Ljiljana See Djuric, Mirjana
Petrovic, John J. See Hawk, Jeffrey A.; Reimanis, Ivar E.
Petzow, Günter See Bandyopadhyay, Siddharta
Pezzotti, Giuseppe; Ota, Ken'ichi; and Kleebe, Hans-Joachim
Grain-Boundary Relaxation in High-Purity Silicon Nitride. (9) 2237
Pezzotti, Giuseppe See Sergo, Valter
Phani, Kalyan K.; Mukherjee, Sampad; and Basu, Debabrata
Ultrasonic Characterization of Zirconia-Toughened Alumina Ceramics. (12) 3331
Phillips, David S. See Blumenthal, William R.
Phillips, Nicolas J. See Tu, Yeur-Luen
Phulé, Pradeep P. See Liu, Yimin
Pietzka, Markus A. and Schuster, Julius C.
Phase Equilibria in the Quaternary System Ti–Al–C–N. (9) 2321
Pike, Gordon E. See Warren, William L.
Pivin, Jean Claude; Colombo, Paolo; and Tonidandel, Marco
Ion Irradiation of Preceramic Polymer Thin Films. (7) 1967
Poix, Paul See Yamegni-Noubeyo, Jean-Celestin
Polli, Andrew D.; Lange, Fred F.; Levi, Carlos G.; and Mayer, Joachim
Crystallization Behavior and Microstructure Evolution of $(Al,Fe)_2O_3$ Synthesized from Liquid Precursors. (7) 1745
Porat, Ofer and Tuller, Harry L.
Oxygen Nonstoichiometry and Defects in Mn-Doped $Gd_2Ti_2O_{7+\delta}$. (12) 3078
Potdar, Hari S.; Deshpande, Subhash B.; and Date, Sadgopal K.
Alternative Route for Synthesis of Barium Titanyl Oxalate: Molecular Precursor for Microcrystalline Barium Titanate Powders. (10) 2795
Pourroy, Genevieve See Yamegni-Noubeyo, Jean-Celestin
Pradip See Ramakrishnan, Vijay
Prodey, Jacqueline D. See Brown, Steve A.
Purdy, Mark J. See Morscher, Gregory N.
Pyare, Ram; Lal, Lal Ji; Joshi, V. C.; and Singh, V. K.
Leachability of Molybdenum from Ternary Phosphate Glasses. (5) 1329
Rabajol, Paolo See Ferraris, Monica
Rahaman, Mohamed N. See Wu, Shun J.
Raj, Rishi See Gopalan, Venkatraman; Hoghooghi, Bahar; Jamnik, Janez
Ramakrishnan, Vijay; Pradip; and Malghan, Subhas G.
Yield Stress of Alumina–Zirconia Suspensions. (10) 2567
Ramamurty, Upadrasta
Retardation of Fatigue Crack Growth in Ceramics by Glassy Ligaments: A Rationalization. (4) 945
Ramberg, C. Eric; Cruciani, Gary; Spear, Karl E.; Tressler, Richard E.; and Ramberg, Charles F., Jr.
Passive-Oxidation Kinetics of High-Purity Silicon Carbide from 800° to 1100°C. (11) 2897
Ramberg, Charles F., Jr. See Ramberg, C. Eric
Randall, Clive A. See Elissalde, Catherine; Pan, Ming-Jen
Rao, Radhika M. V.; Halliyal, Arvind; and Umarji, Arun M.
Perovskite Phase Formation in the Relaxor System $[Pb(Fe_{1/2}Nb_{1/2})O_3]_{1-x}$–$[Pb(Zn_{1/3}Nb_{2/3})O_3]_x$. (1) 257
Ravichandran, G. See Chen, Weinong
Ray, Chandra S.; Yang, Quanzu; Huang, Wen-hai; and Day, Delbert E.
Surface and Internal Crystallization in Glasses as Determined by Differential Thermal Analysis. (12) 3155
Raymond, Mark V. See Warren, William L.
Readey, Michael J. See Kovar, Desiderio; Ruiz, Laurence
Real, Concha; Alcalá, María D.; and Criado, José M.
Preparation of Silica from Rice Husks. (8) 2012
Real, Concha See Alcalá, María D.
Reaney, Ian M.; James, Peter F.; and Lee, William E.
Effect of Nucleating Agents on the Crystallization of Calcium Phosphate Glasses. (7) 1934
Rečnik, Aleksander and Kolar, Drago
Exaggerated Growth of Hexagonal Barium Titanate under Reducing Sintering Conditions. (4) 1015
Reddy, Srinivas K. See Singh, Raj N.
Reece, Michael J.; Worrell, Clive A.; Hill, Graham J.; and Morrell, Roger
Microstructures and Dielectric Properties of Ferroelectric Glass-Ceramics. (1) 17
Reimanis, Ivar E.; Petrovic, John J.; Suematsu, Hisayuki; and Mitchell, Terrence E.
A Crystalline Si_3N_4/Amorphous Si_3N_4 Composite. (2) 395
Reimanis, Ivar E.; Suematsu, Hisayuki; Petrovic, John J.; and Mitchell, T. E.
Mechanical Properties of Single-Crystal α-Si_3N_4. (8) 2065
Reintjes, J. See Bashkansky, Mark
Rezlescu, Elena See Rezlescu, Nicolae
Rezlescu, Nicolae and Rezlescu, Elena
Effects of Addition of Na_2O, Sb_2O_3, CaO, and ZrO_2 on the Properties of Lithium Zinc Ferrite. (8) 2105
Rhee, Young-Woo See Lee, Ho-Yong
Rhine, Wendell E. See Hirakata, Keigo
Richardson, James W., Jr. See Loong, Chun-Keung
Riman, Richard E. See Eckert, James O. Jr.
Ring, Terry A. See Bohner, Marc
Risold, Daniel See Hallstedt, Bengt
Ritchie, Kevin T. See Xu, Hockin H. K.
Ritchie, Robert O. See Cao, Joe J.
Rivas, Patricia C.; Caracoche, María C.; Pasquevich, Alberto F.; Martínez, Jorge A.; Rodríguez, Agustín M.; García, Alberto R. López; and Mintzer, Sergio R.
Characterization of Metastable Tetragonal Forms in ZrO_2–2.8 mol% Y_2O_3 Ceramics. (4) 831
Rocabois, Philippe; Chatillon, Christian; and Bernard, Claude
Thermodynamics of the Si-O-N System: I, High-Temperature Study of the Vaporization Behavior of Silicon Nitride by Mass Spectrometry. (5) 1351; Thermodynamics of the Si-O-N System: II, Stability of Si_2N_2O(s) by High-Temperature Mass Spectrometric Vaporization. (5) 1361
Rödel, Jurgen See Fett, Theo; Stech, Martin; Sternitzke, Martin
Rogez, Jacques See Bennour, Fatima
Rosen, Moshe See Martin, Louis Peter
Rosenflanz, Anatoly See Huang, Zhen-Kun
Rousset, Abel See Peigney, Alain
Rouxel, Tanguy See Besson, Jean-Louis
Rowcliffe, David J. See Andersson, Tomas; Bergström, Lennart
Roy, Rustum See Komarneni, Sridhar
Ruh, Robert See Parthasarathy, Triplicane A.; Russell, Laura M.
Rühle, Manfred See Höche, Thomas; Pan, Xiaoqing; Wang, Chong-Min
Ruiz, Laurence and Readey, Michael J.
Effect of Heat Treatment on Grain Size, Phase Assemblage, and Mechanical Properties of 3 mol% Y-TZP. (9) 2331
Russell, Laura M.; Donaldson, Kimberly Y.; Hasselman, D. P. H.; Ruh, Robert; and Adams, Jane W.
Thermal Diffusivity/Conductivity and Specific Heat of Mullite–Zirconia–Silicon Carbide Whisker Composites. (10) 2767
Russell, Stephen W.; Luptak, Karen A.; Suchicital, Carlos Tres A.; Alford, Terry L.; and Pizziconi, Vincent B.
Chemical and Structural Evolution of Sol–Gel-Derived Hydroxyapatite Thin Films under Rapid Thermal Processing. (4) 837
Sacks, Michael D.; Scheiffele, Gary W.; and Staab, Greg A.
Fabrication of Textured Silicon Carbide via Seeded Anisotropic Grain Growth. (6) 1611
Sacks, Michael D.; Wang, Keyun; Scheiffele, Gary W.; and Bozkurt, Nazim
Activation Energy for Mullitization of α-Alumina/Silica Microcomposite Particles. (2) 571
Sacks, Michael D. See Wang, Keyun
Sadaoka, Yoshihiko See Traversa, Enrico
Saegusa, Kunio
$PbTiO_3$–PbO–B_2O_3 Glass-Ceramics by a Sol–Gel Process. (12) 3282
Safari, Ahmad See Tahan, Danielle M.; Ting, Steven M.
Saiki, Hisao See Ohya, Yutaka
Saito, Naruki and Ishizaki, Kozo
Auger Electron Spectroscopy of Aluminum Nitride Powder Surfaces. (5) 1213
Saito, Syoshichi See Mori, Toshiyuki
Sakaguchi, Isao; Haneda, Hajime; Tanaka, Junzo; and Yanagitani, Takakimi
Effect of Composition on the Oxygen Tracer Diffusion in Transparent Yttrium Aluminium Garnet (YAG) Ceramics. (6) 1627
Sakaguchi, Shigeki; Todoroki, Shin-ichi; and Shibata, Shuichi
Rayleigh Scattering in Silica Glasses. (11) 2821
Sakai, Mototsugu and Kurita, Hisashi
Size-Effect on the Fracture Toughness and the *R*-Curve of Carbon Materials. (12) 3177
Sakai, Mototsugu; Muto, Hiroyuki; and Haga, Mikichika
Double-Shear Geometry for the Deformation and Flow of Ceramics at Elevated Temperatures. (2) 449
Sakai, Mototsugu See Li, Ming
Sakaida, Yoshihisa See Mizuno, Mineo
Sakamoto, Masatomi See Traversa, Enrico
Sakamoto, Wataru; Yogo, Toshinobu; Kikuta, Koichi; Arimoto, Tadashi; and Hirano, Shin-ichi
Synthesis of Lead Barium Niobate Powders and Thin Films by the Sol–Gel Method. (4) 889
Sakamoto, Wataru; Yogo, Toshinobu; Kikuta, Koichi; Ogiso, Ko-ji; Kawase, Akihiro; and Hirano, Shin-ichi
Synthesis of Strontium Barium Niobate Thin Films through Metal Alkoxide. (9) 2283
Sakamoto, Wataru See Hirano, Shin-ichi
Sakka, Sumio See Miyaji, Fumiaki
Sakka, Y.; Sodeyama, K.; Uchikoshi, T.; Ozawa, K.; and Amano, M.
Water Sorption–Desorption Characteristics of Proton-Conducting Antimonic Acids with Cubic and Monoclinic Structures. (6) 1677
Sakuma, Taketo See Hayashi, Katsuro; Okada, Kazuki
Salem, Jonathan A. See Choi, Sung R.
Saltzberg, Michael See Harmer, Mark A.
Sample, David R.; Brown, Paul W.; and Dougherty, Joseph P.
Microstructural Evolution of Copper Thick Films Observed by Environmental Scanning Electron Microscopy. (5) 1303
Sanchez, J. M. See Thomas, Warren A.
Sandhage, Kenneth H.; Schmutzler, Hans J.; Wheeler, Robert; and Fraser, Hamish L.
Mullite Joining by the Oxidation of Malleable, Alkaline-Earth-Metal-Bearing Bonding Agents. (7) 1839
Sandhage, Kenneth H. See Schmutzler, Hans J.
Sanghera, Jas S.; Nguyen, Vinh Q.; and Aggarwal, Ishwar D.
Properties of $As_{40}S_{(60-x)}Se_x$ Glasses for IR Fiber Optics. (5) 1324
Sarkar, Arnab See Yan, Yongan
Sarkar, Jaydeep See Jayaram, Vikram
Sarkar, Partho and Nicholson, Patrick S.
Electrophoretic Deposition (EPD): Mechanisms, Kinetics, and Application to Ceramics. (8) 1987
Sasaki, Kaori; Masuda, Tsuguya; Ishida, Hideki; and Mitsuda, Takeshi
Structural Degradation of Tobermorite during Vibratory Milling. (6) 1569
Sathish, Shamachary; Cantrell, John H.; and Yost, William T.
Scanning Acoustic Microscopy of SCS-6 Silicon Carbide Fiber. (1) 209
Sato, Eiichi and Carry, Claude
Yttria Doping and Sintering of Submicrometer-Grained α-Alumina. (8) 2156
Sato, Keiji See Ishihara, Tatsumi
Sató, Tadao See Hubáček, Milan
Sato, Yuichi; Kanai, Hideyuki; and Yamashita, Yohachi
Effects of Silver and Palladium Doping on the Dielectric Properties of $0.9Pb(Mg_{1/3}Nb_{2/3})O_3$–$0.1PbTiO_3$ Ceramic. (1) 261
Scattergood, Ronald O. See Smith, Stanley M.
Schäufele, Ansgar B. and Härdtl, Karl Heinz
Ferroelastic Properties of Lead Zirconate Titanate Ceramics. (10) 2637
Scheiffele, Gary W. See Sacks, Michael D.
Schmücker, Martin See Küper, Gerhild
Schmutzler, Hans J.; Sandhage, Kenneth H.; and Nava, Juan C.
Fabrication of Dense, Shaped Barium Cerate by the Oxidation of Solid Metal-Bearing Precursors. (6) 1575
Schmutzler, Hans J. See Sandhage, Kenneth H.
Schneibel, Joachim H. See Zhang, Wen
Schneider, Hartmut See Küper, Gerhild
Schubert, Christian See Klemm, Hagen
Schulze, Walter See Kuharuangrong, Sutin
Schuster, Julius C. See Pietzka, Markus A.
Searcy, Alan W.; Bullard, Jeffrey W.; and Carter, W. Craig
Possible Explanations of Transient Neck Formation between Pairs of {100} Faceted Particles. (9) 2443
Seetharaman, Seshadri See Jacob, K. Thomas
Seidel, Jurgen See Fett, Theo
Seidensticker, John R. and Mayo, Merrilea J.
Thermal Analysis of 3-mol%-Yttria-Stabilized Tetragonal Zirconia Powder Doped with Copper Oxide. (2) 401
Selim, Fadel A. See Barsoum, Michel W.
Senda, Tetsuya See Xiao, Hanning
Seo, Won-Seon and Koumoto, Kunihito
Stacking Faults in β-SiC Formed during Carbothermal Reduction of SiO_2. (7) 1777
Seo, Won-Seon See Ohta, Hiromichi
Sergo, Valter; Pezzotti, Giuseppe; Katagiri, Gen; Muraki, Naoki; and Nishida, Toshihiko
Stress Dependence of the Raman Spectrum of β-Silicon Nitride. (3) 781
Setter, Nava See Shulman, Holly S.
Shankar, Natarajan See Brown, Steve A.
Shapiro, Michael See Litovsky, Efim
Sharma, Ram A.
Phase Equilibria in Rare-Earth Chloride–Fluoride and Rare-Earth Chloride–Magnesium Fluoride Systems. (10) 2582
Shavit, Arthur See Litovsky, Efim
Shea, Lauren E.; McKittrick, Joanna; Lopez, Olivia A.; and Sluzky, Esther
Synthesis of Red-Emitting, Small Particle Size Luminescent Oxides Using an Optimized Combustion Process. (12) 3257
Sheldon, Brian W.
Silicon Nitride Oxidation Based on Oxynitride Interlayers with Graded Stoichiometry. (11) 2993
Sheldon, Brian W.; Sun, Ellen Y.; Nutt, Steven R.; and Brennan, John J.
Oxidation of BN-Coated SiC Fibers in Ceramic Matrix Composites. (2) 539
Shen, Li See Wu, Yue
Shen, Pouyan See Lin, Ying-Chun
Shen, Zhijian; Ekström, Thommy; and Nygren, Mats
Homogeneity Region and Thermal Stability of Neodymium-Doped α-Sialon Ceramics. (3) 721
Shetty, D. K. See Lakshminarayanan, R.
Shibata, Shuichi See Sakaguchi, Shigeki

Shigegaki, Yasuhiro; Brito, Manuel E.; Hirao, Kiyoshi; Toriyama, Motohiro; and Kanzaki, Shuzo
Processing of a Novel Multilayered Silicon Nitride. (8) 2197
Shigemura, Takashi See Ikuma, Yasuro
Shih, Wan Y.; Shih, Wei-Heng; and Aksay, Ilhan A.
Heteroflocculation in Binary Colloidal Suspensions: Monte Carlo Simulations. (10) 2587
Shih, Wan Y. See Shih, Wei-Heng
Shih, Wei-Heng; Kisailus, David; Shih, Wan Y.; Hu, Yung-Haw; and Hughes, Jerry
Rheology and Consolidation of Colloidal Alumina-Coated Silicon Nitride Suspensions. (5) 1155
Shih, Wei-Heng See Buchta, Michael A.; Shih, Wan Y.
Shikata, Toshi See Yanez, Joseph A.
Shimooka, Hirokazu and Kuwabara, Makoto
Crystallinity and Stoichiometry of Nano-Structured Sol–Gel-Derived $BaTiO_3$ Monolithic Gels. (11) 2983
Shin, Hyo-Soon See Park, Jun-Hong
Shin, Hyunjung; Agarwal, Monika; De Guire, Mark R.; and Heuer, Arthur H.
Solid-State Diffusive Amorphization in TiO_2/ZrO_2 Bilayers. (7) 1975
Shin, Seung-Doh; Sone, Cheol-Soo; Han, Joo-Hwan; and Kim, Doh-Yeon
Effect of Sintering Atmosphere on the Densification and Abnormal Grain Growth of ZnO. (2) 565
Shinohara, Nobuhiro See Takahashi, Hideo
Shobu, Kazuhisa; Tani, Eiji; Akiyama, Morito; and Watanabe, Tadahiko
High-Temperature Strength of Melt-Infiltrated SiC-$Mo(Al,Si)_2$ Composites. (2) 544
Shoda, K. See Shon, I. J.
Shon, I. J.; Munir, Z. A.; Yamazaki, K.; and Shoda, K.
Simultaneous Synthesis and Densification of $MoSi_2$ by Field-Activated Combustion. (7) 1875
Shoup, Shara S.; Bamberger, Carlos E.; and Haire, Richard G.
Novel Plutonium Titanate Compounds and Solid Solutions $Pu_2Ti_2O_7$–$Ln_2Ti_2O_7$: Relevance to Nuclear Waste Disposal. (6) 1489
Shulman, Holly S.; Testorf, Martin; Damjanovic, Dragan; and Setter, Nava
Microstructure, Electrical Conductivity, and Piezoelectric Properties of Bismuth Titanate. (12) 3124
Shyu, Jiin-Jyh; Wang, Ching-Yueh; and Chang, Tzu-Yi
Controlled Phase Transformations by Glass Particle Size in Spodumene and Cordierite Glass-Ceramics. (7) 1971
Sines, George See Kogure, Kei
Singh, Anant K. and Pantano, Carlo G.
Porous Silicon Oxycarbide Glasses. (10) 2696
Singh, Dileep; Singh, Jitendra P.; and Wheeler, Michael J.
Mechanical Behavior of SiC(f)/SiC Composites and Correlation to *in situ* Fiber Strength at Room and Elevated Temperatures. (3) 591
Singh, Jitendra P. See Singh, Dileep
Singh, Raj N. and Reddy, Srinivas K.
Influence of Residual Stresses, Interface Roughness, and Fiber Coatings on Interfacial Properties in Ceramic Composites. (1) 137
Singh, Raj N. See Kumar, Susmit; Kumaria, Shashwat; Wang, Hongyu; Webb, James E.
Singh, Saroj Kumar See Nayak, Bijan Bihari
Singh, V. K. See Pyare, Ram
Skamser, Daniel J. See Day, P. S.; Thomas, Jeffrey J.
Skandan, Ganesh See Allen, Andrew J.
Slamovich, Elliott B. and Aksay, Ilhan A.
Structure Evolution in Hydrothermally Processed (<100°C) $BaTiO_3$ Films. (1) 239
Ślósarczyk, Anna; Stobierska, Ewa; Paszkiewicz, Zofia; and Gawlicki, Marek
Calcium Phosphate Materials Prepared from Precipitates with Various Calcium:Phosphorus Molar Ratios. (10) 2539
Sluzky, Esther See Shea, Lauren E.
Smirnov, Vasily P. See Andrievskaya, Elena R.
Smith, Peter A.; Kerch, Helen M.; Haerle, Andrew G.; and Keller, Joseph
Microstructural Characterization of Alumina and Silicon Carbide Slip-Cast Cakes. (10) 2515
Smith, Stanley M. and Scattergood, Ronald O.
Determination of Short-Crack Toughness Curves. (1) 129
Socie, Darrell F. See Dey, Nishit
Sodeyama, K. See Sakka, Y.
Soga, Naohiro See Cho, Doo-Hee
Solozhenko, Vladimir L.; Turkevich, Vladimir Z.; and Will, Georg
Synthesis of Boron Nitride by Self-Propagating Reactions at High Pressure. (10) 2798
Sone, Cheol-Soo See Shin, Seung-Doh
Sorarù, Gian Domenico; Dallapiccola, Elisabetta; and D'Andrea, Gennaro
Mechanical Characterization of Sol–Gel-Derived Silicon Oxycarbide Glasses. (8) 2074
Sørensen, Bent F. and Holmes, John W.
Effect of Loading Rate on the Monotonic Tensile Behavior of a Continuous-Fiber-Reinforced Glass-Ceramic Matrix Composite. (2) 313
Spear, Karl E. See Ramberg, C. Eric
Speyer, Robert F. See Lee, Chung-Kook; Sundaram, S. Kamakshi
Staab, Greg A. See Sacks, Michael D.
Stearns, Laura C. and Harmer, Martin P.
Particle-Inhibited Grain Growth in Al_2O_3–SiC: I, Experimental Results. (12) 3013; Particle-Inhibited Grain Growth in Al_2O_3–SiC: II, Equilibrium and Kinetic Analyses. (12) 3020
Stebbins, Jonathan F. and Ellsworth, Susan E.
Temperature Effects on Structure and Dynamics in Borate and Borosilicate Liquids: High-Resolution and High-Temperature NMR Results. (9) 2247
Stech, Martin and Rödel, Jürgen
Method for Measuring Short-Crack *R*-Curves without Calibration Parameters: Case Studies on Alumina and Alumina/Aluminum Composites. (2) 291
Stech, Martin See Fett, Theo
Steeb, Siegfried See Uhlig, Harald
Steier, Hanns P. and Moya, José S.
Oriented Barium Titanate Thick Films by Reactive Coating on Rutile. (9) 2493
Sternitzke, Martin; Knechtel, Mathias; Hoffman, Mark; Broszeit, Erhard; and Rödel, Jürgen
Wear Properties of Alumina/Aluminum Composites with Interpenetrating Networks. (1) 121
Stinton, David P. See Lee, Woo Y.
Stobierska, Ewa See Ślósarczyk, Anna
Stokes, Harold T. See Tepesch, Patrick D.
Stöver, Detlev See Vassen, Robert
Sturgis, David H. See Yasrebi, Mehrdad
Su, Hunghai and Johnson, D. Lynn
Sintering of Alumina in Microwave-Induced Oxygen Plasma. (12) 3199; Master Sintering Curve: A Practical Approach to Sintering. (12) 3211
Su, Pomin and Virkar, Anil V.
Massive Transformation in Gd_2O_3–Bi_2O_3 Ceramics. (2) 371
Subramanian, R. Shankar See Kondos, Pericles A.
Suematsu, Hisayuki See Reimanis, Ivar E.
Suga, Takehumi See Zhang, Yao
Sugama, Toshifumi and Baldwin, Stephanie
Hydrothermal Cement/Metal Interfaces. (1) 213
Sugimoto, Eisuke See Aono, Hiromichi
Sugioka, Naoya See Nogami, Masayuki
Sukuzi, Sugura See Loong, Chun-Keung
Sun, C. T. and Park, S. B.
Reply to "Comment on 'Fracture Criteria for Piezoelectric Ceramics'." (4) 1136
Sun, Ellen Y.; Alexander, Kathleen B.; Becher, Paul F.; and Hwang, Shyh-Lung
β-Si_3N_4 Whiskers Embedded in Oxynitride Glasses: Interfacial Microstructure. (10) 2626
Sun, Ellen Y.; Nutt, Steven R.; and Brennan, John J.
High-Temperature Tensile Behavior of a Boron Nitride-Coated Silicon Carbide-Fiber Glass-Ceramic Composite. (6) 1521
Sun, Ellen Y. See Becher, Paul F.; Sheldon, Brian W.
Sun, Hong-Tao; Cantalini, Carlo; Faccio, Marco; Pelino, Mario; Catalano, Massimo; and Tapfer, Leander
Porous Silica-Coated α-Fe_2O_3 Ceramics for Humidity Measurement at Elevated Temperature. (4) 927
Sun, Xudong and Yeomans, Julie A.
Influence of Particle Size Distribution on Ductile-Phase Toughening in Brittle Materials. (2) 562; Optimization of a Ductile-Particle-Toughened Ceramic. (10) 2705
Sundaram, S. Kamakshi and Speyer, Robert F.
Electrochemical Corrosion and Protection of Molybdenum and Molybdenum Disilicide in a Molten Soda–Lime Silicate Glass Environment. (7) 1851
Suo, Zhigang See Hillman, Craig
Suzuki, Hisao See Kamiya, Hidehiro
Suzuki, Suguru; Nasu, Takakuni; Hayama, Seiji; and Ozawa, Masakuni
Mechanical and Thermal Properties of β'-Sialon Prepared by a Slip Casting Method. (6) 1685
Swain, Michael V. See Montanaro, Laura
Tagawa, Hiroaki See Mizusaki, Junichiro
Tahan, Danielle M.; Safari, Ahmad; and Klein, Lisa C.
Preparation and Characterization of $Ba_xSr_{1-x}TiO_3$ Thin Films by a Sol–Gel Technique. (6) 1593
Takahashi, Hideaki See Hosoi, Kazuyuki
Takahashi, Hideo; Shinohara, Nobuhiro; Uematsu, Keizo; and JunIchiro, Tsubaki
Influence of Granule Character and Compaction on the Mechanical Properties of Sintered Silicon Nitride. (4) 843
Takahashi, Jun See Tsuda, Hiroshi
Takahashi, Masanari See Hirai, Koichi
Takahashi, Minoru See Unuma, Hidero
Takahashi, Sadayuki See Zheng, Jiehui
Takahashi, Yasutaka See Kumar, Viswanathan; Ohya, Yutaka
Takebe, Hiromichi; Murata, Takahiro; and Morinaga, Kenji
Compositional Dependence of Absorption and Fluorescence of Yb^{3+} in Oxide Glasses. (3) 681
Takeo, Takashi See Ono, Satomi
Takeuchi, Hideaki See Tateyama, Hiroshi
Takeuchi, Takashi See Liu, Yi Jun
Takita, Yusaku See Ishihara, Tatsumi
Tallant, David R. See Brow, Richard K.
Tamaki, Jun See Yoo, Do Joon
Tan, Qi and Viehland, Dwight
AC-Drive-Enhanced Relaxor Characteristics and Domain Breakdown in Ferroelectrics Containing Quenched Impurities. (10) 2747
Tanahashi, Ichiro and Tohda, Takao
Photoinduced Formation of Small Gold Particles in Silica Gels. (3) 796
Tanaka, Isao See Nakayasu, Tetsuo
Tanaka, Junzo See Sakaguchi, Isao
Tanaka, Kazuhiko See Hiroshima, Takuya
Tanaka, Masahiro See Tressler, James F.
Tanaka, Toshimasa See Ohya, Yutaka
Tang, Xiao-Xia See Zhang, Yao
Tang, Xun and Donato, Antonio T.
Aqueous Emulsion Acrylic Binders for Low-Foaming Ceramic Slips. (2) 510
Tangermann, Katja See Klemm, Hagen
Tani, Eiji See Shobu, Kazuhisa
Taniguchi, Takashi; Akaishi, Minoru; and Yamaoka, Shinobu
Mechanical Properties of Polycrystalline Translucent Cubic Boron Nitride as Characterized by the Vickers Indentation Method. (2) 547
Tapfer, Leander See Sun, Hong-Tao
Tateyama, Hiroshi; Tsunematu, Kinue; Noma, Hideaki; Adachi, Yasuo; Takeuchi, Hideaki; and Kohyama, Norihiko
Formation of Expandable Mica from Talc Using the Intercalation Procedure. (12) 3321
Tatsumisago, Masahiro See Hirai, Koichi
Taylor, Thomas N. See Butt, Darryl P.
Tepesch, Patrick D.; Kohan, Adrian F.; Garbulsky, Gerardo D.; Ceder, Gerbrand; Coley, Crystal; Stokes, Harold T.; Boyer, Larry L.; Mehl, Michael J.; Burton, Benjamin P.; Cho, Kyeongjae; and Joannopoulos, John
A Model to Compute Phase Diagrams in Oxides with Empirical or First-Principles Energy Methods and Application to the Solubility Limits in the CaO–MgO System. (8) 2033
Testorf, Martin See Shulman, Holly S.
Thomas, J. R., Jr. See Hasselman, D. P. H.
Thomas, Jeffrey J.; Skamser, Daniel J.; Jennings, Hamlin M.; and Johnson, D. Lynn
Formation of Reaction-Bonded Silicon Nitride Using Microwave Heating. (9) 2458
Thomas, Warren A. and Sanchez, J. M.
Influence of Interfacial Sliding Stress on Fatigue Behavior of Oxidized Nicalon/Calcium Aluminosilicate Composites. (10) 2659
Tian, Qiang and Virkar, Anil V.
Interdiffusion in SiC–AlN and AlN–Al_2OC Systems. (8) 2168
Tien, Tseng-Ying See Huang, Zhen-Kun
Tilo, Vaahs See Freimuth, Herbert
Timoshevskaya, Liliya V. See Uvarov, Victor N.
Ting, Steven M.; Janas, Victor F.; and Safari, Ahmad
Relic Processing of Fine-Scale, Large-Area Piezoelectric Ceramic Fiber/Polymer Composites. (6) 1689
Todoroki, Shin-ichi See Sakaguchi, Shigeki
Tohda, Takao See Tanahashi, Ichiro
Tomé, Carlos N. See Bertinetti, María A.
Tomono, Kunisaburo See Kajiyoshi, Koji
Tomsia, Antoni P. See Loehman, Ronald E.
Tong Fang, Tong See Lambropoulos, John C.
Tonidandel, Marco See Pivin, Jean Claude
Toriyama, Motohiro See Hirao, Kiyoshi; Shigegaki, Yasuhiro; Watari, Koji
Traversa, Enrico; Sakamoto, Masatomi; and Sadaoka, Yoshihiko
Mechanism of $LaFeO_3$ Perovskite-Type Oxide Formation from the Thermal Decomposition of *d*–*f* Heteronuclear Complex $La[Fe(CN)_6]\cdot 5H_2O$. (5) 1401
Treadwell, David R. See Bickmore, Clint R.
Tressler, James F.; Watanabe, Koji; and Tanaka, Masahiro
Synthesis of Ruthenium Dioxide Thin Films by a Solution Chemistry Technique. (2) 525
Tressler, Richard E. See Bodet, Raphael; Kern, William A.; Ramberg, C. Eric
Troczynski, Tom See Kulpa, Alina
Trumble, Kevin P. See Gonzalez, Eduardo J.
Tsay, Jenq-Dar and Fang, Tsang-Tse
Effects of Temperature and Atmosphere on the Formation Mechanism of Barium Titanate Using the Citrate Process. (6) 1693
Tseng, Tseung-Yuen See Lee, Yih-Shing
Tsuchiya, Soji See Mizusaki, Junichiro
Tsuda, Hiroshi; Enoki, Manabu; and Kishi, Teruo
Influence of Loading Rate and Processing Atmosphere on Pullout of SiC Fibers from Pyrex Glass. (5) 1319
Tsuda, Hiroshi; Takahashi, Jun; Kemmochi, Kiyoshi; and Hayashi, Ryuichi
Fracture Process of Silicon Carbide Fiber-Reinforced Glasses. (9) 2293
Tsuge, Akira See Kato, Kazumi
Tsuji, Kenji See Kasuga, Toshihiro
Tsunematu, Kinue See Tateyama, Hiroshi
Tsuzuki, Takuya See Ding, Jun
Tu, Wen-Chiang; Lange, Fred F.; and Evans, Anthony G.
Concept for a Damage-Tolerant Ceramic Composite with "Strong" Interfaces. (2) 417

Tu, Yeur-Luen; Calzada, Maria L.; Phillips, Nicolas J.; and Milne, Steven J.
Synthesis and Electrical Characterization of Thin Films of PT and PZT Made from a Diol-Based Sol–Gel Route. (2) 441
Tuller, Harry L. See Porat, Ofer; Aoki, Makoto
Turan, Servet and Knowles, Kevin M.
$\alpha \rightarrow \beta$ Reverse Phase Transformation in Silicon Carbide in Silicon Nitride-Particulate-Reinforced–Silicon Carbide Composites. (11) 2892; Effect of Boron Nitride on the Phase Stability and Phase Transformations in Silicon Carbide. (12) 3325
Turkevich, Vladimir Z. See Solozhenko, Vladimir L.
Turner, Colleen S. See Mumm, Daniel R.
Turner, Gary L. See Brow, Richard K.
Turner, Pablo A. See Bertinetti, María A.
Tuttle, Bruce A. See Warren, William L.
Twizell, E. H. See Matar, Samir A.
Uchida, Nozomu See Zhang, Yao
Uchikoshi, T. See Sakka, Y.
Uchino, Kenji See Yoshikawa, Yoshio; Zheng, Jiehui
Udayakumar, K. R. See Chen, H. Daniel
Ueki, Masanori See Hubáček, Milan
Uematsu, Keizo See Takahashi, Hideo; Zhang, Yao
Uhlig, Harald; Hoffmann, Michael J.; Lamparter, Hannes-Peter; Aldinger, Fritz; Bellissent, Robert; and Steeb, Siegfried
Short-Range and Medium-Range Order in Lithium Silicate Glasses, Part I: Diffraction Experiments and Results. (11) 2833; Short-Range and Medium-Range Order in Lithium Silicate Glasses, Part II: Simulation of the Structure by the Reverse Monte Carlo Method. (11) 2839
Um, Chang-Do See Cho, Seong-Jai
Umarji, Arun M. See Rao, Radhika M. V.
Umegaki, Takao See Yamashita, Kimihiro
Ünal, Özer and Akinc, Mufit
Compressive Properties of Yttrium Oxide. (3) 805
Unuma, Hidero; Ito, Kazutoshi; Ota, Toshitaka; and Takahashi, Minoru
Precipitation of Hydroxyapatite under Stearic Acid Monolayers. (9) 2474
Uskoković, Dragan P. See Čerović, Ljiljana S.; Milošević, Olivera B.
Uvarov, Victor N.; Timoshevskaya, Liliya V.; and Obolenskii, Michail A.
Investigation of the Electronic Structure of $Y_2Cu_2O_{5-x}S_x$ ($x = 0.0, 0.25, 0.75$) by X-ray Emission Spectroscopy and X_α Scattered Wave Calculation Methods. (4) 953
Vaidya, Kaushik J. See Wolf, William D.
Valecillos, Maria Cecilia See Watari, Koji
Valenzuela, Miguel A.; Jimenez-Becerril, Jaime; Bosch, Pedro; Bulbulian, Silvia; and Lara, Victor H.
Sol–Gel Synthesis of Lithium Aluminate. (2) 455
Valin, Frédéric See Besson, Jean-Louis
Vance, Eric R. See Begg, Bruce D.
Vanheusden, Karel See Warren, William L.
Vanis, Peter and Odler, Ivan
Hydration Reactions in the System $CaO–P_2O_5–SiO_2–(H_2O)$. (4) 1124
van Weeren, Remco See Leone, Edgar A.; Pan, Xiaoqing
Varela, Jose Arana See Cerri, Jose Alberto; Leite, Edson R.
Vassen, Robert and Stöver, Detlev
Growth of Boric Acid Crystallites on the Surface of Boron-Doped Silicon Carbide Samples. (6) 1699
Venigalla, Sridhar See Bell, Nelson S.; Cho, Seung Beom
Verweij, Henk See He, Yingjie
Viehland, Dwight; Li, Jie-Fang; Yuan, Li-Jian; and Xu, Zhengkui
Mesostructure of Calcium Silicate Hydrate (C-S-H) Gels in Portland Cement Paste: Short-Range Ordering, Nanocrystallinity, and Local Compositional Order. (7) 1731
Viehland, Dwight See Dai, Xunhu; Tan, Qi
Vilarinho, Paula M. See Zhou, Liqin
Villadsen, Jørgen See Dohrup, Jesper
Villalobos, Guillermo R. See Kecskes, Laszlo J.
Virkar, Anil V. See Su, Pomin; Tian, Qiang
Volker, Hessel See Freimuth, Herbert
Voll, Dietmar See Küper, Gerhild
Wagner, Eckhard See Krell, Andreas
Wagner, Florian See Lathabai, Srinivasarao
Wakabayashi, Hajimu See Akai, Tomoko
Waldner, Kurt F. See Bickmore, Clint R.
Wang, Baowei See Chen, Lifu
Wang, Ching-Yueh See Shyu, Jiin-Jyh
Wang, Chong-Min; Pan, Xiaoqing; Hoffmann, Michael J.; Cannon, Rowland M.; and Rühle, Manfred
Grain Boundary Films in Rare-Earth-Glass-Based Silicon Nitride. (3) 788
Wang, Chongmin See Zhe, Xiaoli
Wang, Hongyu; Singh, Raj N.; and Lowden, Richard A.
Thermal Shock Behavior of Two-Dimensional Woven Fiber-Reinforced Ceramic Composites. (7) 1783
Wang, Hsin-Fu
Scanning Force Microscopy Study of Ceramic Fibers for Advanced Composites. (9) 2341
Wang, Hui and Hu, Xiaozhi
Surface Properties of Ceramic Laminates Fabricated By Die Pressing. (2) 553
Wang, Keyun and Sacks, Michael D.
Mullite Formation by Endothermic Reaction of α-Alumina/Silica Microcomposite Particles. (1) 12
Wang, Keyun See Sacks, Michael D.
Wang, Yunzhi; Chen, Long-Qing; and Khachaturyan, A. G.
Three-Dimensional Dynamic Calculation of the Equilibrium Shape of a Coherent Tetragonal Precipitate in Mg-Partially Stabilized Cubic ZrO_2. (4) 987
Waragai, Katsunori See Mizusaki, Junichiro
Warren, William L.; Dimos, Duane; Al-Shareef, Husam N.; Raymond, Mark V.; Tuttle, Bruce A.; and Pike, Gordon E.
Links between Electrical and Optical Fatigue in $Pb(Zr,Ti)O_3$ Thin Films. (6) 1714
Warren, William L.; Vanheusden, Karel; Dimos, Duane; Pike, Gordon E.; and Tuttle, Bruce A.
Oxygen Vacancy Motion in Perovskite Oxides. (2) 536
Watanabe, Koji See Tressler, James F.
Watanabe, Makoto See Mizuno, Mineo; Zhu, Shijie
Watanabe, Ryuzo See Li, Jing-Feng
Watanabe, Tadahiko See Shobu, Kazuhisa
Watari, Koji; Hwang, Hae J.; Toriyama, Motohiro; and Kanzaki, Shuzo
Low-Temperature Sintering and High Thermal Conductivity of $YLiO_2$-Doped AlN Ceramics. (7) 1979
Watari, Koji; Valecillos, Maria Cecilia; Brito, Manuel E.; Toriyama, Motohiro; and Kanzaki, Shuzo
Densification and Thermal Conductivity of AlN Doped with Y_2O_3, CaO, and Li_2O. (12) 3103
Watari, Koji See Hirao, Kiyoshi
Wayman, C. Marvin See Jian, Li
Webb, James E.; Singh, Raj N.; and Lowden, Richard A.
Thermal Shock Damage in a Two-Dimensional Woven-Fiber-Reinforced–CVI SiC-Matrix Composite. (11) 2857
Wei, Lanhua See Fischer-Cripps, Anthony C.; Pajares, Antonia; Xu, Hockin H. K.
Weinberg, Michael C. See Kondos, Pericles A.
Weirauch, Douglas A., Jr. and Ziegler, Donald P.
Surface Tension of Calcium Aluminosilicate Glass Using Computerized Drop Shape Analysis. (4) 920
Welch, John R. See Cinibulk, Michael K.
Wendt, Christopher H. See Butt, Darryl P.
Werckmann, Jacques See Yamegni-Noubeyo, Jean-Celestin
West, Anthony R. See Cruickshank, Karen M.; Hirose, Naohiro
Westmacott, Kenneth H. See Gómez-García, Diego
Weyl, Axel and Janke, Dieter
High-Temperature Ionic Conduction in Multicomponent Solid Oxide Solutions Based on HfO_2. (8) 2145
Weyl, Axel See Hufschmidt, Heike
Wheeler, Michael J. See Singh, Dileep
Wheeler, Robert See Sandhage, Kenneth H.
White, Grady S. See Hill, Michael D.
White, William B. See Knight, Diane S.
Wiederhorn, Sheldon M. See Fields, B. Anne; French, Jonathan D.
Will, Georg See Solozhenko, Vladimir L.
Winnubst, Louis See He, Yingjie
Winter, Ines See Küper, Gerhild
Winzer, Stephen R. See Brown, Steve A.
Wolf, William D.; Vaidya, Kaushik J.; and Francis, Lorraine Falter
Mechanical Properties and Failure Analysis of Alumina–Glass Dental Composites. (7) 1769
Wolfgang, Ehrfeld See Freimuth, Herbert
Wood, Graeme See Cruickshank, Karen M.
Worrell, Clive A. See Reece, Michael J.
Wu, Carl C. M.; Kahn, Manfred; and Moy, Walter
Piezoelectric Ceramics with Functional Gradients: A New Application in Material Design. (3) 809
Wu, Hwai-Chung See Li, Victor C.
Wu, Shun J.; De Jonghe, Lutgard C.; and Rahaman, Mohamed N.
Sintering of Nanophase γ-Al_2O_3 Powder. (8) 2207
Wu, Yue; Ellis, Donald E.; Shen, Li; and Mason, Thomas O.
Point Defects of La_2CuO_4-Based Ceramics, Part I: Oxygen Interstitials. (6) 1599
Wuensch, Bernhardt J. See Chung, Yong-Chae
Wuttiphan, Sataporn; Lawn, Brian R.; and Padture, Nitin P.
Crack Suppression in Strongly Bonded Homogeneous/Heterogeneous Laminates: A Study on Glass/Glass-Ceramic Bilayers. (3) 634
Xi, Xiao Mei and Yang, Xiao Feng
Spontaneous Infiltration of Aluminum–Silicon Alloy into Silicon Carbide Preforms in Air. (1) 102
Xiao, Hanning; Senda, Tetsuya; and Yasuda, Eiichi
Dynamic Recrystallization during the Sliding Wear of Alumina at Elevated Temperatures. (12) 3243
Xie, Weimin; Ding, Zhenya; and Zhang, Peilin
Pyroelectric Properties of Diphasic Polar Glass-Ceramics at Low Temperatures. (12) 3336
Xu, Hockin H. K.; Jahanmir, Said; Ives, Lewis K.; Job, Lenox S.; and Ritchie, Kevin T.
Short-Crack Toughness and Abrasive Machining of Silicon Nitride. (12) 3055
Xu, Hockin H. K.; Wei, Lanhua; and Jahanmir, Said
Influence of Grain Size on the Grinding Response of Alumina. (5) 1307
Xu, Junde See Casagranda, Albert
Xu, Su See Lambropoulos, John C.
Xu, Z. See Dai, Xunhu
Xu, Zhengkui See Viehland, Dwight
Xue, Liang A. and Chen, I-Wei
Superplastic Alumina at Temperatures below 1300°C Using Charge-Compensating Dopants. (1) 233
Yagi, Isao See Murakami, Kenji
Yagi, Takeshi See Yamashita, Kimihiro
Yamada, Kenjiro
Boron Carbide Particles Formed from an Amorphous Boron/Graphite Powder Mixture Using a Shock-Wave Technique. (4) 1113
Yamada, Noriko See Katayama, Shingo
Yamada, Tetsuo See Nakayasu, Tetsuo
Yamaguchi, Akira; Zhang, Shaowei; and Yu, Jingkun
Effect of Refractory Oxides on the Oxidation of Graphite and Amorphous Carbon. (9) 2509
Yamaguchi, Akira See Hashimoto, Shinobu
Yamaguchi, Osamu See Aoyama, Tatsuji; Hirano, Shingo
Yamakawa, Akira See Kawai, Chihiro
Yamamoto, Takahisa See Hayashi, Katsuro
Yamamura, Hiroshi See Mori, Toshiyuki; Akai, Tomoko
Yamaoka, Shinobu See Taniguchi, Takashi
Yamasaki, Nakamichi See Hosoi, Kazuyuki
Yamashita, Kimihiro; Yagi, Takeshi; and Umegaki, Takao
Bonelike Coatings onto Ceramics by Reactive Magnetron Sputtering. (12) 3313
Yamashita, Yohachi See Harada, Kouichi; Sato, Yuichi
Yamazaki, K. See Shon, I. J.
Yamazoe, Noboru See Yoo, Do Joon
Yamegni-Noubeyo, Jean-Celestin; Pourroy, Genevieve; Werckmann, Jacques; Malatis i Riera, Antoni; Ehret, Gabrielle; and Poix, Paul
Microstructure of $(Fe_{0.2}Co_{0.8})_{0.8}(Fe_{2.38}Co_{0.62}O_4)$: A Magnetic Oxidation-Resistant Composite Formed by Coprecipitation. (8) 2027
Yan, Yingchao; Faber, Anne Jans; and de Waal, Henk
Structural Role of Aluminum Ions in Sodium Aluminophosphate Glasses. (1) 286
Yan, Yongan; Chaudhuri, S. Ray; and Sarkar, Arnab
Synthesis, Characterizations, and Optical Properties of Stacked Porous Thin Films Derived from Sol–Gel Process. (4) 1061
Yan, Yongjun See Chen, Lifu
Yanagida, Hiroaki See Okubo, Atsushi
Yanagitani, Takakimi See Sakaguchi, Isao
Yanez, Joseph A.; Shikata, Toshi; Lange, Fred F.; and Pearson, Dale S.
Shear Modulus and Yield Stress Measurements of Attractive Alumina Particle Networks in Aqueous Slurries. (11) 2917
Yang, Jenn-Ming; Jeng, S. M.; and Chang, Sekyung
Fracture Behavior of Directionally Solidified $Y_3Al_5O_{12}$/Al_2O_3 Eutectic Fiber. (5) 1218
Yang, Myung Seung See Jeon, Jae-Ho
Yang, Quanzu See Ray, Chandra S.
Yang, Xiao Feng See Xi, Xiao Mei
Yang, Xugang; Bannister, Damian J.; and Young, Robert J.
Analysis of the Single-Fiber Pullout Test Using Raman Spectroscopy: Part III, Pullout of Nicalon Fibers from a Pyrex Matrix. (7) 1868
Yano, Toyohiko See Kim, Jae-Yuk
Yao, Takeshi; Inui, Takashi; and Ariyoshi, Akira
Novel Method for Zirconium Oxide Synthesis from Aqueous Solution. (12) 3329
Yashima, Masatomo; Koura, Toshiaki; Du, Yong; and Yoshimura, Masahiro
Thermodynamic Assessment of the Zirconia–Urania System. (2) 521
Yashima, Masatomo See Arima, Momoko; Kakihana, Masato
Yasrebi, Mehrdad; Ziomek-Moroz, Margaret; Kemp, William; and Sturgis, David H.
Role of Particle Dissolution in the Stability of Binary Yttria–Silica Colloidal Suspensions. (5) 1223
Yasuda, Eiichi See Xiao, Hanning
Yen, Bing K; Aizawa, Tatsuhiko; and Kihara, Junji
Influence of Powder Composition and Milling Media on the Formation of Molybdenum Disilicide by a Mechanically Induced Self-Propagating Reaction (8) 2221
Yen, Fu-Su See Hsiang, Hsing-I
Yeomans, Julie A. See Sun, Xudong
Yogo, Toshinobu See Hirano, Shin-ichi; Kikuta, Koichi; Sakamoto, Wataru
Yoko, Toshinobu See Miyaji, Fumiaki
Yoo, Do Joon; Tamaki, Jun; Park, Soon Ja; Miura, Norio; and Yamazoe, Noboru
Suppression of Grain Growth in Sol–Gel-Derived Tin Dioxide Ultrathin Films. (8) 2201
Yoshida, Kunio See Ikesue, Akio
Yoshikawa, Shoko See Markowski, Kelley; Pan, Ming-Jen; Zheng, Jiehui
Yoshikawa, Yoshio and Uchino, Kenji
Chemical Preparation of Lead-Containing Niobate Powders. (9) 2417
Yoshimura, Masahiro See Arima, Momoko; Cho, Woo-Seok; Kajiyoshi, Koji; Kakihana, Masato; Yashima, Masatomo

Yoshinaga, Ikuko See Katayama, Shingo
Yoshinaka, Masaru See Hirano, Shingo
Yoshio, Tetsuo See Jacobson, Nathan S.
Yost, William T. See Sathish, Shamachary
Young, Robert J. See Yang, Xugang
Yu, Jingkun See Yamaguchi, Akira
Yuan, Li-Jian See Viehland, Dwight
Yuan, Shi; Pal, Uday B.; and Chou, Kuo C.
Modeling and Scaleup of Galvanic Deoxidation of Molten Metals Using Solid Electrolyte Cells. (3) 641
Yust, Charles S. See Bae, Yong W.
Zavaliangos, Antonios See Brodkin, Dmitri
Zhang, Bo-Ping See Li, Jing-Feng
Zhang, Peilin See Xie, Weimin
Zhang, Shaowei See Yamaguchi, Akira
Zhang, Wen and Schneibel, Joachim H.
Calculations of Internal Stresses during Sintering in Two Dimensions. (8) 2141
Zhang, Xiao-wen See Gui, Hong
Zhang, Yao; Suga, Takehumi; Kawasaki, Mutsurou; Tang, Xiao-Xia; Uchida, Nozomu; and Uematsu, Keizo
Effect of Poly(vinyl alcohol) Adsorption on Binder Segregation during Drying. (2) 435
Zhang, Zhi-Fan See Liu, Yin
Zhang, Zongtao; Huang, Yung; Zheng, Longlie; and Jiang, Zuozhao
Preparation and Mechanical Properties of SiC Whisker and Nanosized Mullite Particulate Reinforced TZP Composites. (10) 2779
Zhe, Xiaoli; Wang, Chongmin; and Hendry, Alan
Dislocation-Related Plasticity of Ceria-Stabilized Zirconia Polycrystals. (6) 1726
Zheng, Jiehui; Takahashi, Sadayuki; Yoshikawa, Shoko; Uchino, Kenji; and de Vries, J. W. C.
Heat Generation in Multilayer Piezoelectric Actuators. (12) 3193
Zheng, Longlie See Zhang, Zongtao
Zhou, Liqin; Vilarinho, Paula M.; and Baptista, João L.
Stoichiometric Dependence of the Aging Phenomena in Lead Iron Tungstate Ceramics. (9) 2436
Zhou, Minghua; Ferreira, José M. F.; Fonseca, António T.; and Baptista, João L.
Coprecipitation and Processing of Mullite Precursor Phases. (7) 1756
Zhu, Shijie; Mizuno, Mineo; Nagano, Yasuo; Kagawa, Yutaka; and Watanabe, Makoto
Stress Rupture in Tension and Flexure of a SiC-Whisker-Reinforced Silicon Nitride Composite at Elevated Temperatures. (10) 2789
Zhu, Shijie See Mizuno, Mineo
Ziegler, Günter See Kleebe, Hans-Joachim
Zimmerman, Michael H.; Faber, K. T.; Fuller, Edwin R., Jr.; Kruger, Keith L.; and Bowman, Keith J.
Texture Assessment of Magnetically Processed Iron Titanate. (5) 1389
Ziomek-Moroz, Margaret See Yasrebi, Mehrdad
Zivanovic, Branislav See Djuric, Mirjana
Živković, Ljiljana V. See Čerović, Ljiljana S.
Zok, Frank W. See Cutler, Willard A.; Evans, Anthony G.
Zukoski, Charles F. See Miller, Kelly T.

SUBJECT INDEX TO THE JOURNAL OF THE AMERICAN CERAMIC SOCIETY INCLUDING ADVANCED CERAMIC MATERIALS AND COMMUNICATIONS

Numbers in parentheses refer to *monthly* issue of the *Journal*; numbers following are *page* numbers.

abrasives,
Advances in the grinding efficiency of sintered alumina abrasives. (3) 763-69
acids,
Citric acid—A dispersant for aqueous alumina suspensions. (7) 1857-67
Water sorption-desorption characteristics of proton-conducting antimonic acids with cubic and monoclinic structures. (6) 1677-80
actuator,
Heat generation in multilayer piezoelectric actuators. (12) 3193-98
Structural-property relations in a reduced and internally biased oxide wafer (RAINBOW) actuator material. (8) 2041-48
additives,
Effects of addition of Na_2O, Sb_2O_3, CaO, and ZrO_2 on the properties of lithium zinc ferrite. (8) 2105-108
Effects of sulfate, pyrophosphate, and citrate ions on the physicochemical properties of cements made of ß-tricalcium phosphate–phosphoric acid–water mixtures. (6) 1427-34
In situ toughened silicon carbide with Al-B-C additions. (2) 461-69
Low-temperature sintering and high thermal conductivity of $YLiO_2$-doped AlN ceramics. (7) 1979-81
Microstructural development on crystallizing hot-pressed pellets of cordierite melt-derived glass containing B_2O_3 and P_2O_5. (3) 705-13
adsorption/adsorbents,
Aqueous emulsion acrylic binders for low-foaming ceramic slips. (2) 510-12
agglomeration/agglomerates,
Formation and control of agglomerates in alumina powder. (8) 2003-11
aggregates,
Comparison of the compressive yield response of aggregated suspensions: Pressure filtration, centrifugation, and osmotic consolidation. (10) 2545-56
Influence of coarse aggregate content on the thermal conductivity of alumina-spinel castables. (11) 2961-64
aging,
Effect of Mn on aging of $(Pb_{0.63}Ba_{0.37})(Zr_{0.7}Ti_{0.3})O_3$ dielectric ceramics. (8) 2109-12
Stoichiometric dependence of the aging phenomena in lead iron tungstate ceramics. (9) 2436-42
alcohol,
Effect of poly(vinyl alcohol) adsorption on binder segregation during drying. (2) 435-40
alkaline earths,
Raman and ^{11}B nuclear magnetic resonance spectroscopic studies of alkaline-earth lanthanoborate glasses. (9) 2410-16
alkalis,
Effect of fly ashes with high total alkali content on the alkalinity of the pore solution of hydrated portland cement paste. (2) 470-74
alkoxide,
Synthesis of strontium barium niobate thin films through metal alkoxide. (9) 2283-88
Thermal decomposition of alkoxides in an inert organic solvent: Novel method for the synthesis of homogeneous mullite precursor. (3) 793-95
Ultrafine spinel powders by flame spray pyrolysis of a magnesium aluminum double alkoxide. (5) 1419-23
alumina,
R-curve behavior of *in situ* toughened Al_2O_3:$CaAl_{12}O_{19}$ ceramic composites. (12) 3142-48
Activation energy for mullitization of α-alumina/silica microcomposite particles. (2) 571-73
Advances in the grinding efficiency of sintered alumina abrasives. (3) 763-69
Citric acid—A dispersant for aqueous alumina suspensions. (7) 1857-67
Computer simulation model for coupled grain growth and Ostwald ripening—Application to Al_2O_3-ZrO_2 two-phase systems. (5) 1163-68
Contact damage in plasma-sprayed alumina-based coatings. (7) 1907-14
Correlation between long and short crack *R*-curves in alumina using the crack opening displacement and fracture mechanical weight function approach. (5) 1189-96
Creep deformation in an alumina-silicon carbide composite produced via a directed metal oxidation process. (8) 2218-20
Crystallization behavior and microstructure evolution of $(Al,Fe)_2O_3$ synthesized from liquid precursors. (7) 1745-55
Damage tolerance of silicon carbide and alumina matrix surface composites. (4) 1117-20
Direction of liquid film migration induced by chromic oxide in alumina–anorthite. (12) 3029-32
Discontinuous dissolution and grain boundary migration in Al_2O_3-Fe_2O_3 by oxygen partial pressure change. (6) 1659-63
Dynamic consolidation of combustion-synthesized alumina-titanium diboride composite ceramics. (10) 2687-95
Dynamic recrystallization during the sliding wear of alumina at elevated temperatures. (12) 3243-49
Effect of calcium doping on the atomistic structure of the (1104) twin boundary in alumina. (7) 1961-66
Effects of gadolinia and alumina addition on the densification and toughening of silicon carbide. (2) 530-32
Effects of grain size and humidity on fretting wear in fine-grained alumina, Al_2O_3/TiC, and zirconia. (5) 1139-46
Electronic structure of a near Σ11 *a*-axis tilt grain boundary in α-Al_2O_3. (3) 627-33
Formation and control of agglomerates in alumina powder. (8) 2003-11
Fracture behavior of directionally solidified $Y_3Al_5O_{12}/Al_2O_3$ eutectic fiber. (5) 1218-22
Generation of cracklike voids during sintering of Al_2O_3-10ZrO_2 ceramics and their prevention by presintering with low pressure (2 MPa). (6) 1723-25
Grain size distributions and strength variability of high-purity alumina. (2) 305-12
Grain size effect on creep deformation of alumina-silicon carbide composites. (6) 1530-36
Hardness variations in multilayered ZrO_2-Al_2O_3 composites. (5) 1416-18
High-pressure sintering of nanocrystalline γ-Al_2O_3. (11) 2989-92
Infiltration of porous alumina bodies with solution precursors: Strengthening via compositional grading, grain size control, and transformation toughening. (7) 1810-14
Influence of coarse aggregate content on the thermal conductivity of alumina-spinel castables. (11) 2961-64
Influence of grain size on the grinding response of alumina. (5) 1307-13
Influence of reinforcement content and diameter on the *R*-curve response in SiC-whisker-reinforced alumina. (2) 298-304
Infrared studies of calcia-alumina fibers. (9) 2469-73
Machining-induced surface residual stress behavior in Al_2O_3-SiC nanocomposites. (9) 2403-409
MAS NMR evidence for the presence of silicon in the alumina spinel from thermally transformed kaolinite. (11) 2980-82
Mechanical properties and failure analysis of alumina-glass dental composites. (7) 1769-76
Mechanical properties of infiltrated alumina–Y-TZP composites. (9) 2227-36
Method for measuring short-crack *R*-curves without calibration parameters: Case studies of alumina and alumina/aluminum composites. (2) 291-97
Microstructural characterization of alumina and silicon carbide slip-cast cakes. (10) 2515-26
Microstructure control and wear of Al_2O_3-SiC-(Al,Si) composites made by melt oxidation. (3) 770-72
Mixed-mode fracture of ceramics in asymmetric four-point bending: Effect of crack-face grain interlocking/bridging. (10) 2718-26
Morphological forms of α-alumina particles synthesized in 1,4-butanediol solution. (1) 88-96
Mullite formation by endothermic reaction of α-alumina/silica microcomposite particles. (1) 12-16
Near-surface deformation in alumina–silicon carbide whisker composite due to surface machining. (8) 2134-40
Optimization of a ductile-particle-toughened ceramic. (10) 2705-17
Particle-inhibited grain growth in Al_2O_3-SiC: I, Experimental results. (12) 3013-19
Particle-inhibited grain growth in Al_2O_3-SiC: II, Equilibrium and kinetic analyses. (12) 3020-28
Particle/matrix interface and its role in creep inhibition in alumina/silicon carbide nanocomposites. (1) 33-45
Phase diagram for the SiF_4 join in the system SiO_2-Al_2O_3-SiF_4. (11) 2965-68
Phase reaction and sintering behavior in the pseudoternary systen AlN-Y_2O_3-Al_2O_3. (10) 2645-51
Plastic-to-brittle transition of saturated, alumina powder compacts. (12) 3161-68
Preparation and properties of borosilicate-coated alumina particles from alkoxides. (6) 1546-52
Pressure consolidation of fiber-reinforced oxide matrix composites: Experiments and simulations. (5) 1265-72
Rheology and consolidation of colloidal alumina-coated silicon nitride suspensions. (5) 1155-62
Scanning force microscopy study of ceramic fibers for advanced composites. (9) 2341-44
Self-consistent method to calculate fiber interactions in an SiC/Al_2O_3 ceramic composite. (6) 1466-72
Shear modulus and yield stress measurements of attractive alumina particle networks in aqueous slurries. (11) 2917-24
Sintering of alumina in microwave-induced oxygen plasma. (12) 3199-210
Sintering of nanophase γ-Al_2O_3 powder. (8) 2207-11
Spontaneous infiltration of alumina by copper-oxygen alloys. (1) 114-20
Superplastic alumina at temperatures below 1300°C using charge-compensating dopants. (1) 233-38
Surface modification of silicon nitride powder with aluminum. (2) 574-76
Surface properties of ceramic laminates fabricated by die pressing. (2) 553-56
Synthesis of Al_2O_3-Al composites by reactive metal penetration. (1) 27-32
Tensile creep behavior of a vitreous-bonded aluminum oxide under static and cyclic loading. (9) 2353-63
Tensile ductility in zirconia-dispersed alumina at high temperatures. (2) 499-502
Thermodynamic analysis of the metastable regions for the Al_2O_3-SiO_2 system. (5) 1252-56
Transformation and densification of nanocrystalline θ-alumina during sinter forging. (12) 3149-54
Ultrafine alumina particles prepared by mechanochemical/thermal processing. (11) 2956-58
Wear properties of alumina/aluminum composites with interpenetrating networks. (1) 121-28
Yield stress of alumina-zirconia suspensions. (10) 2567-76
Yttria doping and sintering of submicrometer-grained α-alumina. (8) 2156-60
aluminates,
Formation of new compounds $Ln_4Al_2O_9$ in the Ln_2O_3-Al_2O_3 system (Ln=La, Pr, Tb). (11) 2959-60
Sol-gel synthesis of lithium aluminate. (2) 455-60
Synthesis of $MgAl_2O_4$ whiskers by an oxidation-reduction reaction. (2) 491-94
aluminophosphate,
In situ whisker-reinforced $AlPO_4$-modified ß-eucryptite glass-ceramic: I, Morphology and crystallization kinetics. (3) 597-602
Structural role of aluminum ions in sodium aluminophosphate glasses. (1) 286-88
aluminosilicates,
Effect of oxidation heat treatments on the mechanical behavior of an Si-C-O fiber-reinforced magnesium aluminosilicate. (9) 2375-78
Electrical conductivity in mixed alkali aluminosilicate melts. (9) 2422-28
Formation of Sm^{2+} ions in sol-gel-derived glasses of the system Na_2O-Al_2O_3-SiO_2. (5) 1257-61
High-temperature ultrasonic characterization of the mechanical and microstructural behavior of a fibrous composite with a magnesium lithium aluminum silicate glass-ceramic matrix. (4) 957-61
Influence of interfacial sliding stress on fatigue behavior of oxidized Nicalon/calcium aluminosilicate composites. (10) 2659-65
Oxidation behavior of an Si-C-O fiber-reinforced magnesium aluminosilicate. (9) 2364-74
Properties of CeO_2-Al_2O_3-SiO_2 glasses prepared in air. (8) 2212-14
Surface tension of calcium aluminosilicate glass using computerized drop shape analysis. (4) 920-26
Thermal conductivity of vapor-liquid-solid and vapor-solid silicon carbide whisker-reinforced lithium aluminosilicate glass-ceramic composites. (3) 742-48
aluminum,
^{27}Al nuclear magnetic resonance of glassy and crystalline $Zr_{(1-x)}Al_xO_{(2-x/2)}$ (0.08≤*x*≤0.57) materials prepared from solution precursors. (2) 321-26
Aluminum *K*-edge absorption (XANES) studies of noncrystalline mullite precursors. (3) 813-16
Crystallization and transformation of aluminum orthophosphates in organic solvent containing a small amount of water. (9) 2506-508
Low-temperature synthesis of aluminum silicon carbide using ultrafine aluminum carbide and silicon carbide powders. (1) 275-78
Method for measuring short-crack *R*-curves without calibration parameters: Case studies of alumina and alumina/aluminum composites. (2) 291-97
Microstructure development in *in situ* reinforced reaction-bonded aluminum niobate-based composites. (9) 2266-70
Microwave dielectric properties of $CaTiO_3$-$Ca(Al_{1/2}Ta_{1/2})O_3$ ceramics. (10) 2739-43
Phase equilibria in the quaternary system Ti-Al-C-N. (9) 2321-30
Spontaneous infiltration of aluminum-silicon alloy into silicon carbide preforms in air. (1) 102-108
Structures and phase relations of aluminum-substituted calcium silicate hydrate. (4) 967-71
Synthesis of Al_2O_3-Al composites by reactive metal penetration. (1) 27-32
Wear properties of alumina/aluminum composites with interpenetrating networks. (1) 121-28
aluminum nitride,
Auger electron spectroscopy of aluminum nitride powder surfaces. (5) 1213-17
Densification and thermal conductivity of AlN doped with Y_2O_3, CaO, and Li_2O. (12) 3103-108
Dielectric dispersion of polycrystalline aluminum nitride at microwave frequencies. (6) 1453-56
Diffraction method detection of local lattice distortion in AlN ceramics by convergent beam electron—comment. (7) 1982-83
Interdiffusion in SiC-AlN and AlN-Al_2OC systems. (8) 2168-74
Low-temperature sintering and high thermal conductivity of $YLiO_2$-doped AlN ceramics. (7) 1979-81
Morphological effect of second phase on the thermal conductivity of AlN ceramics. (4) 1066-72
Phase reaction and sintering behavior in the pseudoternary systen AlN-Y_2O_3-Al_2O_3. (10) 2645-51
SiC-AlN: II, Mechanical properties. (5) 1262-64
Solid-liquid reaction in the Si_3N_4-AlN-Y_2O_3 system under 1 MPa of nitrogen. (6) 1717-19
Static and dynamic compressive behavior of aluminum nitride under moderate confinement. (3) 579-84
Suppressing the formation of cone structures in chemical-vapor-deposited aluminum nitride/titanium nitride films. (4) 1109-12
Using simultaneous deposition and rapid growth to produce nanostructured composite films of AlN/TiN by chemical vapor deposition. (5) 1335-42

ammonia,
Kinetics of silicon monoxide ammonolysis for nanophase silicon nitride synthesis. (11) 2947-55
amorphous solid,
Crystalline Si_3N_4/amorphous Si_3N_4 composite. (2) 395-400
analysis/analyzers,
Correlation between long and short crack *R*-curves in alumina using the crack opening displacement and fracture mechanical weight function approach. (5) 1189-96
anatase,
Microstructure and crystallographic orientation of anatase coatings produced from chemically modified titanium tetraisopropoxide. (6) 1483-88
Temperature profile of anatase-TiO_2 powder compact during microwave heating. (10) 2533-38
anorthite,
Direction of liquid film migration induced by chromic oxide in alumina–anorthite. (12) 3029-32
apatite,
Spontaneous formation of bonelike apatite layer on chemically treated titanium metals. (4) 1127-29
arsenic,
Properties of $As_{40}S_{(60-x)}Se_x$ glasses for IR fiber optics. (5) 1324-28
barium,
Barium neodymium titanate electroceramics: Phase equilibria studies of $Ba_{6-3x}Nd_{8+2x}Ti_{18}O_{54}$ solid solution. (6) 1605-10
Effect of Na_2O additions in the crystallization of barium ferrite from a $BaO-B_2O_3-Fe_2O_3$ glass. (1) 183-92
Effect of phase transformation on the sintering of lead barium metaniobate solid solutions. (3) 609-12
Fabrication of dense, shaped barium cerate by the oxidation of solid metal-bearing precursors. (6) 1575-84
Low-temperature synthesis of $Ba(Mg_{1/3}Ta_{2/3})O_3$ ceramics from Ba-Mg-Ta alkoxide precursor. (8) 2059-64
Room-temperature preparation of crystallized $Ba_{1-x}Sr_xWO_4$ ($0 \le x \le$) solid-solution films by an electrochemical method. (10) 2783-85
Synthesis of lead barium niobate powders and thin films by the sol-gel method. (4) 889-94
barium titanate,
Alternative route for synthesis of barium titanyl oxalate: Molecular precursor for microcrystalline barium titanate powders. (10) 2795-97
Characteristics and formation mechanism of $BaTiO_3$ powders prepared by twin-fluid and ultrasonic spray pyrolysis methods. (6) 1720-22
Crystallinity and stoichiometry of nanostructured sol-gel-derived $BaTiO_3$ monolithic gels. (11) 1983-85
Effect of crystallite size on the ferroelectric domain growth of ultrafine $BaTiO_3$ powders. (4) 1053-60
Effects of temperature and atmosphere on the formation mechanism of barium titanate using the citrate process. (6) 1693-96
Exaggerated growth of hexagonal barium titanate under reducing sintering conditions. (4) 1015-18
Grain orientation dependence of the PTCR effect in niobium-doped barium titanate. (6) 1669-72
Impedance spectroscopy of undoped $BaTiO_3$ ceramics. (6) 1633-41
Kinetics and mechanisms of hydrothermal synthesis of barium titanate. (11) 2929-39
Oriented barium titanate thick films by reactive coating on rutile. (9) 2493-96
Oxygen vacancy motion in perovskite oxides. (2) 536-38
Polymerized complex route to barium titanate powders using barium-titanium mixed-metal citric acid complex. (11) 2847-56
Preparation and characterization of $Ba_xSr_{1-x}TiO_3$ thin films by a sol-gel technique. (6) 1593-98
Raman study of the relationship between room temperature tetragonality and the Curie point of barium titanate. (10) 2666-72
Single-grain boundaries in PTC resistors. (4) 997-1001
Structure evolution in hydrothermally processed (<100°C) $BaTiO_3$ films. (1) 239-47
bending,
Piezoelectric ceramics with functional gradients: A new application in material design. (3) 809-12
binders/binding,
Aqueous emulsion acrylic binders for low-foaming ceramic slips. (2) 510-12
Computer simulations of binder removal from 2-D and 3-D model particulate bodies. (5) 1377-88
Effect of poly(vinyl alcohol) adsorption on binder segregation during drying. (2) 435-40
Surface chemistry of lead titanate and its impact on binder removal. (4) 1002-1008
bioceramics,
Vacuum plasma spray deposition of titanium particle/glass-ceramic matrix biocomposites. (6) 1515-20
bismuth,
Characterization of $Bi_{0.5}Na_{0.5}TiO_3-PbTiO_3$ dielectric materials. (5) 1273-80
Ferroic phase transitions in $(Na_{1/2}Bi_{1/2})TiO_3$ crystals. (5) 1290-96
Phase transformations and melting effects during the sintering of bismuth-doped zinc oxide powders. (8) 2113-26
Thermodynamic evaluation of the Bi-Cu-O system. (2) 353-58
bismuth oxide,
Low breakdown voltage varistors by grain boundary diffusion of molten Bi_2O_3 in ZnO. (4) 962-66
Massive transformation in $Gd_2O_3-Bi_2O_3$ ceramics. (2) 371-80
bismuth strontium calcium copper oxide,
Direct joining of BSCCO superconducting glass-ceramics using a flame-melting method. (4) 885-88
bismuth titanates,
Microstructure, electrical conductivity, and piezoelectric properties of bismuth titanate. (12) 3124-28
borates,
Photochemical hole burning and local structural change in Sm^{2+}-doped borate glasses. (2) 327-32
Raman and ^{11}B nuclear magnetic resonance spectroscopic studies of alkaline-earth lanthanoborate glasses. (9) 2410-16
Temperature effects on structure and dynamics in borate and borosilicate liquids: High-resolution and high-temperature NMR results. (9) 2247-56
boria,
$PbTiO_3-PbO-B_2O_3$ glass-ceramics by a sol-gel process. (12) 3282-88
boron,
Growth of boric acid crystallites on the surface of boron-doped silicon carbide samples. (6) 1699-1702
Isothermal oxidation behavior of Mo-Si-B intermetallics at 1450°C. (10) 2763-66
Oxidation behavior of boron-modified Mo_5Si_3 at 800°–1300°C. (4) 938-44
boron carbide,
Boron carbide particles formed from an amorphous boron/graphite powder mixture using a shock-wave technique. (4) 1113-16
boron nitride,
Effect of boron nitride on the phase stability and phase transformations in silicon carbide. (12) 3325-28
Fracture behavior of multilayer silicon nitride/boron nitride ceramics. (9) 2452-57
High-temperature tensile behavior of a boron nitride-coated silicon carbide-fiber glass-ceramic composite. (6) 1521-29
Mechanical properties of polycrystalline translucent cubic boron nitride as characterized by the Vickers indentation method. (2) 547-49
Orientation and growth of grains in copper-activated hot-pressed hexagonal boron nitride. (1) 283-85
Oxidation of BN-coated SiC fibers in ceramic matrix composites. (2) 539-43
Synthesis of boron nitride by self-propagating reactions at high pressure. (10) 2798-800
borosilicate glass,
Change in refractive index of a borosilicate glass fiber annealed below the glass transformation temperature. (10) 2633-36
Crack initiation in borosilicate glass–SiC fiber composites. (4) 865-72
Effect of incorporation of nitrogen on the structure and dielectric properties of modified oxide sol-precipitated borosilicate glasses and glass-ceramics. (6) 1473-82
Temperature effects on structure and dynamics in borate and borosilicate liquids: High-resolution and high-temperature NMR results. (9) 2247-56
borosilicates,
Preparation and properties of borosilicate-coated alumina particles from alkoxides. (6) 1546-52
brazing,
Strength and microstructure of silicon nitride ceramics brazed with nickel-chromium-silicon alloys. (3) 659-65
brittle materials,
Crack initiation in fiber-reinforced brittle laminates. (5) 1181-88
Influence of particle size distribution on ductile-phase toughening in brittle materials. (2) 562-64
Plastic-to-brittle transition of saturated, alumina powder compacts. (12) 3161-68
bubbles,
Dissolution of rising helium bubbles in a soda-lime-silica glass melt. (7) 1899-906
calcia,
Crystallization and properties of $Fe_2O_3-CaO-SiO_2$ glasses. (4) 992-96
Infrared studies of calcia-alumina fibers. (9) 2469-73
Model to compute phase diagrams in oxides with empirical or first-principles energy methods and application to the solubility limits in the CaO-MgO system. (8) 2033-40
calciners/calcination,
Influence of calcination temperature on the microstructure and mechanical properties of a gel-derived and sintered 3 mol% Y-TZP material. (4) 1034-40
calcium,
Effect of calcium doping on the atomistic structure of the (1104) twin boundary in alumina. (7) 1961-66
calcium aluminate,
R-curve behavior of *in situ* toughened Al_2O_3:$CaAl_{12}O_{19}$ ceramic composites. (12) 3142-48
calcium fluoride,
Preparation of CaF_2 fibers. (11) 2986-88
calcium phosphate,
Calcium phosphate materials prepared from precipitates with various calcium:phosphorus molar ratios. (10) 2539-44
Effect of nucleating agents on the crystallization of calcium phosphate glasses. (7) 1934-44
Hydration reactions in the system $CaO-P_2O_5-SiO_2-(H_2O)$. (4) 1124-26
Preparation of high-strength calcium phosphate ceramics with low modulus of elasticity containing ß-$Ca(PO_3)_2$ fibers. (7) 1821-24
calcium silicate,
Hydration reactions in the system $CaO-P_2O_5-SiO_2-(H_2O)$. (4) 1124-26
Structure change in strontium oxide-doped dicalcium silicates. (10) 2577-81
Thermal hysteresis for the $\alpha' \leftrightarrow$ß transformations in strontium oxide-doped dicalcium silicates. (11) 2969-70
Thermoelastic behavior in Ca_2SiO_4 solid solutions. (11) 2925-28
calcium silicate hydrate,
^{17}O MAS NMR investigation of the structure of calcium silicate hydrate gel. (6) 1585-92
Mesostructure of calcium silicate hydrate (C-S-H) gels in portland cement paste: Short-range ordering, nanocrystallinity, and local compositional order. (7) 1731-44
Morphological forms of tobermorite in hydrothermally treated calcium silicate hydrate gels. (8) 2175-78
Structures and phase relations of aluminum-substituted calcium silicate hydrate. (4) 967-71
calcium titanate,
Microwave dielectric properties of $CaTiO_3-Ca(Al_{1/2}Ta_{1/2})O_3$ ceramics. (10) 2739-43
calculations,
Calculations of internal stresses during sintering in two dimensions. (8) 2141-44
Estimation of Hamaker constants of ceramic materials from optical data using Lifshitz theory. (2) 339-48
capillarity,
Capillary infiltration rates into porous media with applications to Silcomp processing. (2) 333-38
carbides,
Preparation of porous Cr_3C_2 grains with Cr_2O_3. (9) 2503-505
carbon,
Creep behavior of a pitch-based carbon filament. (1) 46-50
Phase equilibria in the quaternary system Ti-Al-C-N. (9) 2321-30
Reactive wetting in the liquid-silicon/solid-carbon system. (4) 873-80
Size effect on the fracture toughness and the *R*-curve of carbon materials. (12) 3177-84
carbon fibers,
Effect of oxygen gas concentration in the heat-treatment atmosphere and high-voltage pulse application on the electrical properties of carbon fibers. (12) 3169-76
carbothermal reduction,
Carbothermal synthesis of TiC whiskers via a vapor-liquid-solid growth mechanism. (11) 2803-808
casting,
Formation of complex ceramic miniaturized structures by pyrolysis of poly(vinylsilazane). (6) 1457-65
cavitation,
Creep cavitation in a siliconized silicon carbide tested in tension and flexure. (4) 977-86
cements,
Effect of plasma treatment of polyethylene fibers on interface and cementitious composite properties. (3) 700-704
Effects of sulfate, pyrophosphate, and citrate ions on the physicochemical properties of cements made of ß-tricalcium phosphate–phosphoric acid–water mixtures. (6) 1427-34
Hydrothermal cement/metal interfaces. (1) 213-24
Tensile behavior of cement-based composites with random discontinuous steel fibers. (1) 74-78
ceramic matrix composites,
Concept for a damage-tolerant ceramic composite with strong interfaces. (2) 417-24
Effect of interfacial shear strength on crack-fiber interaction behavior in ceramic matrix composites. (1) 199-208
Effect of off-axis loading on the tensile behavior of a ceramic matrix composite. (12) 3113-23
High-temperature chemical stability of plasma-sprayed $Ca_{0.5}Sr_{0.5}Zr_4P_6O_{24}$ coatings on Nicalon/SiC ceramic matrix composite and Ni-based superalloy substrates. (10) 2759-62
Hysteresis loops and the inelastic deformation of 0/90 ceramic matrix composites. (1) 161-70
Mechanical behavior of several hybrid ceramic matrix composite laminates. (7) 1825-33
Models of high-temperature, environmentally assisted embrittlement in ceramic matrix composites. (9) 2345-52
Oxidation and corrosion of $SiC_{(particulate)}/Al/Al_2O_3$ composites in sodium silicate at elevated temperatures. (7) 1881-91
Strain fields and damage around notches in ceramic matrix composites. (1) 65-73
Thermal shock behavior of two-dimensional woven fiber-reinforced ceramic composites. (7) 1783-92
Thermal shock damage in a two-dimensional woven fiber-reinforced CVI SiC matrix composite. (11) 2857-64
ceramic-metal systems,
Near-net-shape processing of metal-ceramic composites by reactive metal penetration. (9) 2497-99
ceria,
Dislocation-related plasticity of ceria-stabilized zirconia polycrystals. (6) 1726-28
Fabrication of dense, shaped barium cerate by the oxidation of solid metal-bearing precursors. (6) 1575-84
Grain growth in CeO_2: Dopant effects, defect mechanism, and solute drag. (7) 1793-800
Hydrothermal synthesis of cerium(IV) oxide. (3) 777-80
Preparation of an alkali element-doped $CeO_2-Sm_2O_3$ system and its operation properties as the electrolyte in planar solid oxide fuel cells. (12) 3309-12
Properties of $CeO_2-Al_2O_3-SiO_2$ glasses prepared in air. (8) 2212-14
cesium,
Sequestration of cesium and strontium by tobermorite synthesized from fly ashes. (6) 1707-10
cesium oxide,
Phase equilibria in the $Na_2O-Cs_2O-SiO_2$ system. (10) 2752-54
chemical properties,
Chemical and structural evolution of sol-gel-derived hydroxyapatite thin films under rapid thermal processing. (4) 837-42
chemical vapor deposition (CVD),
High-temperature corrosion resistance of chemically vapor deposited silicon carbide against hydrogen chloride and hydrogen gaseous environments. (2) 503-506
Using simultaneous deposition and rapid growth to produce nanostructured composite films of AlN/TiN by chemical vapor deposition. (5) 1335-42
chlorides,
Phase equilibria in rare-earth chloride–fluoride and rare-earth chloride–magnesium fluoride systems. (10) 2582-86
chromia,
Formation, characterization, and hot isostatic pressing of Cr_2O_3-doped ZrO_2 (0.3 mol% Y_2O_3) prepared by hydrazine method. (1) 171-76

Preparation of porous Cr_3C_2 grains with Cr_2O_3. (9) 2503-505
chromium,
Structural relaxation around substitutional Cr^{3+} ions in sapphire. (1) 3-11
Transparent Cr^{4+}-doped YAG ceramics for tunable lasers. (2) 507-509
chromium oxide,
Vaporization of $LaCrO_3$: Partial and integral thermodynamic properties. (12) 3266-72
circuits,
High-frequency piezoceramic equivalent circuit. (5) 1413-15
clusters,
Heteroflocculation in binary colloidal suspensions: Monte Carlo simulations. (10) 2587-91
coatings,
Bonelike coatings onto ceramics by reactive magnetron sputtering. (12) 3313-16
Coating of fine-grained silicon nitride whiskers on fiberlike silicon nitride. (2) 557-58
Concept of functionally graded materials for advanced thermal barrier coating applications. (12) 3003-12
High-temperature chemical stability of plasma-sprayed $Ca_{0.5}Sr_{0.5}Zr_4P_6O_{24}$ coatings on Nicalon/SiC ceramic matrix composite and Ni-based superalloy substrates. (10) 2759-62
Measurement of porosity in ceramic coatings by thermogravimetric volatilization of liquids. (12) 3317-20
Microstructure and crystallographic orientation of anatase coatings produced from chemically modified titanium tetraisopropoxide. (6) 1483-88
Oriented barium titanate thick films by reactive coating on rutile. (9) 2493-96
Porous silica-coated α-Fe_2O_3 ceramics for humidity measurement at elevated temperature. (4) 927-37
Preparation of thin sections of coated fibers for characterization by transmission electron microscopy. (9) 2481-84
Stress analysis of elastic-plastic contact damage in ceramic coatings on metal substrates. (10) 2619-25
Synthesis and friction behavior of chemically vapor deposited composite coatings containing discrete TiN and MoS_2 phases. (4) 819-24
Viability of oxide fiber coatings in ceramic composites for accommodation of misfit stresses. (6) 1664-68
cobalt,
Microstructure of $(Fe_{0.2}Co_{0.8})_{0.8}(Fe_{2.38}Co_{0.62}O_4)$: A magnetic oxidation-resistant composite formed by coprecipitation. (8) 2027-32
Phase equilibria, oxygen potentials, and activities in the system Ni-Co-Si-O at 1373 K. (11) 2815-20
cobalt oxide,
Effect of cobalt(II) oxide and manganese(IV) oxide on sintering of tin(IV) oxide. (3) 799-804
combustion synthesis,
Combustion synthesis/dynamic densification of a TiB_2-SiC composite. (1) 177-82
Dynamic consolidation of combustion-synthesized alumina-titanium diboride composite ceramics. (10) 2687-95
Relationship between field direction and wave propagation in activated combustion synthesis. (8) 2049-58
Simultaneous synthesis and densification of $MoSi_2$ by field-activated combustion. (7) 1875-80
Synthesis of red-emitting, small particle size luminescent oxides using an optimized combustion process. (12) 3257-65
compacts/compaction,
Shock compaction of nanosized diamond powder, as examined by microstructural analysis. (1) 97-101
TEM investigation of impurity phases and the penetration of liquid aluminum in hot isostatically pressed TiB_2 compacts. (5) 1147-54
Theoretical description of a two-dimensional compaction process of cylinders. (1) 153-60
Theoretical model for compaction of granular materials. (12) 3045-54
composites,
Crack branching in all-oxide ceramic composites. (1) 266-74
Determination of interfacial properties using a single-fiber microcomposite test. (4) 1083-91
Effect of plasma treatment of polyethylene fibers on interface and cementitious composite properties. (3) 700-704
Fabrication of optically transparent short-fiber-reinforced glass matrix composites. (4) 881-84
Fracture toughness of 2-D woven SiC/SiC CVI composites with multilayered interphases. (4) 849-58
High-temperature strength of melt-infiltrated SiC-$Mo(Al,Si)_2$ composites. (2) 544-46
Near-net-shape processing of metal-ceramic composites by reactive metal penetration. (9) 2497-99
Reaction sintering and mechanical behavior of cordierite containing sapphirine dispersoids. (8) 2098-104
Relic processing of fine-scale, large-area piezoelectric ceramic fiber/polymer composites. (6) 1689-92
composition,
Calcium phosphate materials prepared from precipitates with various calcium:phosphorus molar ratios. (10) 2539-44
Effect of composition on the oxygen tracer diffusion in transparent yttrium aluminum garnet (YAG) ceramics. (6) 1627-32
Influence of powder composition and milling media on the formation of molybdenum disilicide by a mechanically induced self-propagating reaction. (8) 2221-23
Reference relations for the evaluation of the materials properties of orthorhombic $YBa_2Cu_3O_x$ superconductors—correction. (11) 3000
compressors/compression,
Static and dynamic compressive behavior of aluminum nitride under moderate confinement. (3) 579-84
consolidation,
Pressure consolidation of fiber-reinforced oxide matrix composites: Experiments and simulations. (5) 1265-72
contacts,
Contacts and coordination numbers in a compact of polyhedral particles. (1) 148-52
Stress analysis of contact deformation in quasi-plastic ceramics. (10) 2609-18
Stress analysis of elastic-plastic contact damage in ceramic coatings on metal substrates. (10) 2619-25
copper,
Microstructural evolution of copper thick films observed by environmental scanning electron microscopy. (5) 1303-306
Modeling and scaleup of galvanic deoxidation of molten metals using solid electrolyte cells. (3) 641-50
Orientation and growth of grains in copper-activated hot-pressed hexagonal boron nitride. (1) 283-85
Preparation of copper-ruby glasses by sputtering: The effect of atmosphere on the growth of copper particles. (4) 859-64
Spontaneous infiltration of alumina by copper-oxygen alloys. (1) 114-20
copper oxides,
Atmosphere control of interface migration and its effect on dielectric property of CuO-infiltrated strontium titanate. (6) 1499-503
Electrical properties of nonconventional Bi-Ba-Cu-O glasses. (7) 1815-20
Electronic structure of $Y_2Cu_2O_{5-x}S_x$ (x=0, 0.25, 0.75) by X-ray emission spectroscopy and X_α scattered wave calculation methods. (4) 953-56
Point defects of La_2CuO_4-based ceramics: I, Oxygen interstitials. (6) 1599-604
Sol-gel synthesis of fine Gd_2CuO_4 particles: Influence of synthesis variables. (2) 407-11
Thermal analysis of 3 mol% yttria-stabilized tetragonal zirconia powder doped with copper oxide. (2) 401-406
Thermodynamic evaluation of the Bi-Cu-O system. (2) 353-58
coprecipitation,
Coprecipitation and processing of mullite precursor phases. (7) 1756-60
cordierite,
Controlled phase transformations by glass particle size in spodumene and cordierite glass-ceramics. (7) 1971-74
Microstructural development on crystallizing hot-pressed pellets of cordierite melt-derived glass containing B_2O_3 and P_2O_5. (3) 705-13
Reaction sintering and mechanical behavior of cordierite containing sapphirine dispersoids. (8) 2098-104
corrosion,
Characterization of Si_3N_4 coated with chemically vapor deposited mullite after Na_2SO_4-induced corrosion. (9) 2489-92
Corrosion of mullite by molten salts. (8) 2161-67
Corrosion of zinc-containing cabal glasses by various leaching solutions. (3) 733-41
Electrochemical corrosion and protection of molybdenum and molybdenum disilicide in a molten soda-lime silicate glass environment. (7) 1851-56
Oxidation and corrosion of $SiC_{(particulate)}/Al/Al_2O_3$ composites in sodium silicate at elevated temperatures. (7) 1881-91
corrosion resistance,
High-temperature corrosion resistance of chemically vapor deposited silicon carbide against hydrogen chloride and hydrogen gaseous environments. (2) 503-506
crack branching,
Crack bifurcation in laminar ceramic composites. (7) 1834-38
Crack branching in all-oxide ceramic composites. (1) 266-74
crack growth,
Crack stability and its effect on fracture toughness of hot-pressed silicon nitride beam specimens. (9) 2300-308
Retardation of fatigue crack growth in ceramics by glassy ligaments: A rationalization. (4) 945-52
Room-temperature cyclic fatigue of reaction-bonded silicon nitride using the double cleavage drilled compression specimen. (2) 425-29
Subcritical crack growth in silica optical fibers in a wide range of crack velocities. (1) 51-57
crack growth resistance,
Arrest of fatigue cracks in transformation-toughened ceramics. (3) 655-58
Crack suppression in strongly bonded homogeneous/heterogeneous laminates: A study on glass/glass-ceramic bilayers. (3) 634-40
cracks/cracking,
Crack initiation in borosilicate glass–SiC fiber composites. (4) 865-72
Crack initiation in fiber-reinforced brittle laminates. (5) 1181-88
Crack-interface interactions in a tungsten yttria-stabilized zirconia directionally solidified eutectic. (2) 412-16
Cracking of laminates subjected to biaxial tensile stresses. (8) 2127-33
Determination of short-crack toughness curves. (1) 129-36
Effect of interfacial shear strength on crack-fiber interaction behavior in ceramic matrix composites. (1) 199-208
Short-crack toughness and abrasive machining of silicon nitride. (12) 3055-64
creep,
Compressive creep of a fine-grained polycrystalline yttria. (3) 773-76
Creep behavior of a pitch-based carbon filament. (1) 46-50
Creep cavitation in a siliconized silicon carbide tested in tension and flexure. (4) 977-86
Creep deformation in an alumina-silicon carbide composite produced via a directed metal oxidation process. (8) 2218-20
Deformation of interparticle necks by diffusion-controlled creep. (3) 666-72
Microstructural stability and creep behavior of Si-C-O (Nicalon) fibers in carbon monoxide and argon environments. (10) 2673-86
Particle/matrix interface and its role in creep inhibition in alumina/silicon carbide nanocomposites. (1) 33-45
Space-charge-controlled diffusional creep: Volume diffusion case. (1) 193-98
Tensile creep behavior of a vitreous-bonded aluminum oxide under static and cyclic loading. (9) 2353-63
Tensile specimens from ceramic components. (2) 550-52
cristobalite,
New "incipient-wetness" method for the synthesis of chemically stabilized ß-cristobalite. (6) 1681-84
crystal growth,
Growth of boric acid crystallites on the surface of boron-doped silicon carbide samples. (6) 1699-702
crystal structure,
Crystal phase and phonon densities of states of ß′-SiAlON ceramics, $Si_{6-z}Al_zO_zN_{8-z}$ ($0 \le z \le 4$). (12) 3250-56
crystalline materials,
Crystalline Si_3N_4/amorphous Si_3N_4 composite. (2) 395-400
crystallization,
Controlled crystallization and properties of zirconium fluoride-based glass-ceramics. (9) 2397-402
Crystallinity and stoichiometry of nanostructured sol-gel-derived $BaTiO_3$ monolithic gels. (11) 1983-85
Crystallization and transformation of aluminum orthophosphates in organic solvent containing a small amount of water. (9) 2506-508
Crystallization behavior and microstructure evolution of $(Al,Fe)_2O_3$ synthesized from liquid precursors. (7) 1745-55
Crystallization of ZBLAN glass. (8) 2205-206
Effect of nucleating agents on the crystallization of calcium phosphate glasses. (7) 1934-44
Orientation control and laser-beam-assisted crystallization of sol-gel-derived, titanium-doped $LiNbO_3$ thin films. (9) 2289-92
Surface and internal crystallization in glasses as determined by differential thermal analysis. (12) 3155-60
cuprates,
Phase equilibria of the La_2O_3-SrO-CuO system at 950°C and 10 kbar. (12) 3083-89
Curie temperature,
Effects of microstructure and composition on the Curie temperature of lead barium niobate solid solutions. (12) 3235-42
cyclic fatigue,
Cyclic fatigue behavior of SiC/SiC composites at room and high temperatures. (12) 3065-77
Room-temperature cyclic fatigue of reaction-bonded silicon nitride using the double cleavage drilled compression specimen. (2) 425-29
cylinders,
Theoretical description of a two-dimensional compaction process of cylinders. (1) 153-60
damage,
Concept for a damage-tolerant ceramic composite with strong interfaces. (2) 417-24
Contact damage in plasma-sprayed alumina-based coatings. (7) 1907-14
Cyclic damage in lead zirconate titanate. (7) 1915-20
Damage tolerance of silicon carbide and alumina matrix surface composites. (4) 1117-20
Hertzian contact response of tailored silicon nitride multilayers. (4) 1009-14
Strain fields and damage around notches in ceramic matrix composites. (1) 65-73
Stress analysis of elastic-plastic contact damage in ceramic coatings on metal substrates. (10) 2619-25
Thermal shock damage in a two-dimensional woven fiber-reinforced CVI SiC matrix composite. (11) 2857-64
defects,
Brittle failure prediction of ceramics using a multiscale approach. (11) 2825-32
Grain boundary mobility in Y_2O_3: Defect mechanism and dopant effects. (7) 1801-809
Oxygen nonstoichiometry and defects in Mn-doped $Gd_2Ti_2O_{7+x}$. (12) 3078-82
Point defects of La_2CuO_4-based ceramics: I, Oxygen interstitials. (6) 1599-1604
Subsurface defect detection in ceramics using an optical gated scatter reflectometer. (5) 1397-400
deformation,
Deformation of interparticle necks by diffusion-controlled creep. (3) 666-72
Double-shear geometry for the deformation and flow of ceramics at elevated temperatures. (2) 449-54
High-temperature deformation of single-crystal yttrium aluminum garnet (YAG). (4) 1047-52
Hysteresis loops and the inelastic deformation of 0/90 ceramic matrix composites. (1) 161-70
Influence of viscous deformation at the contact point of primary particles on compaction of alkoxide-derived fine SiO_2 granules under ultrahigh isostatic pressure. (9) 2257-65
Stress analysis of contact deformation in quasi-plastic ceramics. (10) 2609-18
Tensile creep behavior of a vitreous-bonded aluminum oxide under static and cyclic loading. (9) 2353-63
degradation,
Structural degradation of tobermorite during vibratory milling. (6) 1569-74
X-ray photoelectron spectroscopy investigation on the low-temperature degradation of 2 mol% Y_2O_3-ZrO_2 ceramics. (12) 3109-12
dehydroxylation,
Kinetics of thermal dehydroxylation and carbonation of magnesium hydroxide. (7) 1892-98
densification,
Constitutive law for the densification of fused silica, with applications in polishing and microgrinding. (6) 1441-52
Densification and thermal conductivity of AlN doped with Y_2O_3, CaO, and Li_2O. (12) 3103-108
Densification behavior and properties of Y_2O_3-containing α-SiAlON-based composites. (6) 1537-45
Rapid rate sintering of nanocrystalline ZrO_2-3 mol% Y_2O_3. (4) 906-12

Simultaneous synthesis and densification of $MoSi_2$ by field-activated combustion. (7) 1875-80
Transformation and densification of nanocrystalline θ-alumina during sinter forging. (12) 3149-54
density,
High-pressure sintering of nanocrystalline γ-Al_2O_3. (11) 2989-92
dental ceramics,
Mechanical properties and failure analysis of alumina-glass dental composites. (7) 1769-76
deposition,
Electrophoretic deposition (EPD): Mechanisms, kinetics, and application to ceramics. (8) 1987-2002
Electrophoretic deposition of Y_2O_3-stabilized ZrO_2 electrolyte films in solid oxide fuel cells. (4) 913-19
detectors,
Subsurface defect detection in ceramics using an optical gated scatter reflectometer. (5) 1397-400
device,
Sources of strain-measurement error in flag-based extensometry. (6) 1617-26
diamonds,
Shock compaction of nanosized diamond powder, as examined by microstructural analysis. (1) 97-101
dielectric materials/dielectrics,
Effect of Mn on aging of $(Pb_{0.63}Ba_{0.37})(Zr_{0.7}Ti_{0.3})O_3$ dielectric ceramics. (8) 2109-12
dielectric properties,
Dielectric dispersion of polycrystalline aluminum nitride at microwave frequencies. (6) 1453-56
Microstructure and dielectric characteristics of $(Pb_xBa_{0.5-x}Sr_{0.5})TiO_3$ ceramics. (1) 225-32
Microstructures and dielectric properties of ferroelectric glass-ceramics. (1) 17-26
diffusion,
Deformation of interparticle necks by diffusion-controlled creep. (3) 666-72
Diffusion of degradation products in ceramic moldings during pyrolysis: Effect of geometry. (3) 749-55
Effect of composition on the oxygen tracer diffusion in transparent yttrium aluminum garnet (YAG) ceramics. (6) 1627-32
Interdiffusion in SiC-AlN and AlN-Al_2OC systems. (8) 2168-74
Space-charge-controlled diffusional creep: Volume diffusion case. (1) 193-98
dislocations,
Electron-beam-induced loop formation on dislocations in yttria fully stabilized zirconia. (10) 2733-38
disorder,
Order–disorder phase formation in the complex perovskite compounds $Ba(Ni_{1/3}Nb_{2/3})O_3$ and $Ba(Zn_{1/3}Nb_{2/3})O_3$. (12) 3218-24
Order-disorder transition in $(A'A'')BO_3$ and $A(B'B'')O_3$ complex perovskite crystals. (2) 381-84
dispersants/dispersion,
Citric acid—A dispersant for aqueous alumina suspensions. (7) 1857-67
Improved aqueous disperson of silicon nitride with aminosilanes. (11) 2940-46
dissolution,
Dissolution of rising helium bubbles in a soda-lime-silica glass melt. (7) 1899-906
distortions,
Diffraction method detection of local lattice distortion in AlN ceramics by convergent beam electron—comment. (7) 1982-83
domains,
Domain boundary and domain switching in a ceramic rare-earth orthoniobate $LaNbO_4$. (6) 1642-48
Domain structure–second harmonic generation correlation in potassium niobate thin films deposited on a strontium titanate substrate. (12) 3289-96
Effect of crystallite size on the ferroelectric domain growth of ultrafine $BaTiO_3$ powders. (4) 1053-60
Microstructural model on the evolution of domain structure during processing of $PbTiO_3$ thin films on MgO(100) substrates. (4) 1105-108
dopants/doping,
Effects of silver and palladium doping on the dielectric properties of $0.9Pb(Mg_{1/3}Nb_{2/3})O_3$–$0.1PbTiO_3$ ceramic. (1) 261-65
Grain growth in CeO_2: Dopant effects, defect mechanism, and solute drag. (7) 1793-800
Superplastic alumina at temperatures below 1300°C using charge-compensating dopants. (1) 233-38
dryers/drying,
Development of drying schedules for one-side-heating drying of refractory concrete slabs based on a finite element model. (6) 1649-58
ductility,
Tensile ductility in zirconia-dispersed alumina at high temperatures. (2) 499-502
elastic properties,
Thermoelastic behavior in Ca_2SiO_4 solid solutions. (11) 2925-28
Ultrasonic characterization of zirconia-toughened alumina ceramics. (12) 3331-35
elasticity,
Evaluation of ultrasonically determined elasticity-porosity relations in zinc oxide. (5) 1281-89
electrical conductivity,
Electrical conductivity in mixed alkali aluminosilicate melts. (9) 2422-28
Microstructure, electrical conductivity, and piezoelectric properties of bismuth titanate. (12) 3124-28
Simple mathematical model for the electrical conductivity of highly porous ceramics. (1) 109-13
Simple mathematical model for the electrical conductivity of highly porous ceramics—comment. (11) 2997-98
Simple mathematical model for the electrical conductivity of highly porous ceramics—reply. (11) 2999
electrical properties,
Effect of compositional variations in the lead lanthanum zirconate stannate titanate system on electrical properties. (12) 3297-304
Effect of oxygen gas concentration in the heat-treatment atmosphere and high-voltage pulse application on the electrical properties of carbon fibers. (12) 3169-76
Electrical properties of nonconventional Bi-Ba-Cu-O glasses. (7) 1815-20
Fabrication and electrical properties of lead zirconate titanate thick films. (8) 2189-92
High-temperature electrical properties in the ThO_2-rich region of ThO_2-RE_2O_3 systems. (3) 756-62
Links between electrical and optical fatigue in $Pb(Zr,Ti)O_3$ thin films. (6) 1714-16
electrolytes,
Modeling and scaleup of galvanic deoxidation of molten metals using solid electrolyte cells. (3) 641-50
electromechanical properties,
Electromechanical testing and modeling of a $Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbTiO_3$-$BaTiO_3$ relaxor ferroelectric. (9) 2271-82
electron spin resonance,
Measurement of small concentrations of vanadium in rutile (TiO_2) using electron spin resonance. (8) 2179-80
electronic structure,
Electronic structure of a near Σ11 *a*-axis tilt grain boundary in α-Al_2O_3. (3) 627-33
Electronic structures of Ln^{3+} α-SiAlONs with correlations to solubility and solution effects. (10) 2527-32
electrophoresis,
Electrophoretic deposition (EPD): Mechanisms, kinetics, and application to ceramics. (8) 1987-2002
Electrophoretic deposition of Y_2O_3-stabilized ZrO_2 electrolyte films in solid oxide fuel cells. (4) 913-19
embrittlement,
Models of high-temperature, environmentally assisted embrittlement in ceramic matrix composites. (9) 2345-52
equations,
Derivation of the exponential relation for the effect of ellipsoidal porosity on elastic modulus. (8) 2181-84
equilibria,
Three-dimensional dynamic calculation of the equilibrium shape of a coherent tetragonal precipitate in Mg partially stabilized cubic ZrO_2. (4) 987-91
erbium oxide,
System HfO_2-Y_2O_3-Er_2O_3. (3) 714-20
etchants/etching,
Effect of surface roughness on the acid etching of amorphous silica. (3) 688-94
eucryptite,
In situ whisker-reinforced $AlPO_4$-modified ß-eucryptite glass-ceramic: I, Morphology and crystallization kinetics. (3) 597-602
fabrication,
Fabrication and electrical properties of lead zirconate titanate thick films. (8) 2189-92
Fabrication of dense, shaped barium cerate by the oxidation of solid metal-bearing precursors. (6) 1575-84
Fabrication of textured silicon carbide via seeded anisotropic grain growth. (6) 1611-16
Freeform fabrication of ceramics via stereolithography. (10) 2601-608
failure,
Brittle failure prediction of ceramics using a multiscale approach. (11) 2825-32
Compressive properties of yttrium oxide. (3) 805-808
Static and dynamic compressive behavior of aluminum nitride under moderate confinement. (3) 579-84
fatigue,
Arrest of fatigue cracks in transformation-toughened ceramics. (3) 655-58
Improved endurance limit of zirconia ceramics by overloading. (9) 2500-502
Preloading technique in dynamic fatigue testing of glass and ceramics with an indentation flaw system. (5) 1228-32
Retardation of fatigue crack growth in ceramics by glassy ligaments: A rationalization. (4) 945-52
ferrites,
Characterization and low-temperature sintering of reactive Mn-Zn ferrite powder. (10) 2792-94
Effect of Na_2O additions in the crystallization of barium ferrite from a BaO-B_2O_3-Fe_2O_3 glass. (1) 183-92
Effects of addition of Na_2O, Sb_2O_3, CaO, and ZrO_2 on the properties of lithium zinc ferrite. (8) 2105-108
Microstructure of $(Fe_{0.2}Co_{0.8})_{0.8}(Fe_{2.38}Co_{0.62}O_4)$: A magnetic oxidation-resistant composite formed by coprecipitation. (8) 2027-32
Phase transformation of ZrO_2 in MnZn ferrite under magnetic field. (2) 559-61
Transition of the particle-growth mechanism with temperature variation in the molten salt method. (4) 1130-32
ferroelastic materials,
Ferroelastic properties of lead zirconate titanate ceramics. (10) 2637-40
ferroelectric materials/ferroelectrics,
AC-drive-enhanced relaxor characteristics and domain breakdown in ferroelectrics containing quenched impurities. (10) 2747-51
Effect of crystallite size on the ferroelectric domain growth of ultrafine $BaTiO_3$ powders. (4) 1053-60
Effect of polarization switch upon stress in thickness vibration of a ferroelectric plate. (3) 651-54
Electromechanical testing and modeling of a $Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbTiO_3$-$BaTiO_3$ relaxor ferroelectric. (9) 2271-82
Long-time relaxation from relaxor to normal ferroelectric states in $Pb_{0.91}La_{0.06}(Zr_{0.65}Ti_{0.35})O_3$. (7) 1957-60
Microstructures and dielectric properties of ferroelectric glass-ceramics. (1) 17-26
fiber reinforcement,
Effect of loading rate on the monotonic tensile behavior of a continuous-fiber-reinforced glass-ceramic matrix composite. (2) 313-20
Oxidation behavior of an Si-C-O fiber-reinforced magnesium aluminosilicate. (9) 2364-74
Pressure consolidation of fiber-reinforced oxide matrix composites: Experiments and simulations. (5) 1265-72
fibers,
Change in refractive index of a borosilicate glass fiber annealed below the glass transformation temperature. (10) 2633-36
Infrared studies of calcia-alumina fibers. (9) 2469-73
Preparation of CaF_2 fibers. (11) 2986-88
Preparation of mullite fiber. (6) 1494-98
Preparation of thin sections of coated fibers for characterization by transmission electron microscopy. (9) 2481-84
Scanning acoustic microscopy of SCS-6 silicon carbide fiber. (1) 209-12
Scanning force microscopy study of ceramic fibers for advanced composites. (9) 2341-44
Self-consistent method to calculate fiber interactions in an SiC/Al_2O_3 ceramic composite. (6) 1466-72
Single-fiber pullout test using Raman spectroscopy: III, Pullout of Nicalon fibers from a Pyrex matrix. (7) 1868-74
filaments,
Creep behavior of a pitch-based carbon filament. (1) 46-50
films,
Grain boundary films in rare-earth-glass-based silicon nitride. (3) 788-92
Microstructural evolution of copper thick films observed by environmental scanning electron microscopy. (5) 1303-306
Processing of highly oriented $LiNbO_3$ films for waveguides from aqueous solution. (5) 1343-50
filters/filtration,
Experimental evaluation of a new flocculation-filtration model for ceramic shape forming processes. (9) 2385-96
flames,
Self-propagating high-temperature synthesis flammable range and dominant parameters for synthesizing several ceramics and intermetallic compounds under heat-loss condition. (12) 3097-102
flocculants/flocculation,
Experimental evaluation of a new flocculation-filtration model for ceramic shape forming processes. (9) 2385-96
Heteroflocculation in binary colloidal suspensions: Monte Carlo simulations. (10) 2587-91
flow,
Double-shear geometry for the deformation and flow of ceramics at elevated temperatures. (2) 449-54
fluorides,
Controlled crystallization and properties of zirconium fluoride-based glass-ceramics. (9) 2397-402
Crystallization of ZBLAN glass. (8) 2205-206
Phase diagram for the SiF_4 join in the system SiO_2-Al_2O_3-SiF_4. (11) 2965-68
Phase equilibria in rare-earth chloride–fluoride and rare-earth chloride–magnesium fluoride systems. (10) 2582-86
fluorozirconate,
Novel method for zirconium oxide synthesis from aqueous solution. (12) 3329-30
fly ash,
Calcium hydroxide saturation factors in the pore solution of hydrated portland cement fly ash pastes. (4) 1041-46
Effect of fly ashes with high total alkali content on the alkalinity of the pore solution of hydrated portland cement paste. (2) 470-74
formation,
Boron carbide particles formed from an amorphous boron/graphite powder mixture using a shock-wave technique. (4) 1113-16
Effects of temperature and atmosphere on the formation mechanism of barium titanate using the citrate process. (6) 1693-96
Formation and control of agglomerates in alumina powder. (8) 2003-11
Formation of expandable mica from talc using the intercalation procedure. (12) 3321-24
Formation of monodisperse spherical TiO_2 powders by thermal hydrolysis of $Ti(SO_4)_2$. (10) 2727-32
Formation, characterization, and hot isostatic pressing of Cr_2O_3-doped ZrO_2 (0.3 mol% Y_2O_3) prepared by hydrazine method. (1) 171-76
Liquid channel grain boundary structures. (6) 1703-706
Mechanism of $LaFeO_3$ perovskite-type oxide formation from the thermal decomposition of *d*–*f* heteronuclear complex $La[Fe(CN)_6]$·$5H_2O$. (5) 1401-404
Mechanism of phase formation in $Pb(Zr_xTi_{1-x})O_3$ synthesized by a partial oxalate method. (6) 1563-68
Rutile formation in hydrothermally crystallized nanosized titania. (8) 2185-88
Spontaneous formation of bonelike apatite layer on chemically treated titanium metals. (4) 1127-29
fracture,
Fracture behavior of directionally solidified $Y_3Al_5O_{12}$/Al_2O_3 eutectic fiber. (5) 1218-22
Fracture behavior of multilayer silicon nitride/boron nitride ceramics. (9) 2452-57
Fracture criteria for piezoelectric ceramics—comment. (4) 1133-35
Fracture criteria for piezoelectric ceramics—comment—correction. (7) 1984
Fracture criteria for piezoelectric ceramics—reply. (4) 1136
Fracture process of silicon carbide fiber-reinforced glasses. (9) 2293-99
Mixed-mode fracture of ceramics in asymmetric four-point bending: Effect of crack-face grain interlocking/bridging. (10) 2718-26

fracture toughness,
Crack stability and its effect on fracture toughness of hot-pressed silicon nitride beam specimens. (9) 2300-308
Fracture toughness of 2-D woven SiC/SiC CVI composites with multilayered interphases. (4) 849-58
High-temperature fracture toughness of duplex microstructures. (1) 58-64
Toughening of layered ceramic composites with residual surface compression. (1) 79-87
frequency,
High-frequency piezoceramic equivalent circuit. (5) 1413-15
friction,
Synthesis and friction behavior of chemically vapor deposited composite coatings containing discrete TiN and MoS_2 phases. (4) 819-24
functionally gradient materials,
Concept of functionally graded materials for advanced thermal barrier coating applications. (12) 3003-12
Piezoelectric ceramics with functional gradients: A new application in material design. (3) 809-12
fused silica,
Constitutive law for the densification of fused silica, with applications in polishing and microgrinding. (6) 1441-52
gadolinium,
Sol-gel synthesis of fine Gd_2CuO_4 particles: Influence of synthesis variables. (2) 407-11
gadolinium oxide,
Effects of gadolinia and alumina addition on the densification and toughening of silicon carbide. (2) 530-32
Massive transformation in Gd_2O_3-Bi_2O_3 ceramics. (2) 371-80
gallium,
Synthesis routes and characterization of high-purity, single-phase gallium nitride powders. (9) 2309-12
geometry,
Contacts and coordination numbers in a compact of polyhedral particles. (1) 148-52
glass,
ß-Si_3N_4 whiskers embedded in oxynitride glasses: Interfacial microstructure. (10) 2626-32
^{29}Si and ^{31}P MAS-NMR spectra of Li_2S-SiS_2-Li_3PO_4 rapidly quenched glasses. (2) 349-52
Alkali magnesium/zinc silicate glasses with low Rayleigh scattering—correction. (5) 1424
Compositional dependence of absorption and fluorescence of Yb^{3+} in oxide glasses. (3) 681-87
Corrosion of zinc-containing cabal glasses by various leaching solutions. (3) 733-41
Crystallization of ZBLAN glass. (8) 2205-206
Electrical properties of nonconventional Bi-Ba-Cu-O glasses. (7) 1815-20
Fabrication of optically transparent short-fiber-reinforced glass matrix composites. (4) 881-84
Formation of Sm^{2+} ions in sol-gel-derived glasses of the system Na_2O-Al_2O_3-SiO_2. (5) 1257-61
Fracture process of silicon carbide fiber-reinforced glasses. (9) 2293-99
Influence of loading rate and processing atmosphere on pullout of SiC fibers from Pyrex glass. (5) 1319-23
Photochemical hole burning and local structural change in Sm^{2+}-doped borate glasses. (2) 327-32
Porous silicon oxycarbide glasses. (10) 2696-704
Preloading technique in dynamic fatigue testing of glass and ceramics with an indentation flaw system. (5) 1228-32
Preparation of copper-ruby glasses by sputtering: The effect of atmosphere on the growth of copper particles. (4) 859-64
Properties of CeO_2-Al_2O_3-SiO_2 glasses prepared in air. (8) 2212-14
Raman and ^{11}B nuclear magnetic resonance spectroscopic studies of alkaline-earth lanthanoborate glasses. (9) 2410-16
Rayleigh scattering in silica glasses. (11) 2821-24
Retardation of fatigue crack growth in ceramics by glassy ligaments: A rationalization. (4) 945-52
Structural role of aluminum ions in sodium aluminophosphate glasses. (1) 286-88
Surface and internal crystallization in glasses as determined by differential thermal analysis. (12) 3155-60
Surface tension of calcium aluminosilicate glass using computerized drop shape analysis. (4) 920-26
Transmission electron microscopy and electron energy loss spectroscopy characterization of glass phase in sol-gel-derived mullite. (10) 2592-600
glass-ceramics,
Direct joining of BSCCO superconducting glass-ceramics using a flame-melting method. (4) 885-88
Effect of loading rate on the monotonic tensile behavior of a continuous-fiber-reinforced glass-ceramic matrix composite. (2) 313-20
In situ whisker-reinforced $AlPO_4$-modified ß-eucryptite glass-ceramic: I, Morphology and crystallization kinetics. (3) 597-602
Pyroelectric properties of diphasic polar glass-ceramics at low temperatures. (12) 3336-38
Vacuum plasma spray deposition of titanium particle/glass-ceramic matrix biocomposites. (6) 1515-20
gold,
Photoinduced formation of small gold particles in silica gels. (3) 796-98
grain boundaries,
Σ5 (210)/[001] symmetric tilt grain boundary in yttrium aluminum garnet. (11) 2883-91
Discontinuous dissolution and grain boundary migration in Al_2O_3-Fe_2O_3 by oxygen partial pressure change. (6) 1659-63
Effect of grain size on diffusion-induced grain boundary migration in $Ba(Zn_{1/3}Nb_{2/3})O_3$ ceramics. (5) 1405-408
Effect of variations in grain size and grain boundary barrier heights on the current-voltage characteristics of ZnO varistors. (12) 3185-92
Electronic structure of a near Σ11 *a*-axis tilt grain boundary in α-Al_2O_3. (3) 627-33
Grain boundary relaxation in high-purity silicon nitride. (9) 2237-46
Grain-boundary microstructure and chemistry of a hot isostatically pressed high-purity silicon nitride. (9) 2313-20
Liquid channel grain boundary structures. (6) 1703-706
Single-grain boundaries in PTC resistors. (4) 997-1001
Solute segregation and grain boundary impedance in high-purity stabilized zirconia. (5) 1169-80
grain growth,
Computer simulation model for coupled grain growth and Ostwald ripening—Application to Al_2O_3-ZrO_2 two-phase systems. (5) 1163-68
Effect of sintering atmosphere on the densification and abnormal grain growth of ZnO. (2) 565-67
Exaggerated growth of hexagonal barium titanate under reducing sintering conditions. (4) 1015-18
Grain boundary mobility in Y_2O_3: Defect mechanism and dopant effects. (7) 1801-809
Grain growth in CeO_2: Dopant effects, defect mechanism, and solute drag. (7) 1793-800
Orientation and growth of grains in copper-activated hot-pressed hexagonal boron nitride. (1) 283-85
Particle-inhibited grain growth in Al_2O_3-SiC: I, Experimental results. (12) 3013-19
Particle-inhibited grain growth in Al_2O_3-SiC: II, Equilibrium and kinetic analyses. (12) 3020-28
Suppression of grain growth in sol-gel-derived tin dioxide ultrathin films. (8) 2201-204
grain size,
Effect of variations in grain size and grain boundary barrier heights on the current-voltage characteristics of ZnO varistors. (12) 3185-92
Grain size dependence of sliding wear in tetragonal zirconia polycrystals. (12) 3090-96
Grain size distributions and strength variability of high-purity alumina. (2) 305-12
Grain size effect on creep deformation of alumina-silicon carbide composites. (6) 1530-36
Influence of grain size on the grinding response of alumina. (5) 1307-13
granular materials,
Influence of granule character and compaction on the mechanical properties of sintered silicon nitride. (4) 843-48
Influence of viscous deformation at the contact point of primary particles on compaction of alkoxide-derived fine SiO_2 granules under ultrahigh isostatic pressure. (9) 2257-65
Theoretical model for compaction of granular materials. (12) 3045-54
graphite,
Effect of refractory oxides on the oxidation of graphite and amorphous carbon. (9) 2509-11
green body,
Freeform fabrication of ceramics via stereolithography. (10) 2601-608
Master sintering curve: A practical approach to sintering. (12) 3211-17
grinding,
Advances in the grinding efficiency of sintered alumina abrasives. (3) 763-69
Influence of grain size on the grinding response of alumina. (5) 1307-13
growth,
Growth morphology and mechanism of a hollow ZnO polycrystal. (4) 1121-23
Growth of nickel oxide single crystals and bicrystals via chemical vapor transport. (3) 695-99
Heteroepitaxial growth kinetics in a CVD process using nickel oxide on MgO as a model system. (4) 1019-24
Silicon nitride based ceramic nanocomposites. (3) 585-90
Transition of the particle-growth mechanism with temperature variation in the molten salt method. (4) 1130-32
hafnia,
High-temperature ionic conduction in multicomponent solid oxide solutions based on HfO_2. (8) 2145-55
Synthesis of transparent Nd-doped HfO_2-Y_2O_3 ceramics using HIP. (2) 359-64
System HfO_2-Y_2O_3-Er_2O_3. (3) 714-20
hardness,
Hardness variations in multilayered ZrO_2-Al_2O_3 composites. (5) 1416-18
heat,
Heat generation in multilayer piezoelectric actuators. (12) 3193-98
heat treatment,
Effect of heat treatment on grain size, phase assemblage, and mechanical properties of 3 mol% Y-TZP. (9) 2331-40
Effect of oxidation heat treatments on the mechanical behavior of an Si-C-O fiber-reinforced magnesium aluminosilicate. (9) 2375-78
Effect of oxygen gas concentration in the heat-treatment atmosphere and high-voltage pulse application on the electrical properties of carbon fibers. (12) 3169-76
heaters/heating,
Electron-beam-induced loop formation on dislocations in yttria fully stabilized zirconia. (10) 2733-38
Formation of reaction-bonded silicon nitride using microwave heating. (9) 2458-68
Temperature profile of anatase-TiO_2 powder compact during microwave heating. (10) 2533-38
high temperature,
High-temperature fracture toughness of duplex microstructures. (1) 58-64
holes,
Photochemical hole burning and local structural change in Sm^{2+}-doped borate glasses. (2) 327-32
hot isostatic pressing,
Grain-boundary microstructure and chemistry of a hot isostatically pressed high-purity silicon nitride. (9) 2313-20
Synthesis of transparent Nd-doped HfO_2-Y_2O_3 ceramics using HIP. (2) 359-64
hot-pressing,
New processing technique for hydroxyapatite ceramics by the hydrothermal hot-pressing method. (10) 2771-74
hydration,
Hydration reactions in the system CaO-P_2O_5-SiO_2-(H_2O). (4) 1124-26
hydrolysis,
Preparation of monodisperse zirconia particles by thermal hydrolysis in highly concentrated solutions. (4) 972-76
hydrothermal process,
Hydrothermal synthesis of cerium(IV) oxide. (3) 777-80
Kinetics and mechanisms of hydrothermal synthesis of barium titanate. (11) 2929-39
Microstructure of strontium titanate thin film grown by the hydrothermal-electrochemical method. (3) 613-19
Microwave-hydrothermal processing of $BiFeO_3$ and $CsAl_2PO_6$. (5) 1409-12
New processing technique for hydroxyapatite ceramics by the hydrothermal hot-pressing method. (10) 2771-74
Structure evolution in hydrothermally processed (<100°C) $BaTiO_3$ films. (1) 239-47
hydroxides,
Kinetics of thermal dehydroxylation and carbonation of magnesium hydroxide. (7) 1892-98
hydroxyapatite,
Bonelike coatings onto ceramics by reactive magnetron sputtering. (12) 3313-16
Chemical and structural evolution of sol-gel-derived hydroxyapatite thin films under rapid thermal processing. (4) 837-42
New processing technique for hydroxyapatite ceramics by the hydrothermal hot-pressing method. (10) 2771-74
Precipitation of hydroxyapatite under stearic acid monolayers. (9) 2474-76
hysteresis,
Hysteresis loops and the inelastic deformation of 0/90 ceramic matrix composites. (1) 161-70
impedance,
Impedance spectroscopy of undoped $BaTiO_3$ ceramics. (6) 1633-41
impurities,
AC drive-enhanced relaxor characteristics and domain breakdown in ferroelectrics containing quenched impurities. (10) 2747-51
TEM investigation of impurity phases and the penetration of liquid aluminum in hot isostatically pressed TiB_2 compacts. (5) 1147-54
indentation,
Indentation thermal shock test for ceramics. (6) 1509-14
indium oxide,
Thermoelectric properties of homologous compounds in the ZnO-In_2O_3 system. (8) 2193-96
infiltration,
Capillary infiltration rates into porous media with applications to Silcomp processing. (2) 333-38
Infiltration of porous alumina bodies with solution precursors: Strengthening via compositional grading, grain size control, and transformation toughening. (7) 1810-14
Spontaneous infiltration of alumina by copper-oxygen alloys. (1) 114-20
Spontaneous infiltration of aluminum-silicon alloy into silicon carbide preforms in air. (1) 102-108
instability,
Chemical instability of silicon carbide in the presence of transition metals. (8) 2017-26
insulators/insulation,
Gas pressure and temperature dependences of thermal conductivity of porous ceramic materials: II, Refractories and ceramics with porosity exceeding 30%. (5) 1366-76
interfaces,
Atomistic structure of silicon nitride/silicate glass interfaces. (11) 2975-79
Concept for a damage-tolerant ceramic composite with strong interfaces. (2) 417-24
Determination of interfacial properties using a single-fiber microcomposite test. (4) 1083-91
Effect of interfacial shear strength on crack-fiber interaction behavior in ceramic matrix composites. (1) 199-208
Hydrothermal cement/metal interfaces. (1) 213-24
Influence of residual stresses, interface roughness, and fiber coatings on interfacial properties in ceramic composites. (1) 137-47
intermetallics,
Self-propagating high-temperature synthesis flammable range and dominant parameters for synthesizing several ceramics and intermetallic compounds under heat-loss condition. (12) 3097-102
ion exchange,
Interaction of low-expansion NZP ceramics with Na_2SO_4 at 1000°C. (2) 484-86
ionic conductors/ionic conduction,
High-temperature ionic conduction in multicomponent solid oxide solutions based on HfO_2. (8) 2145-55
Ionic conductivity and sinterability of NASICON-type ceramics: The systems $NaM_2(PO_4)_{3+y}Na_2O$ (M=Ge, Ti, Hf, and Zr). (10) 2786-88
Preparation of an alkali element-doped CeO_2-Sm_2O_3 system and its operation properties as the electrolyte in planar solid oxide fuel cells. (12) 3309-12
iron,
Texture assessment of magnetically processed iron titanate. (5) 1389-93
iron oxides,
Crystallization and properties of Fe_2O_3-CaO-SiO_2 glasses. (4) 992-96
Crystallization behavior and microstructure evolution of $(Al,Fe)_2O_3$ synthesized from liquid precursors. (7) 1745-55
Discontinuous dissolution and grain boundary migration in Al_2O_3-Fe_2O_3 by oxygen partial pressure change. (6) 1659-63
Mechanism of $LaFeO_3$ perovskite-type oxide formation from the thermal decomposition of *d*–*f* heteronuclear complex $La[Fe(CN)_6]\cdot 5H_2O$. (5) 1401-404
Porous silica-coated α-Fe_2O_3 ceramics for humidity measurement at elevated temperature. (4) 927-37

irradiation,
Ion irradiation of preceramic polymer thin films. (7) 1967-70
joining,
Direct joining of BSCCO superconducting glass-ceramics using a flame-melting method. (4) 885-88
Mullite joining by the oxidation of malleable, alkaline-earth–metal-bearing bonding agents. (7) 1839-50
joints,
Evaluation of brazed silicon nitride joints: Microstructure and mechanical properties. (6) 1553-62
Strength and microstructure of silicon nitride ceramics brazed with nickel-chromium-silicon alloys. (3) 659-65
kaolinite,
MAS NMR evidence for the presence of silicon in the alumina spinel from thermally transformed kaolinite. (11) 2980-82
laminates,
Crack bifurcation in laminar ceramic composites. (7) 1834-38
Crack initiation in fiber-reinforced brittle laminates. (5) 1181-88
Crack suppression in strongly bonded homogeneous/heterogeneous laminates: A study on glass/glass-ceramic bilayers. (3) 634-40
Cracking of laminates subjected to biaxial tensile stresses. (8) 2127-33
Hertzian contact response of tailored silicon nitride multilayers. (4) 1009-14
Mechanical behavior of several hybrid ceramic matrix composite laminates. (7) 1825-33
Toughening of layered ceramic composites with residual surface compression. (1) 79-87
lanthanides,
Electronic structures of Ln^{3+} α-SiAlONs with correlations to solubility and solution effects. (10) 2527-32
Novel plutonium titanate compounds and solid solutions $Pu_2Ti_2O_7$-$Ln_2Ti_2O_7$: Relevance to nuclear waste disposal. (6) 1489-93
lanthanum,
Domain boundary and domain switching in a ceramic rare-earth orthoniobate $LaNbO_4$. (6) 1642-48
Formation of new compounds $Ln_4Al_2O_9$ in the Ln_2O_3-Al_2O_3 system (Ln=La, Pr, Tb). (11) 2959-60
Mechanism of $LaFeO_3$ perovskite-type oxide formation from the thermal decomposition of *d–f* heteronuclear complex $La[Fe(CN)_6]$·$5H_2O$. (5) 140!-404
Phase equilibria of the La_2O_3-SrO-CuO system at 950°C and 10 kbar. (12) 3083-89
Point defects of La_2CuO_4-based ceramics: I, Oxygen interstitials. (6) 1599-604
Vaporization of $LaCrO_3$: Partial and integral thermodynamic properties. (12) 3266-72
lasers,
Transparent Cr^{4+}-doped YAG ceramics for tunable lasers. (2) 507-509
lattice,
Diffraction method detection of local lattice distortion in AlN ceramics by convergent beam electron—comment. (7) 1982-83
layers,
Solid-state diffusive amorphization in TiO_2/ZrO_2 bilayers. (7) 1975-78
leaching,
Leachability of molybdenum from ternary phosphate glasses. (5) 1329-34
lead,
Chemical preparation of lead-containing niobate powders. (9) 2417-21
Effect of phase transformation on the sintering of lead barium metaniobate solid solutions. (3) 609-12
Synthesis of lead barium niobate powders and thin films by the sol-gel method. (4) 889-94
lead lanthanum zirconate titanate (PLZT),
Effect of compositional variations in the lead lanthanum zirconate stannate titanate system on electrical properties. (12) 3297-304
Long-time relaxation from relaxor to normal ferroelectric states in $Pb_{0.91}La_{0.06}(Zr_{0.65}Ti_{0.35})O_3$. (7) 1957-60
lead magnesium niobates (PMN),
Effects of silver and palladium doping on the dielectric properties of $0.9Pb(Mg_{1/3}Nb_{2/3})O_3$–$0.1PbTiO_3$ ceramic. (1) 261-65
Electrostrictive coefficients of $0.9Pb(Mg_{1/3}Nb_{2/3})O_3$·$0.1PbTiO_3$ relaxor ferroelectric ceramics in the ferroelectricity-dominated temperature range. (2) 430-34
lead oxide,
$PbTiO_3$-PbO-B_2O_3 glass-ceramics by a sol-gel process. (12) 3282-88
lead titanate,
Characterization of $Bi_{0.5}Na_{0.5}TiO_3$-$PbTiO_3$ dielectric materials. (5) 1273-80
Effects of silver and palladium doping on the dielectric properties of $0.9Pb(Mg_{1/3}Nb_{2/3})O_3$–$0.1PbTiO_3$ ceramic. (1) 261-65
Electrostrictive coefficients of $0.9Pb(Mg_{1/3}Nb_{2/3})O_3$·$0.1PbTiO_3$ relaxor ferroelectric ceramics in the ferroelectricity-dominated temperature range. (2) 430-34
Microstructural model on the evolution of domain structure during processing of $PbTiO_3$ thin films on MgO(100) substrates. (4) 1105-108
Simple system for the preparation of submicrometer lead titanate powders by the sol-gel method. (10) 2775-78
Surface chemistry of lead titanate and its impact on binder removal. (4) 1002-1008
Synthesis and electrical characterization of thin films of PT and PZT made from a diol-based sol-gel route. (2) 441-48
lead zinc niobates (PZN),
Sol-gel processing and pyroelectric properties of highly oriented $Pb(Mg,Zn)_{1/3}Nb_{2/3}O_3$ thin films. (6) 1435-40
lead zirconate titanate (PZT),
Cyclic damage in lead zirconate titanate. (7) 1915-20
Fabrication and electrical properties of lead zirconate titanate thick films. (8) 2189-92
Ferroelastic properties of lead zirconate titanate ceramics. (10) 2637-40
Heat generation in multilayer piezoelectric actuators. (12) 3193-98
Links between electrical and optical fatigue in $Pb(Zr,Ti)O_3$ thin films. (6) 1714-16
Mechanism of phase formation in $Pb(Zr_xTi_{1-x})O_3$ synthesized by a partial oxalate method. (6) 1563-68
Nucleation- or growth-controlled orientation development in chemically derived ferroelectric lead zirconate titanate $(Pb(Zr_xTi_{1-x})O_3$, x=0.4) thin films. (2) 495-98
Relic processing of fine-scale, large-area piezoelectric ceramic fiber/polymer composites. (6) 1689-92
Structural-property relations in a reduced and internally biased oxide wafer (RAINBOW) actuator material. (8) 2041-48
Superoxidation and electrochemical reactions during switching in $Pb(Zr,Ti)O_3$ ceramics. (11) 2971-74
Synthesis and electrical characterization of thin films of PT and PZT made from a diol-based sol-gel route. (2) 441-48
lithia,
Physical properties of quenched glasses in the Li_2O-ZrO_2-SiO_2 system. (4) 1092-94
lithium,
High-temperature ultrasonic characterization of the mechanical and microstructural behavior of a fibrous composite with a magnesium lithium aluminum silicate glass-ceramic matrix. (4) 957-61
Short-range and medium-range order in lithium silicate glasses: I, Diffraction experiments and results. (11) 2833-38
Short-range and medium-range order in lithium silicate glasses: II, Simulation of the structure by the reverse Monte Carlo method. (11) 2839-46
Sol-gel synthesis of lithium aluminate. (2) 455-60
Thermal conductivity of vapor-liquid-solid and vapor-solid silicon carbide whisker-reinforced lithium aluminosilicate glass-ceramic composites. (3) 742-48
lithium niobate,
Orientation control and laser-beam-assisted crystallization of sol-gel-derived, titanium-doped $LiNbO_3$ thin films. (9) 2289-92
Processing of highly oriented $LiNbO_3$ films for waveguides from aqueous solution. (5) 1343-50
lithography,
Formation of complex ceramic miniaturized structures by pyrolysis of poly(vinylsilazane). (6) 1457-65
Freeform fabrication of ceramics via stereolithography. (10) 2601-608
load,
Effect of loading rate on the monotonic tensile behavior of a continuous-fiber-reinforced glass-ceramic matrix composite. (2) 313-20
Effect of off-axis loading on the tensile behavior of a ceramic matrix composite. (12) 3113-23
low temperature,
Pyroelectric properties of diphasic polar glass-ceramics at low temperatures. (12) 3336-38
luminescence,
Synthesis of red-emitting, small particle size luminescent oxides using an optimized combustion process. (12) 3257-65
machining,
Near-surface deformation in alumina–silicon carbide whisker composite due to surface machining. (8) 2134-40
magnesia,
Controlled epitaxial nucleation of nickel oxide on microfabricated magnesium oxide substrates in a CVD process. (4) 1025-33
Heteroepitaxial growth kinetics in a CVD process using nickel oxide on MgO as a model system. (4) 1019-24
High-temperature deformation of SiC whisker-reinforced MgO/PSZ mullite composites. (2) 475-83
Model to compute phase diagrams in oxides with empirical or first-principles energy methods and application to the solubility limits in the CaO-MgO system. (8) 2033-40
magnesium,
High-temperature ultrasonic characterization of the mechanical and microstructural behavior of a fibrous composite with a magnesium iithium aluminum silicate glass-ceramic matrix. (4) 957-61
Kinetics of thermal dehydroxylation and carbonation of magnesium hydroxide. (7) 1892-98
Low-temperature synthesis of $Ba(Mg_{1/3}Ta_{2/3})O_3$ ceramics from Ba-Mg-Ta alkoxide precursor. (8) 2059-64
Monoclinic phase measurement in Mg-PSZ using X-ray diffraction. (9) 2477-80
Role of niobium in magnesium titanate microwave dielectric ceramics. (6) 1697-98
Sol-gel processing and pyroelectric properties of highly oriented $Pb(Mg,Zn)_{1/3}Nb_{2/3}O_3$ thin films. (6) 1435-40
Synthesis of $MgAl_2O_4$ whiskers by an oxidation-reduction reaction. (2) 491-94
Thermally activated martensitic transformations in Mg-PSZ. (4) 895-905
Three-dimensional dynamic calculation of the equilibrium shape of a coherent tetragonal precipitate in Mg partially stabilized cubic ZrO_2. (4) 987-91
magnetoplumbite,
Textured magnetoplumbite fiber-matrix interphase derived from sol-gel fiber coatings. (5) 1233-46
magnetron sputtering,
Bonelike coatings onto ceramics by reactive magnetron sputtering. (12) 3313-16
manganese,
Characterization and low-temperature sintering of reactive Mn-Zn ferrite powder. (10) 2792-94
Effect of Mn on aging of $(Pb_{0.63}Ba_{0.37})(Zr_{0.7}Ti_{0.3})O_3$ dielectric ceramics. (8) 2109-12
Nanoscale coating of silicon and manganese on ferrimagnetic yttrium iron garnets. (10) 2755-58
manganese oxide,
Effect of cobalt(II) oxide and manganese(IV) oxide on sintering of tin(IV) oxide. (3) 799-804
Thermodynamic properties of manganese oxides. (7) 1761-68
measurement,
Determination of short-crack toughness curves. (1) 129-36
Measurement of porosity in ceramic coatings by thermogravimetric volatilization of liquids. (12) 3317-20
Sources of strain-measurement error in flag-based extensometry. (6) 1617-26
mechanical properties,
Cyclic damage in lead zirconate titanate. (7) 1915-20
Effect of heat treatment on grain size, phase assemblage, and mechanical properties of 3 mol% Y-TZP. (9) 2331-40
Effect of oxidation heat treatments on the mechanical behavior of an Si-C-O fiber-reinforced magnesium aluminosilicate. (9) 2375-78
Evaluation of brazed silicon nitride joints: Microstructure and mechanical properties. (6) 1553-62
Influence of calcination temperature on the microstructure and mechanical properties of a gel-derived and sintered 3 mol% Y-TZP material. (4) 1034-40
Influence of granule character and compaction on the mechanical properties of sintered silicon nitride. (4) 843-48
Influence of residual stresses, interface roughness, and fiber coatings on interfacial properties in ceramic composites. (1) 137-47
Mechanical and thermal properties of ß´-SiAlON prepared by a slip casting method. (6) 1685-88
Mechanical behavior of several hybrid ceramic matrix composite laminates. (7) 1825-33
Mechanical behavior of SiC(f)/SiC composites and correlation to *in situ* fiber strength at room and elevated temperatures. (3) 591-96
Mechanical characterization of sol-gel-derived silicon oxycarbide glasses. (8) 2074-80
Mechanical properties and failure analysis of alumina-glass dental composites. (7) 1769-76
Mechanical properties of infiltrated alumina–Y-TZP composites. (9) 2227-36
Mechanical properties of polycrystalline translucent cubic boron nitride as characterized by the Vickers indentation method. (2) 547-49
Mechanical properties of single-crystal α-Si_3N_4. (8) 2065-73
Preparation of high-strength calcium phosphate ceramics with low modulus of elasticity containing ß-$Ca(PO_3)_2$ fibers. (7) 1821-24
Reaction sintering and mechanical behavior of cordierite containing sapphirine dispersoids. (8) 2098-104
SiC-AlN: II, Mechanical properties. (5) 1262-64
Size effect on the fracture toughness and the *R*-curve of carbon materials. (12) 3177-84
mechanism,
Electrophoretic deposition (EPD): Mechanisms, kinetics, and application to ceramics. (8) 1987-2002
melilite,
Rare-earth melilite solid solution and its phase relations with neighboring phases. (8) 2091-97
SiAlON composites containing rare-earth melilite and neighboring phases. (8) 2081-90
melter/melting,
Formation of pores and Y_2BaCuO_5-free regions during melt processing of $Y_{1.6}Ba_{2.3}Cu_{3.3}O_x$. (11) 2912-16
membranes,
Synthesis of titania composite membranes by the pressurized sol-gel technique. (1) 279-82
metals,
Hydrothermal cement/metal interfaces. (1) 213-24
mica,
Formation of expandable mica from talc using the intercalation procedure. (12) 3321-24
microscopy,
Scanning acoustic microscopy of SCS-6 silicon carbide fiber. (1) 209-12
Scanning force microscopy study of ceramic fibers for advanced composites. (9) 2341-44
microstructure,
Crack suppression in strongly bonded homogeneous/heterogeneous laminates: A study on glass/glass-ceramic bilayers. (3) 634-40
Effects of microstructure and composition on the Curie temperature of lead barium niobate solid solutions. (12) 3235-42
High thermal conductivity in silicon nitride with anisotropic microstructure. (9) 2485-88
High-temperature fracture toughness of duplex microstructures. (1) 58-64
Microstructural characterization of alumina and silicon carbide slip-cast cakes. (10) 2515-26
Microstructural characterization of ZrO_2/O´-SiAlON composites. (5) 1314-18
Microstructural development on crystallizing hot-pressed pellets of cordierite melt-derived glass containing B_2O_3 and P_2O_5. (3) 705-13
Microstructural evolution during the sintering of nanostructured ceramic oxides. (5) 1201-12
Microstructural evolution during transient plastic phase processing of titanium carbide–titanium boride composites. (7) 1945-52
Microstructural evolution of copper thick films observed by environmental scanning electron microscopy. (5) 1303-306
Microstructural model on the evolution of domain structure during processing of $PbTiO_3$ thin films on MgO(100) substrates. (4) 1105-108

Microstructural stability and creep behavior of Si-C-O (Nicalon) fibers in carbon monoxide and argon environments. (10) 2673-86
Microstructure and crystal phases of praseodymium oxides in zinc oxide varistor ceramics. (9) 2379-84
Microstructure and dielectric characteristics of $(Pb_xBa_{0.5-x}Sr_{0.5})TiO_3$ ceramics. (1) 225-32
Microstructure and optical properties of hot isostatically pressed Nd:YAG ceramics. (7) 1927-33
Microstructure development in *in situ* reinforced reaction-bonded aluminum niobate-based composites. (9) 2266-70
Microstructure of $(Fe_{0.2}Co_{0.8})_{0.8}(Fe_{2.38}Co_{0.62}O_4)$: A magnetic oxidation-resistant composite formed by coprecipitation. (8) 2027-32
Microstructure of strontium titanate thin film grown by the hydrothermal-electrochemical method. (3) 613-19
Microstructures and dielectric properties of ferroelectric glass-ceramics. (1) 17-26
Sintering of fine oxide powders: I, Microstructural evolution. (12) 3129-41
Stereological observations of platelet-reinforced mullite and zirconia matrix composites. (12) 3273-81

microwaves,
Dielectric dispersion of polycrystalline aluminum nitride at microwave frequencies. (6) 1453-56
Formation of reaction-bonded silicon nitride using microwave heating. (9) 2458-68
Microwave-hydrothermal processing of $BiFeO_3$ and $CsAl_2PO_6$. (5) 1409-12
Sintering of alumina in microwave-induced oxygen plasma. (12) 3199-210

migration,
Atmosphere control of interface migration and its effect on dielectric property of CuO-infiltrated strontium titanate. (6) 1499-503
Direction of liquid film migration induced by chromic oxide in alumina–anorthite. (12) 3029-32
Effect of grain size on diffusion-induced grain boundary migration in $Ba(Zn_{1/3}Nb_{2/3})O_3$ ceramics. (5) 1405-408

mills/milling,
Influence of powder composition and milling media on the formation of molybdenum disilicide by a mechanically induced self-propagating reaction. (8) 2221-23
Structural degradation of tobermorite during vibratory milling. (6) 1569-74

mixed alkali effect,
Electrical conductivity in mixed alkali aluminosilicate melts. (9) 2422-28

modeling/models,
Constitutive law for the densification of fused silica, with applications in polishing and microgrinding. (6) 1441-52
Development of drying schedules for one-side-heating drying of refractory concrete slabs based on a finite element model. (6) 1649-58
Experimental evaluation of a new flocculation-filtration model for ceramic shape forming processes. (9) 2385-96
Simple mathematical model for the electrical conductivity of highly porous ceramics. (1) 109-13
Simple mathematical model for the electrical conductivity of highly porous ceramics—comment. (11) 2997-98
Simple mathematical model for the electrical conductivity of highly porous ceramics—reply. (11) 2999
Theoretical model for compaction of granular materials. (12) 3045-54

modulus of elasticity,
Derivation of the exponential relation for the effect of ellipsoidal porosity on elastic modulus. (8) 2181-84

molds/molding,
Diffusion of degradation products in ceramic moldings during pyrolysis: Effect of geometry. (3) 749-55

molecular dynamics,
Molecular dynamic simulation in titanium dioxide polymorphs: Rutile, brookite, and anatase. (4) 1095-99

molybdenum,
Electrochemical corrosion and protection of molybdenum and molybdenum disilicide in a molten soda-lime silicate glass environment. (7) 1851-56
Isothermal oxidation behavior of Mo-Si-B intermetallics at 1450°C. (10) 2763-66
Leachability of molybdenum from ternary phosphate glasses. (5) 1329-34

molybdenum disilicide,
Abrasive wear behavior of an Si_3N_4-$MoSi_2$ composite. (5) 1297-302
Influence of molybdenum silicide additions on high-temperature oxidation resistance of silicon nitride materials. (9) 2429-35
Influence of powder composition and milling media on the formation of molybdenum disilicide by a mechanically induced self-propagating reaction. (8) 2221-23
Oxidation behavior of boron-modified Mo_5Si_3 at 800°–1300°C. (4) 938-44
Simultaneous synthesis and densification of $MoSi_2$ by field-activated combustion. (7) 1875-80

morphology,
Morphological effect of second phase on the thermal conductivity of AlN ceramics. (4) 1066-72
Morphological forms of α-alumina particles synthesized in 1,4-butanediol solution. (1) 88-96
Morphological forms of tobermorite in hydrothermally treated calcium silicate hydrate gels. (8) 2175-78
Precipitation of hydroxyapatite under stearic acid monolayers. (9) 2474-76

mullite,
Activation energy for mullitization of α-alumina/silica microcomposite particles. (2) 571-73
Aluminum *K*-edge absorption (XANES) studies of noncrystalline mullite precursors. (3) 813-16
Characterization of Si_3N_4 coated with chemically vapor deposited mullite after Na_2SO_4-induced corrosion. (9) 2489-92
Coprecipitation and processing of mullite precursor phases. (7) 1756-60
Corrosion of mullite by molten salts. (8) 2161-67
High-temperature deformation of SiC whisker-reinforced MgO/PSZ mullite composites. (2) 475-83
Mullite formation by endothermic reaction of α-alumina/silica microcomposite particles. (1) 12-16
Mullite joining by the oxidation of malleable, alkaline-earth–metal-bearing bonding agents. (7) 1839-50
Oxidation behavior of mullite-coated SiC and SiC/SiC composites under thermal cycling between room temperature and 1200°–1400°C. (3) 620-26
Preparation and mechanical properties of SiC whisker and nanosized mullite particulate-reinforced TZP ceramics. (10) 2779-82
Preparation of mullite fiber. (6) 1494-98
Reaction-bonded mullite/zirconia composites. (1) 248-56
Stereological observations of platelet-reinforced mullite and zirconia matrix composites. (12) 3273-81
Thermal decomposition of alkoxides in an inert organic solvent: Novel method for the synthesis of homogeneous mullite precursor. (3) 793-95
Thermal diffusivity/conductivity and specific heat of mullite-zirconia-silicon carbide whisker composites. (10) 2767-70
Transmission electron microscopy and electron energy loss spectroscopy characterization of glass phase in sol-gel-derived mullite. (10) 2592-600

multilayer,
Processing of a novel multilayered silicon nitride. (8) 2197-200

nanocomposites,
Silicon nitride based ceramic nanocomposites. (3) 585-90

NASICON,
Ionic conductivity and sinterability of NASICON-type ceramics: The systems $NaM_2(PO_4)_{3+y}Na_2O$ (M=Ge, Ti, Hf, and Zr). (10) 2786-88

neodymium,
Barium neodymium titanate electroceramics: Phase equilibria studies of $Ba_{6-3x}Nd_{8+2x}Ti_{18}O_{54}$ solid solution. (6) 1605-10
Effects of neodymium concentration on optical characteristics of polycrystalline Nd:YAG laser materials. (7) 1921-26
Homogeneity region and thermal stability of neodymium-doped α-SiAlON ceramics. (3) 721-32
Microstructure and optical properties of hot isostatically pressed Nd:YAG ceramics. (7) 1927-33

Nicalon,
Influence of interfacial sliding stress on fatigue behavior of oxidized Nicalon/calcium aluminosilicate composites. (10) 2659-65
Mechanical behavior of SiC(f)/SiC composites and correlation to *in situ* fiber strength at room and elevated temperatures. (3) 591-96
Microstructural stability and creep behavior of Si-C-O (Nicalon) fibers in carbon monoxide and argon environments. (10) 2673-86
Single-fiber pullout test using Raman spectroscopy: III, Pullout of Nicalon fibers from a Pyrex matrix. (7) 1868-74

nickel,
Optimization of a ductile-particle-toughened ceramic. (10) 2705-17
Phase equilibria, oxygen potentials, and activities in the system Ni-Co-Si-O at 1373 K. (11) 2815-20
Synthesis of nickel sulfide by homogeneous precipitation from acidic solutions of thioacetamide. (4) 1073-82

nickel oxide,
Controlled epitaxial nucleation of nickel oxide on microfabricated magnesium oxide substrates in a CVD process. (4) 1025-33
Growth of nickel oxide single crystals and bicrystals via chemical vapor transport. (3) 695-99
Heteroepitaxial growth kinetics in a CVD process using nickel oxide on MgO as a model system. (4) 1019-24

niobates,
Chemical preparation of lead-containing niobate powders. (9) 2417-21
Domain boundary and domain switching in a ceramic rare-earth orthoniobate $LaNbO_4$. (6) 1642-48
Domain structure–second harmonic generation correlation in potassium niobate thin films deposited on a strontium titanate substrate. (12) 3289-96
Effect of phase transformation on the sintering of lead barium metaniobate solid solutions. (3) 609-12
Effects of microstructure and composition on the Curie temperature of lead barium niobate solid solutions. (12) 3235-42
Microstructure development in *in situ* reinforced reaction-bonded aluminum niobate-based composites. (9) 2266-70
Order–disorder phase formation in the complex perovskite compounds $Ba(Ni_{1/3}Nb_{2/3})O_3$ and $Ba(Zn_{1/3}Nb_{2/3})O_3$. (12) 3218-24
Synthesis of lead barium niobate powders and thin films by the sol-gel method. (4) 889-94

niobium,
Grain orientation dependence of the PTCR effect in niobium-doped barium titanate. (6) 1669-72
Role of niobium in magnesium titanate microwave dielectric ceramics. (6) 1697-98

nitridation,
Mechanism of nitridation of silicon powder in a fluidized-bed reactor. (2) 365-70
Nitridation of zirconia. (10) 2641-44

nitrides,
Synthesis routes and characterization of high-purity, single-phase gallium nitride powders. (9) 2309-12

nitrogen,
Effect of incorporation of nitrogen on the structure and dielectric properties of modified oxide sol-precipitated borosilicate glasses and glass-ceramics. (6) 1473-82

nonstoichiometry,
Oxygen nonstoichiometry and defects in Mn-doped $Gd_2Ti_2O_{7+x}$. (12) 3078-82

nuclear magnetic resonance (NMR),
^{17}O MAS NMR investigation of the structure of calcium silicate hydrate gel. (6) 1585-92
^{27}Al nuclear magnetic resonance of glassy and crystalline $Zr_{(1-x)}Al_xO_{(2-x/2)}$ $(0.08 \le x \le 0.57)$ materials prepared from solution precursors. (2) 321-26
Solid-state ^{29}Si NMR analysis of amorphous silicon nitride powder. (2) 513-17

nucleation,
Controlled epitaxial nucleation of nickel oxide on microfabricated magnesium oxide substrates in a CVD process. (4) 1025-33
Effect of nucleating agents on the crystallization of calcium phosphate glasses. (7) 1934-44

optical fibers,
Subcritical crack growth in silica optical fibers in a wide range of crack velocities. (1) 51-57

optical properties,
Effects of neodymium concentration on optical characteristics of polycrystalline Nd:YAG laser materials. (7) 1921-26
Estimation of Hamaker constants of ceramic materials from optical data using Lifshitz theory. (2) 339-48
Fabrication of optically transparent short-fiber-reinforced glass matrix composites. (4) 881-84
Synthesis, characterizations, and optical properties of stacked porous thin films derived from sol-gel process. (4) 1061-65

ordering,
Mesostructure of calcium silicate hydrate (C-S-H) gels in portland cement paste: short-range ordering, nanocrystallinity, and local compositional order. (7) 1731-44
Order–disorder phase formation in the complex perovskite compounds $Ba(Ni_{1/3}Nb_{2/3})O_3$ and $Ba(Zn_{1/3}Nb_{2/3})O_3$. (12) 3218-24
Order-disorder transition in $(A'A'')BO_3$ and $A(B'B'')O_3$ complex perovskite crystals. (2) 381-84
Short-range and medium-range order in lithium silicate glasses: I, Diffraction experiments and results. (11) 2833-38
Short-range and medium-range order in lithium silicate glasses: II, Simulation of the structure by the reverse Monte Carlo method. (11) 2839-46

orientation,
Nucleation- or growth-controlled orientation development in chemically derived ferroelectric lead zirconate titanate $(Pb(Zr_xTi_{1-x})O_3, x=0.4)$ thin films. (2) 495-98
Oriented growth of tin oxide thin films on glass substrates by spray pyrolysis of organotin compounds. (10) 2557-62

orthophosphates,
Crystallization and transformation of aluminum orthophosphates in organic solvent containing a small amount of water. (9) 2506-508

oxidation,
Effect of refractory oxides on the oxidation of graphite and amorphous carbon. (9) 2509-11
Kinetics of thermal oxidation of silicon nitride powders. (11) 2809-14
Models of high-temperature, environmentally assisted embrittlement in ceramic matrix composites. (9) 2345-52
Mullite joining by the oxidation of malleable, alkaline-earth–metal-bearing bonding agents. (7) 1839-50
Oxidation and corrosion of $SiC_{(particulate)}/Al/Al_2O_3$ composites in sodium silicate at elevated temperatures. (7) 1881-91
Oxidation behavior of an Si-C-O fiber-reinforced magnesium aluminosilicate. (9) 2364-74
Oxidation behavior of boron-modified Mo_5Si_3 at 800°–1300°C. (4) 938-44
Oxidation behavior of mullite-coated SiC and SiC/SiC composites under thermal cycling between room temperature and 1200°–1400°C. (3) 620-26
Oxidation of BN-coated SiC fibers in ceramic matrix composites. (2) 539-43
Oxidation of TiB_2 powders below 900°C. (2) 518-20
Passive oxidation kinetics of high-purity silicon carbide from 800° to 1100°C. (11) 2897-911
Silicon nitride oxidation based on oxynitride interlayers with graded stoichiometry. (11) 2993-96
Superoxidation and electrochemical reactions during switching in $Pb(Zr,Ti)O_3$ ceramics. (11) 2971-74
Thermodynamic properties of manganese oxides. (7) 1761-68

oxidation resistance,
Influence of molybdenum silicide additions on high-temperature oxidation resistance of silicon nitride materials. (9) 2429-35

oxides,
Compositional dependence of absorption and fluorescence of Yb^{3+} in oxide glasses. (3) 681-87
Crack bifurcation in laminar ceramic composites. (7) 1834-38
Crack branching in all-oxide ceramic composites. (1) 266-74
Effect of grain size on diffusion-induced grain boundary migration in $Ba(Zn_{1/3}Nb_{2/3})O_3$ ceramics. (5) 1405-408
High-temperature ionic conduction in multicomponent solid oxide solutions based on HfO_2. (8) 2145-55
Interaction of low-expansion NZP ceramics with Na_2SO_4 at 1000°C. (2) 484-86
Low-temperature synthesis of $Ba(Mg_{1/3}Ta_{2/3})O_3$ ceramics from Ba-Mg-Ta alkoxide precursor. (8) 2059-64
Microstructural evolution during the sintering of nanostructured ceramic oxides. (5) 1201-12
Microwave-hydrothermal processing of $BiFeO_3$ and $CsAl_2PO_6$. (5) 1409-12
Sintering of fine oxide powders: I, Microstructural evolution. (12) 3129-41
Sol-gel synthesis of a new oxide-ion conductor Sr- and Mg-doped $LaGaO_3$ perovskite. (4) 1100-104
Thermodynamics of the Si-O-N system: II, Stability of $Si_2N_2O(s)$ by high-temperature mass spectrometric vaporization. (5) 1361-65
Viability of oxide fiber coatings in ceramic composites for accommodation of misfit stresses. (6) 1664-68

oxycarbides,
Mechanical characterization of sol-gel-derived silicon oxycarbide glasses. (8) 2074-80
Porous silicon oxycarbide glasses. (10) 2696-704
oxygen,
Oxygen vacancy motion in perovskite oxides. (2) 536-38
oxynitride,
ß-Si_3N_4 whiskers embedded in oxynitride glasses: Interfacial microstructure. (10) 2626-32
Silicon nitride oxidation based on oxynitride interlayers with graded stoichiometry. (11) 2993-96
Synthesis of oxynitride powders via fluidized bed ammonolysis: I, Large, porous silica particles. (11) 2865-77
packing,
Theoretical description of a two-dimensional compaction process of cylinders. (1) 153-60
particle size,
Ultrafine alumina particles prepared by mechanochemical/thermal processing. (11) 2956-58
particle size distribution,
Influence of particle size distribution on ductile-phase toughening in brittle materials. (2) 562-64
particles,
Boron carbide particles formed from an amorphous boron/graphite powder mixture using a shock-wave technique. (4) 1113-16
Contacts and coordination numbers in a compact of polyhedral particles. (1) 148-52
Photoinduced formation of small gold particles in silica gels. (3) 796-98
Possible explanations of transient neck formation between pairs of {100} faceted particles. (9) 2443-51
Preparation of monodisperse zirconia particles by thermal hydrolysis in highly concentrated solutions. (4) 972-76
Role of particle dissolution in the stability of binary yttria-silica colloidal suspensions. (5) 1223-27
Synthesis of spherical ß-silicon carbide particles by ultrasonic spray pyrolysis. (8) 2215-17
Transition of the particle-growth mechanism with temperature variation in the molten salt method. (4) 1130-32
particulate materials,
Computer simulations of binder removal from 2-D and 3-D model particulate bodies. (5) 1377-88
perovskites,
Order-disorder transition in $(A'A'')BO_3$ and $A(B'B'')O_3$ complex perovskite crystals. (2) 381-84
Perovskite phase formation in the relaxor system $[Pb(Fe_{1/2}Nb_{1/2})O_3]_{1-x}$-$[Pb(Zn_{1/3}Nb_{2/3})O_3]_x$. (1) 257-60
Sol-gel synthesis of a new oxide-ion conductor Sr- and Mg-doped $LaGaO_3$ perovskite. (4) 1100-104
phase diagrams,
Isothermal section of Ti-B-C phase diagram at 1600°C. (3) 785-87
Model to compute phase diagrams in oxides with empirical or first-principles energy methods and application to the solubility limits in the CaO-MgO system. (8) 2033-40
phase equilibria,
10 kbar phase equilibria in the Y-Ba-Cu oxide system at 950°C. (2) 533-35
Phase equilibria of the La_2O_3-SrO-CuO system at 950°C and 10 kbar. (12) 3083-89
phase transformations,
α(→)ß reverse phase transformation in silicon carbide in silicon nitride particulate-reinforced silicon carbide composites. (11) 2892-96
Controlled phase transformations by glass particle size in spodumene and cordierite glass-ceramics. (7) 1971-74
Effect of boron nitride on the phase stability and phase transformations in silicon carbide. (12) 3325-28
Massive transformation in Gd_2O_3-Bi_2O_3 ceramics. (2) 371-80
Phase transformation of ZrO_2 in MnZn ferrite under magnetic field. (2) 559-61
Thermal hysteresis for the $\alpha'_L \leftrightarrow$ß transformations in strontium oxide-doped dicalcium silicates. (11) 2969-70
Thermally activated martensitic transformations in Mg-PSZ. (4) 895-905
phase transitions,
Electrostrictive coefficients of $0.9Pb(Mg_{1/3}Nb_{2/3})O_3$-$0.1PbTiO_3$ relaxor ferroelectric ceramics in the ferroelectricity-dominated temperature range. (2) 430-34
phases,
Mechanism of phase formation in $Pb(Zr_xTi_{1-x})O_3$ synthesized by a partial oxalate method. (6) 1563-68
Monoclinic phase measurement in Mg-PSZ using X-ray diffraction. (9) 2477-80
Perovskite phase formation in the relaxor system $[Pb(Fe_{1/2}Nb_{1/2})O_3]_{1-x}$-$[Pb(Zn_{1/3}Nb_{2/3})O_3]_x$. (1) 257-60
Rare-earth melilite solid solution and its phase relations with neighboring phases. (8) 2091-97
Transmission electron microscopy and electron energy loss spectroscopy characterization of glass phase in sol-gel-derived mullite. (10) 2592-600
phonons,
Crystal phase and phonon densities of states of ß′-SiAlON ceramics, $Si_{6-z}Al_zO_zN_{8-z}$ ($0 \leq z \leq 4$). (12) 3250-56
phosphates,
^{29}Si and ^{31}P MAS-NMR spectra of Li_2S-SiS_2-Li_3PO_4 rapidly quenched glasses. (2) 349-52
Leachability of molybdenum from ternary phosphate glasses. (5) 1329-34
phosphors,
Synthesis of red-emitting, small particle size luminescent oxides using an optimized combustion process. (12) 3257-65
physical properties,
Effects of addition of Na_2O, Sb_2O_3, CaO, and ZrO_2 on the properties of lithium zinc ferrite. (8) 2105-108
physicochemical properties,
Effects of sulfate, pyrophosphate, and citrate ions on the physicochemical properties of cements made of ß-tricalcium phosphate–phosphoric acid–water mixtures. (6) 1427-34
piezoelectric materials,
Fracture criteria for piezoelectric ceramics—comment. (4) 1133-35
Fracture criteria for piezoelectric ceramics—comment—correction. (7) 1984
Fracture criteria for piezoelectric ceramics—reply. (4) 1136
High-frequency piezoceramic equivalent circuit. (5) 1413-15
Piezoelectric ceramics with functional gradients: A new application in material design. (3) 809-12
Piezoelectric moduli of piezoelectric ceramics. (10) 2563-66
piezoelectric properties,
Microstructure, electrical conductivity, and piezoelectric properties of bismuth titanate. (12) 3124-28
plasma,
Effect of plasma treatment of polyethylene fibers on interface and cementitious composite properties. (3) 700-704
Sintering of alumina in microwave-induced oxygen plasma. (12) 3199-210
plasma-enhanced CVD,
Chemical vapor deposition of $YBa_2Cu_3O_x$ in a cold plasma reactor using an aerosol vaporization technique. (3) 673-80
plasma spraying,
Contact damage in plasma-sprayed alumina-based coatings. (7) 1907-14
plasticizers/plasticity,
Dislocation-related plasticity of ceria-stabilized zirconia polycrystals. (6) 1726-28
plastics,
Plastic-to-brittle transition of saturated, alumina powder compacts. (12) 3161-68
Stress analysis of contact deformation in quasi-plastic ceramics. (10) 2609-18
plutonium,
Novel plutonium titanate compounds and solid solutions $Pu_2Ti_2O_7$-$Ln_2Ti_2O_7$: Relevance to nuclear waste disposal. (6) 1489-93
polarizers/polarization,
Effect of polarization switch upon stress in thickness vibration of a ferroelectric plate. (3) 651-54
Links between electrical and optical fatigue in $Pb(Zr,Ti)O_3$ thin films. (6) 1714-16
Piezoelectric moduli of piezoelectric ceramics. (10) 2563-66
polycrystalline materials,
Compressive creep of a fine-grained polycrystalline yttria. (3) 773-76
Growth morphology and mechanism of a hollow ZnO polycrystal. (4) 1121-23
Mechanical properties of polycrystalline translucent cubic boron nitride as characterized by the Vickers indentation method. (2) 547-49
Piezoelectric moduli of piezoelectric ceramics. (10) 2563-66
polymerization,
Polymerized complex route to barium titanate powders using barium-titanium mixed-metal citric acid complex. (11) 2847-56
Polymerized complex route to synthesis of pure $Y_2Ti_2O_7$ at 750°C using yttrium titanium mixed metal citric acid complex. (6) 1673-76
polymers,
Ion irradiation of preceramic polymer thin films. (7) 1967-70
polymorphs/polymorphism,
Molecular dynamic simulation in titanium dioxide polymorphs: Rutile, brookite, and anatase. (4) 1095-99
pores/porosity,
Derivation of the exponential relation for the effect of ellipsoidal porosity on elastic modulus. (8) 2181-84
Evaluation of ultrasonically determined elasticity-porosity relations in zinc oxide. (5) 1281-89
Formation of pores and Y_2BaCuO_5-free regions during melt processing of $Y_1Ba_2Cu_3O_x$. (11) 2912-16
Measurement of porosity in ceramic coatings by thermogravimetric volatilization of liquids. (12) 3317-20
Ultrasonic and dielectric characterization of microwave-sintered and conventionally sintered zinc oxide. (10) 2652-58
porous materials,
Capillary infiltration rates into porous media with applications to Silcomp processing. (2) 333-38
Gas pressure and temperature dependences of thermal conductivity of porous ceramic materials: II, Refractories and ceramics with porosity exceeding 30%. (5) 1366-76
Simple mathematical model for the electrical conductivity of highly porous ceramics. (1) 109-13
Simple mathematical model for the electrical conductivity of highly porous ceramics—comment. (11) 2997-98
Simple mathematical model for the electrical conductivity of highly porous ceramics—reply. (11) 2999
portland cement,
Calcium hydroxide saturation factors in the pore solution of hydrated portland cement fly ash pastes. (4) 1041-46
Effect of fly ashes with high total alkali content on the alkalinity of the pore solution of hydrated portland cement paste. (2) 470-74
Mesostructure of calcium silicate hydrate (C-S-H) gels in portland cement paste: Short-range ordering, nanocrystallinity, and local compositional order. (7) 1731-44
positive temperature coefficient of resistivity,
Grain orientation dependence of the PTCR effect in niobium-doped barium titanate. (6) 1669-72
Single-grain boundaries in PTC resistors. (4) 997-1001
powders,
Auger electron spectroscopy of aluminum nitride powder surfaces. (5) 1213-17
Characteristics and formation mechanism of $BaTiO_3$ powders prepared by twin-fluid and ultrasonic spray pyrolysis methods. (6) 1720-22
Characterization of metastable tetragonal forms in ZrO_2-2.8 mol% Y_2O_3 ceramics. (4) 831-36
Formation of monodisperse spherical TiO_2 powders by thermal hydrolysis of $Ti(SO_4)_2$. (10) 2727-32
Kinetics of thermal oxidation of silicon nitride powders. (11) 2809-14
Master sintering curve: A practical approach to sintering. (12) 3211-17
Mechanism of nitridation of silicon powder in a fluidized-bed reactor. (2) 365-70
Oxidation of TiB_2 powders below 900°C. (2) 518-20
Polymerized complex route to barium titanate powders using barium-titanium mixed-metal citric acid complex. (11) 2847-56
Raman study of the relationship between room temperature tetragonality and the Curie point of barium titanate. (10) 2666-72
Simple system for the preparation of submicrometer lead titanate powders by the sol-gel method. (10) 2775-78
Sintering of fine oxide powders: I, Microstructural evolution. (12) 3129-41
Sintering of nanophase γ-Al_2O_3 powder. (8) 2207-11
Solid-state ^{29}Si NMR analysis of amorphous silicon nitride powder. (2) 513-17
Synthesis of oxynitride powders via fluidized bed ammonolysis: I, Large, porous silica particles. (11) 2865-77
praseodymium oxide,
Microstructure and crystal phases of praseodymium oxides in zinc oxide varistor ceramics. (9) 2379-84
preceramic,
Ion irradiation of preceramic polymer thin films. (7) 1967-70
precipitation/precipitators,
Calcium phosphate materials prepared from precipitates with various calcium:phosphorus molar ratios. (10) 2539-44
Chemical preparation of lead-containing niobate powders. (9) 2417-21
Precipitation of hydroxyapatite under stearic acid monolayers. (9) 2474-76
Synthesis of nickel sulfide by homogeneous precipitation from acidic solutions of thioacetamide. (4) 1073-82
Zirconium nitride precipitation in nominally pure yttria-stabilized zirconia. (2) 487-90
precursors,
Alternative route for synthesis of barium titanyl oxalate: Molecular precursor for microcrystalline barium titanate powders. (10) 2795-97
Aluminum *K*-edge absorption (XANES) studies of noncrystalline mullite precursors. (3) 813-16
Coprecipitation and processing of mullite precursor phases. (7) 1756-60
Infiltration of porous alumina bodies with solution precursors: Strengthening via compositional grading, grain size control, and transformation toughening. (7) 1810-14
Microstructure and crystallographic orientation of anatase coatings produced from chemically modified titanium tetraisopropoxide. (6) 1483-88
Synthesis of yttrium aluminum garnet from yttrium and aluminum isobutyrate precursors. (2) 385-94
preparation,
Preparation and properties of borosilicate-coated alumina particles from alkoxides. (6) 1546-52
Preparation of CaF_2 fibers. (11) 2986-88
Preparation of high-strength calcium phosphate ceramics with low modulus of elasticity containing ß-$Ca(PO_3)_2$ fibers. (7) 1821-24
Preparation of mullite fiber. (6) 1494-98
Preparation of porous Cr_3C_2 grains with Cr_2O_3. (9) 2503-505
Preparation of silica from rice husks. (8) 2012-16
Preparation of thin sections of coated fibers for characterization by transmission electron microscopy. (9) 2481-84
pressure,
Synthesis of boron nitride by self-propagating reactions at high pressure. (10) 2798-800
processing,
Near-net-shape processing of metal-ceramic composites by reactive metal penetration. (9) 2497-99
Processing of a novel multilayered silicon nitride. (8) 2197-200
Relic processing of fine-scale, large-area piezoelectric ceramic fiber/polymer composites. (6) 1689-92
Ultrafine alumina particles prepared by mechanochemical/thermal processing. (11) 2956-58
pullout,
Single-fiber pullout test using Raman spectroscopy: III, Pullout of Nicalon fibers from a Pyrex matrix. (7) 1868-74
pyrochlore,
Polymerized complex route to synthesis of pure $Y_2Ti_2O_7$ at 750°C using yttrium titanium mixed metal citric acid complex. (6) 1673-76
pyroelectric materials/pyroelectricity,
Pyroelectric properties of diphasic polar glass-ceramics at low temperatures. (12) 3336-38
pyrolysis,
Diffusion of degradation products in ceramic moldings during pyrolysis: Effect of geometry. (3) 749-55
***R*-curve,**
R-curve behavior of *in situ* toughened Al_2O_3:$CaAl_{12}O_{19}$ ceramic composites. (12) 3142-48
Correlation between long and short crack *R*-curves in alumina using the crack opening displacement and fracture mechanical weight function approach. (5) 1189-96
Influence of reinforcement content and diameter on the *R*-curve response in SiC-whisker-reinforced alumina. (2) 298-304
Method for measuring short-crack *R*-curves without calibration parameters: Case studies of alumina and alumina/aluminum composites. (2) 291-97
Raman spectroscopy,
Raman linewidths in rare-earth sesquisulfide solid solutions. (5) 1394-96
Stress dependence of the Raman spectrum of ß-silicon nitride. (3) 781-84
rare earths,
Grain boundary films in rare-earth-glass-based silicon nitride. (3) 788-92

High-temperature electrical properties in the ThO_2-rich region of ThO_2-RE_2O_3 systems. (3) 756-62
Phase equilibria in rare-earth chloride–fluoride and rare-earth chloride–magnesium fluoride systems. (10) 2582-86
Raman linewidths in rare-earth sesquisulfide solid solutions. (5) 1394-96
Rare-earth melilite solid solution and its phase relations with neighboring phases. (8) 2091-97
SiAlON composites containing rare-earth melilite and neighboring phases. (8) 2081-90

reaction bonding,
Reaction-bonded mullite/zirconia composites. (1) 248-56

recrystallizaiton,
Dynamic recrystallization during the sliding wear of alumina at elevated temperatures. (12) 3243-49

reflectometers,
Subsurface defect detection in ceramics using an optical gated scatter reflectometer. (5) 1397-400

refractive index,
Change in refractive index of a borosilicate glass fiber annealed below the glass transformation temperature. (10) 2633-36
Estimation of Hamaker constants of ceramic materials from optical data using Lifshitz theory. (2) 339-48

refractories,
Effect of refractory oxides on the oxidation of graphite and amorphous carbon. (9) 2509-11

refractories concrete,
Development of drying schedules for one-side-heating drying of refractory concrete slabs based on a finite element model. (6) 1649-58

relaxation,
Grain boundary relaxation in high-purity silicon nitride. (9) 2237-46
Long-time relaxation from relaxor to normal ferroelectric states in $Pb_{0.91}La_{0.06}(Zr_{0.65}Ti_{0.35})O_3$. (7) 1957-60
Structural relaxation around substitutional Cr^{3+} ions in sapphire. (1) 3-11

relaxors,
AC drive-enhanced relaxor characteristics and domain breakdown in ferroelectrics containing quenched impurities. (10) 2747-51
Electromechanical testing and modeling of a $Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbTiO_3$-$BaTiO_3$ relaxor ferroelectric. (9) 2271-82
Perovskite phase formation in the relaxor system $[Pb(Fe_{1/2}Nb_{1/2})O_3]_{1-x}$-$[Pb(Zn_{1/3}Nb_{2/3})O_3]_x$. (1) 257-60

removal,
Computer simulations of binder removal from 2-D and 3-D model particulate bodies. (5) 1377-88
Surface chemistry of lead titanate and its impact on binder removal. (4) 1002-1008

rheology,
Rheological properties of concentrated, nonaqueous silicon nitride suspensions. (12) 3033-40
Rheological property and stress development during drying of tape-cast ceramic layers. (12) 3225-34
Rheology and consolidation of colloidal alumina-coated silicon nitride suspensions. (5) 1155-62

rheometry,
Comparison of the compressive yield response of aggregated suspensions: Pressure filtration, centrifugation, and osmotic consolidation. (10) 2545-56

rice hulls,
Preparation of silica from rice husks. (8) 2012-16
Synthesis of silicon carbide from rice husk in a dc arc plasma reactor. (5) 1197-200

roughness,
Effect of surface roughness on the acid etching of amorphous silica. (3) 688-94

ruby,
Preparation of copper-ruby glasses by sputtering: The effect of atmosphere on the growth of copper particles. (4) 859-64

ruthenium oxide,
Synthesis of ruthenium dioxide thin films by a solution chemistry technique. (2) 525-29

rutile,
Measurement of small concentrations of vanadium in rutile (TiO_2) using electron spin resonance. (8) 2179-80
Oriented barium titanate thick films by reactive coating on rutile. (9) 2493-96
Rutile formation in hydrothermally crystallized nanosized titania. (8) 2185-88

salts,
Corrosion of mullite by molten salts. (8) 2161-67

samarium,
Formation of Sm^{2+} ions in sol-gel-derived glasses of the system Na_2O-Al_2O_3-SiO_2. (5) 1257-61

samarium oxide,
Preparation of an alkali element-doped CeO_2-Sm_2O_3 system and its operation properties as the electrolyte in planar solid oxide fuel cells. (12) 3309-12

sapphire,
Structural relaxation around substitutional Cr^{3+} ions in sapphire. (1) 3-11

saturation,
Calcium hydroxide saturation factors in the pore solution of hydrated portland cement fly ash pastes. (4) 1041-46

scattering,
Alkali magnesium/zinc silicate glasses with low Rayleigh scattering—correction. (5) 1424
Rayleigh scattering in silica glasses. (11) 2821-24

second harmonic generation,
Domain structure–second harmonic generation correlation in potassium niobate thin films deposited on a strontium titanate substrate. (12) 3289-96

segregation,
Effect of poly(vinyl alcohol) adsorption on binder segregation during drying. (2) 435-40
Solute segregation and grain boundary impedance in high-purity stabilized zirconia. (5) 1169-80

selenium,
Properties of $As_{40}S_{(60-x)}Se_x$ glasses for IR fiber optics. (5) 1324-28

self-propagating high-temperature synthesis (SHS),
Self-propagating high-temperature synthesis flammable range and dominant parameters for synthesizing several ceramics and intermetallic compounds under heat-loss condition. (12) 3097-102

shear,
Double-shear geometry for the deformation and flow of ceramics at elevated temperatures. (2) 449-54
Shear modulus and yield stress measurements of attractive alumina particle networks in aqueous slurries. (11) 2917-24

shock,
Shock compaction of nanosized diamond powder, as examined by microstructural analysis. (1) 97-101

shrinkage,
Possible explanations of transient neck formation between pairs of {100} faceted particles. (9) 2443-51

SiAlON,
Crystal phase and phonon densities of states of ß′-SiAlON ceramics, $Si_{6-z}Al_zO_zN_{8-z}$ ($0 \le z \le 4$). (12) 3250-56
Densification behavior and properties of Y_2O_3-containing α-SiAlON-based composites. (6) 1537-45
Electronic structures of Ln^{3+} α-SiAlONs with correlations to solubility and solution effects. (10) 2527-32
Homogeneity region and thermal stability of neodymium-doped α-SiAlON ceramics. (3) 721-32
Mechanical and thermal properties of ß′-SiAlON prepared by a slip casting method. (6) 1685-88
Microstructural characterization of ZrO_2/O′-SiAlON composites. (5) 1314-18
SiAlON composites containing rare-earth melilite and neighboring phases. (8) 2081-90

silanes,
Improved aqueous disperson of silicon nitride with aminosilanes. (11) 2940-46

silica,
Activation energy for mullitization of α-alumina/silica microcomposite particles. (2) 571-73
Crystallization and properties of Fe_2O_3-CaO-SiO_2 glasses. (4) 992-96
Effect of surface roughness on the acid etching of amorphous silica. (3) 688-94
Influence of viscous deformation at the contact point of primary particles on compaction of alkoxide-derived fine SiO_2 granules under ultrahigh isostatic pressure. (9) 2257-65
Mullite formation by endothermic reaction of α-alumina/silica microcomposite particles. (1) 12-16
Phase diagram for the SiF_4 join in the system SiO_2-Al_2O_3-SiF_4. (11) 2965-68
Phase equilibria in the Na_2O-Cs_2O-SiO_2 system. (10) 2752-54
Photoinduced formation of small gold particles in silica gels. (3) 796-98
Physical properties of quenched glasses in the Li_2O-ZrO_2-SiO_2 system. (4) 1092-94
Porous silica-coated α-Fe_2O_3 ceramics for humidity measurement at elevated temperature. (4) 927-37
Preparation of silica from rice husks. (8) 2012-16
Rayleigh scattering in silica glasses. (11) 2821-24
Role of particle dissolution in the stability of binary yttria-silica colloidal suspensions. (5) 1223-27
Stacking faults in ß-SiC formed during carbothermal reduction of SiO_2. (7) 1777-82
Subcritical crack growth in silica optical fibers in a wide range of crack velocities. (1) 51-57
Synthesis, characterizations, and optical properties of stacked porous thin films derived from sol-gel process. (4) 1061-65
Thermodynamic analysis of the metastable regions for the Al_2O_3-SiO_2 system. (5) 1252-56

silicates,
Alkali magnesium/zinc silicate glasses with low Rayleigh scattering—correction. (5) 1424
Atomistic structure of silicon nitride/silicate glass interfaces. (11) 2975-79
Phase equilibria, oxygen potentials, and activities in the system Ni-Co-Si-O at 1373 K. (11) 2815-20
Short-range and medium-range order in lithium silicate glasses: I, Diffraction experiments and results. (11) 2833-38
Short-range and medium-range order in lithium silicate glasses: II, Simulation of the structure by the reverse Monte Carlo method. (11) 2839-46

silicon carbide,
α(→)ß reverse phase transformation in silicon carbide in silicon nitride particulate-reinforced silicon carbide composites. (11) 2892-96
Chemical instability of silicon carbide in the presence of transition metals. (8) 2017-26
Combustion synthesis/dynamic densification of a TiB_2-SiC composite. (1) 177-82
Crack initiation in borosilicate glass–SiC fiber composites. (4) 865-72
Creep cavitation in a siliconized silicon carbide tested in tension and flexure. (4) 977-86
Creep deformation in an alumina-silicon carbide composite produced via a directed metal oxidation process. (8) 2218-20
Cyclic fatigue behavior of SiC/SiC composites at room and high temperatures. (12) 3065-77
Damage tolerance of silicon carbide and alumina matrix surface composites. (4) 1117-20
Determination of interfacial properties using a single-fiber microcomposite test. (4) 1083-91
Effect of boron nitride on the phase stability and phase transformations in silicon carbide. (12) 3325-28
Effect of Cr_3C_2 addition on the sintering of SiC-TiC composite. (12) 3305-308
Effects of gadolinia and alumina addition on the densification and toughening of silicon carbide. (2) 530-32
Fabrication of textured silicon carbide via seeded anisotropic grain growth. (6) 1611-16
Fracture process of silicon carbide fiber-reinforced glasses. (9) 2293-99
Fracture toughness of 2-D woven SiC/SiC CVI composites with multilayered interphases. (4) 849-58
Grain size effect on creep deformation of alumina-silicon carbide composites. (6) 1530-36
Growth of boric acid crystallites on the surface of boron-doped silicon carbide samples. (6) 1699-702
High-temperature corrosion resistance of chemically vapor deposited silicon carbide against hydrogen chloride and hydrogen gaseous environments. (2) 503-506
High-temperature strength of melt-infiltrated SiC-Mo$(Al,Si)_2$ composites. (2) 544-46
High-temperature tensile behavior of a boron nitride-coated silicon carbide-fiber glass-ceramic composite. (6) 1521-29
In situ toughened silicon carbide with Al-B-C additions. (2) 461-69
In situ toughened silicon carbide–titanium carbide composites. (6) 1711-13
Influence of loading rate and processing atmosphere on pullout of SiC fibers from Pyrex glass. (5) 1319-23
Influence of reinforcement content and diameter on the *R*-curve response in SiC-whisker-reinforced alumina. (2) 298-304
Interdiffusion in SiC-AlN and AlN-Al_2OC systems. (8) 2168-74
Isothermal section of Ti-B-C phase diagram at 1600°C. (3) 785-87
Low-temperature synthesis of aluminum silicon carbide using ultrafine aluminum carbide and silicon carbide powders. (1) 275-78
Machining-induced surface residual stress behavior in Al_2O_3-SiC nanocomposites. (9) 2403-409
Mechanical behavior of SiC(f)/SiC composites and correlation to *in situ* fiber strength at room and elevated temperatures. (3) 591-96
Microstructural characterization of alumina and silicon carbide slip-cast cakes. (10) 2515-26
Microstructure control and wear of Al_2O_3-SiC-(Al,Si) composites made by melt oxidation. (3) 770-72
Near-surface deformation in alumina–silicon carbide whisker composite due to surface machining. (8) 2134-40
Oxidation behavior of mullite-coated SiC and SiC/SiC composites under thermal cycling between room temperature and 1200°–1400°C. (3) 620-26
Oxidation of BN-coated SiC fibers in ceramic matrix composites. (2) 539-43
Particle-inhibited grain growth in Al_2O_3-SiC: I, Experimental results. (12) 3013-19
Particle-inhibited grain growth in Al_2O_3-SiC: II, Equilibrium and kinetic analyses. (12) 3020-28
Particle/matrix interface and its role in creep inhibition in alumina/silicon carbide nanocomposites. (1) 33-45
Passive oxidation kinetics of high-purity silicon carbide from 800° to 1100°C. (11) 2897-911
Preparation and mechanical properties of SiC whisker and nanosized mullite particulate-reinforced TZP ceramics. (10) 2779-82
Pressureless sintering of dense Si_3N_4 and Si_3N_4/SiC composites with nitrate additives. (10) 2744-46
Relationship between field direction and wave propagation in activated combustion synthesis. (8) 2049-58
Scanning acoustic microscopy of SCS-6 silicon carbide fiber. (1) 209-12
Self-consistent method to calculate fiber interactions in an SiC/Al_2O_3 ceramic composite. (6) 1466-72
SiC-AlN: II, Mechanical properties. (5) 1262-64
Spontaneous infiltration of aluminum-silicon alloy into silicon carbide preforms in air. (1) 102-108
Stacking faults in ß-SiC formed during carbothermal reduction of SiO_2. (7) 1777-82
Stress rupture in tension and flexure of an SiC whisker-reinforced silicon nitride composite at elevated temperatures. (10) 2789-91
Synthesis and characterization of a remarkable ceramic: Ti_3SiC_2. (7) 1953-56
Synthesis of silicon carbide from rice husk in a dc arc plasma reactor. (5) 1197-200
Synthesis of spherical ß-silicon carbide particles by ultrasonic spray pyrolysis. (8) 2215-17
Thermal conductivity of vapor-liquid-solid and vapor-solid silicon carbide whisker-reinforced lithium aluminosilicate glass-ceramic composites. (3) 742-48
Thermal diffusivity/conductivity and specific heat of mullite-zirconia-silicon carbide whisker composites. (10) 2767-70
Thermal shock behavior of two-dimensional woven fiber-reinforced ceramic composites. (7) 1783-92
Thermal shock damage in a two-dimensional woven fiber-reinforced CVI SiC matrix composite. (11) 2857-64
Wear and wear transition in silicon carbide ceramics during sliding. (5) 1247-51

silicon,
Isothermal oxidation behavior of Mo-Si-B intermetallics at 1450°C. (10) 2763-66
MAS NMR evidence for the presence of silicon in the alumina spinel from thermally transformed kaolinite. (11) 2980-82
Mechanical characterization of sol-gel-derived silicon oxycarbide glasses. (8) 2074-80
Mechanism of nitridation of silicon powder in a fluidized-bed reactor. (2) 365-70
Nanoscale coating of silicon and manganese on ferrimagnetic yttrium iron garnets. (10) 2755-58
Porous silicon oxycarbide glasses. (10) 2696-704
Reactive wetting in the liquid-silicon/solid-carbon system. (4) 873-80

single crystals,
Growth of nickel oxide single crystals and bicrystals via chemical vapor transport. (3) 695-99

High-temperature deformation of single-crystal yttrium aluminum garnet (YAG). (4) 1047-52
Mechanical properties of single-crystal α-Si_3N_4. (8) 2065-73
sinter/sintering,
Calculations of internal stresses during sintering in two dimensions. (8) 2141-44
Effect of Cr_3C_2 addition on the sintering of SiC-TiC composite. (12) 3305-308
Effect of sintering atmosphere on the densification and abnormal grain growth of ZnO. (2) 565-67
Exaggerated growth of hexagonal barium titanate under reducing sintering conditions. (4) 1015-18
High-pressure sintering of nanocrystalline γ-Al_2O_3. (11) 2989-92
Ionic conductivity and sinterability of NASICON-type ceramics: The systems $NaM_2(PO_4)_{3+y}Na_2O$ (M=Ge, Ti, Hf, and Zr). (10) 2786-88
Low-temperature sintering and high thermal conductivity of $YLiO_2$-doped AlN ceramics. (7) 1979-81
Master sintering curve: A practical approach to sintering. (12) 3211-17
Microstructural evolution during the sintering of nanostructured ceramic oxides. (5) 1201-12
Phase transformations and melting effects during the sintering of bismuth-doped zinc oxide powders. (8) 2113-26
Pressureless sintering of dense Si_3N_4 and Si_3N_4/SiC composites with nitrate additives. (10) 2744-46
Rapid rate sintering of nanocrystalline ZrO_2-3 mol% Y_2O_3. (4) 906-12
Sintering of nanophase γ-Al_2O_3 powder. (8) 2207-11
Thermal conductivity of gas-pressure-sintered silicon nitride. (11) 2878-82
Ultrasonic and dielectric characterization of microwave-sintered and conventionally sintered zinc oxide. (10) 2652-58
Yttria doping and sintering of submicrometer-grained α-alumina. (8) 2156-60
sinter forging,
Transformation and densification of nanocrystalline θ-alumina during sinter forging. (12) 3149-54
silicon nitride,
α(→)ß reverse phase transformation in silicon carbide in silicon nitride particulate-reinforced silicon carbide composites. (11) 2892-96
ß-Si_3N_4 whiskers embedded in oxynitride glasses: Interfacial microstructure. (10) 2626-32
Abrasive wear behavior of an Si_3N_4-$MoSi_2$ composite. (5) 1297-302
Atomistic structure of silicon nitride/silicate glass interfaces. (11) 2975-79
Brittle failure prediction of ceramics using a multiscale approach. (11) 2825-32
Characterization of Si_3N_4 coated with chemically vapor deposited mullite after Na_2SO_4-induced corrosion. (9) 2489-92
Coating of fine-grained silicon nitride whiskers on fiberlike silicon nitride. (2) 557-58
Crack stability and its effect on fracture toughness of hot-pressed silicon nitride beam specimens. (9) 2300-308
Crystalline Si_3N_4/amorphous Si_3N_4 composite. (2) 395-400
Evaluation of brazed silicon nitride joints: Microstructure and mechanical properties. (6) 1553-62
Formation of reaction-bonded silicon nitride using microwave heating. (9) 2458-68
Fracture behavior of multilayer silicon nitride/boron nitride ceramics. (9) 2452-57
Grain boundary films in rare-earth-glass-based silicon nitride. (3) 788-92
Grain boundary relaxation in high-purity silicon nitride. (9) 2237-46
Grain-boundary microstructure and chemistry of a hot isostatically pressed high-purity silicon nitride. (9) 2313-20
Hertzian contact response of tailored silicon nitride multilayers. (4) 1009-14
High thermal conductivity in silicon nitride with anisotropic microstructure. (9) 2485-88
Improved aqueous disperson of silicon nitride with aminosilanes. (11) 2940-46
Influence of granule character and compaction on the mechanical properties of sintered silicon nitride. (4) 843-48
Influence of molybdenum silicide additions on high-temperature oxidation resistance of silicon nitride materials. (9) 2429-35
Kinetics of silicon monoxide ammonolysis for nanophase silicon nitride synthesis. (11) 2947-55
Kinetics of thermal oxidation of silicon nitride powders. (11) 2809-14
Mechanical properties of single-crystal α-Si_3N_4. (8) 2065-73
Pressureless sintering of dense Si_3N_4 and Si_3N_4/SiC composites with nitrate additives. (10) 2744-46
Processing of a novel multilayered silicon nitride. (8) 2197-200
Rheological properties of concentrated, nonaqueous silicon nitride suspensions. (12) 3033-40
Rheology and consolidation of colloidal alumina-coated silicon nitride suspensions. (5) 1155-62
Room-temperature cyclic fatigue of reaction-bonded silicon nitride using the double cleavage drilled compression specimen. (2) 425-29
Short-crack toughness and abrasive machining of silicon nitride. (12) 3055-64
Silicon nitride based ceramic nanocomposites. (3) 585-90
Silicon nitride oxidation based on oxynitride interlayers with graded stoichiometry. (11) 2993-96
Solid-liquid reaction in the Si_3N_4-AlN-Y_2O_3 system under 1 MPa of nitrogen. (6) 1717-19
Solid-state ^{29}Si NMR analysis of amorphous silicon nitride powder. (2) 513-17
Strength and microstructure of silicon nitride ceramics brazed with nickel-chromium-silicon alloys. (3) 659-65
Stress dependence of the Raman spectrum of ß-silicon nitride. (3) 781-84
Stress rupture in tension and flexure of an SiC whisker-reinforced silicon nitride composite at elevated temperatures. (10) 2789-91
Surface modification of silicon nitride powder with aluminum. (2) 574-76
Thermal conductivity of gas-pressure-sintered silicon nitride. (11) 2878-82
Thermodynamics of the Si-O-N system: I, High-temperature study of the vaporization behavior of silicon nitride by mass spectrometry. (5) 1351-60
size,
Formation of complex ceramic miniaturized structures by pyrolysis of poly(vinylsilazane). (6) 1457-65
Size effect on the fracture toughness and the *R*-curve of carbon materials. (12) 3177-84
slip casting,
Mechanical and thermal properties of ß′-SiAlON prepared by a slip casting method. (6) 1685-88
slips,
Aqueous emulsion acrylic binders for low-foaming ceramic slips. (2) 510-12
soda-lime,
Mixed-mode fracture of ceramics in asymmetric four-point bending: Effect of crack-face grain interlocking/bridging. (10) 2718-26
soda-lime-silica,
Dissolution of rising helium bubbles in a soda-lime-silica glass melt. (7) 1899-906
Electrochemical corrosion and protection of molybdenum and molybdenum disilicide in a molten soda-lime silicate glass environment. (7) 1851-56
sodium,
Characterization of $Bi_{0.5}Na_{0.5}TiO_3$-$PbTiO_3$ dielectric materials. (5) 1273-80
Ferroic phase transitions in $(Na_{1/2}Bi_{1/2})TiO_3$ crystals. (5) 1290-96
Interaction of low-expansion NZP ceramics with Na_2SO_4 at 1000°C. (2) 484-86
Structural role of aluminum ions in sodium aluminophosphate glasses. (1) 286-88
sodium oxide,
Effect of Na_2O additions in the crystallization of barium ferrite from a BaO-B_2O_3-Fe_2O_3 glass. (1) 183-92
Phase equilibria in the Na_2O-Cs_2O-SiO_2 system. (10) 2752-54
sol-gel,
Crystallinity and stoichiometry of nanostructured sol-gel-derived $BaTiO_3$ monolithic gels. (11) 1983-85
Microstructure of TiO_3 and ZnO films fabricated by the sol-gel method. (4) 825-30
$PbTiO_3$-PbO-B_2O_3 glass-ceramics by a sol-gel process. (12) 3282-88
Preparation and characterization of $Ba_xSr_{1-x}TiO_3$ thin films by a sol-gel technique. (6) 1593-98
Simple system for the preparation of submicrometer lead titanate powders by the sol-gel method. (10) 2775-78
Sol-gel processing and pyroelectric properties of highly oriented $Pb(Mg,Zn)_{1/3}Nb_{2/3}O_3$ thin films. (6) 1435-40
Sol-gel synthesis of a new oxide-ion conductor Sr- and Mg-doped $LaGaO_3$ perovskite. (4) 1100-104
Sol-gel synthesis of fine Gd_2CuO_4 particles: Influence of synthesis variables. (2) 407-11
Sol-gel synthesis of lithium aluminate. (2) 455-60
Suppression of grain growth in sol-gel-derived tin dioxide ultrathin films. (8) 2201-204
Synthesis of strontium barium niobate thin films through metal alkoxide. (9) 2283-88
Synthesis of titania composite membranes by the pressurized sol-gel technique. (1) 279-82
Textured magnetoplumbite fiber-matrix interphase derived from sol-gel fiber coatings. (5) 1233-46
sorption,
Water sorption-desorption characteristics of proton-conducting antimonic acids with cubic and monoclinic structures. (6) 1677-80
space charge,
Space-charge-controlled diffusional creep: Volume diffusion case. (1) 193-98
spectra,
^{29}Si and ^{31}P MAS-NMR spectra of Li_2S-SiS_2-Li_3PO_4 rapidly quenched glasses. (2) 349-52
spectroscopy,
Impedance spectroscopy of undoped $BaTiO_3$ ceramics. (6) 1633-41
spinels,
Ultrafine spinel powders by flame spray pyrolysis of a magnesium aluminum double alkoxide. (5) 1419-23
spodumene,
Controlled phase transformations by glass particle size in spodumene and cordierite glass-ceramics. (7) 1971-74
spray pyrolysis,
Characteristics and formation mechanism of $BaTiO_3$ powders prepared by twin-fluid and ultrasonic spray pyrolysis methods. (6) 1720-22
Oriented growth of tin oxide thin films on glass substrates by spray pyrolysis of organotin compounds. (10) 2557-62
Synthesis of spherical ß-silicon carbide particles by ultrasonic spray pyrolysis. (8) 2215-17
Ultrafine spinel powders by flame spray pyrolysis of a magnesium aluminum double alkoxide. (5) 1419-23
stability,
High-temperature chemical stability of plasma-sprayed $Ca_{0.5}Sr_{0.5}Zr_4P_6O_{24}$ coatings on Nicalon/SiC ceramic matrix composite and Ni-based superalloy substrates. (10) 2759-62
New "incipient-wetness" method for the synthesis of chemically stabilized ß-cristobalite. (6) 1681-84
Thermodynamics of the Si-O-N system: II, Stability of $Si_2N_2O(s)$ by high-temperature mass spectrometric vaporization. (5) 1361-65
YBCO thin film formation near the stability line by resistive evaporation of BaF_2, Cu, and Y. (2) 568-70
stacking faults,
Stacking faults in ß-SiC formed during carbothermal reduction of SiO_2. (7) 1777-82
stannates,
Effect of compositional variations in the lead lanthanum zirconate stannate titanate system on electrical properties. (12) 3297-304
steel,
Tensile behavior of cement-based composites with random discontinuous steel fibers. (1) 74-78
stoichiometry,
Stoichiometric dependence of the aging phenomena in lead iron tungstate ceramics. (9) 2436-42
strain,
Ferroelastic properties of lead zirconate titanate ceramics. (10) 2637-40
Sources of strain-measurement error in flag-based extensometry. (6) 1617-26
Strain fields and damage around notches in ceramic matrix composites. (1) 65-73
strength,
Grain size distributions and strength variability of high-purity alumina. (2) 305-12
High-temperature strength of melt-infiltrated SiC-$Mo(Al,Si)_2$ composites. (2) 544-46
Influence of loading rate and processing atmosphere on pullout of SiC fibers from Pyrex glass. (5) 1319-23
stress,
Calculations of internal stresses during sintering in two dimensions. (8) 2141-44
Compressive properties of yttrium oxide. (3) 805-808
Cracking of laminates subjected to biaxial tensile stresses. (8) 2127-33
Influence of interfacial sliding stress on fatigue behavior of oxidized Nicalon/calcium aluminosilicate composites. (10) 2659-65
Machining-induced surface residual stress behavior in Al_2O_3-SiC nanocomposites. (9) 2403-409
Rheological property and stress development during drying of tape-cast ceramic layers. (12) 3225-34
Shear modulus and yield stress measurements of attractive alumina particle networks in aqueous slurries. (11) 2917-24
Stress dependence of the Raman spectrum of ß-silicon nitride. (3) 781-84
Stress rupture in tension and flexure of an SiC whisker-reinforced silicon nitride composite at elevated temperatures. (10) 2789-91
Toughening of layered ceramic composites with residual surface compression. (1) 79-87
Viability of oxide fiber coatings in ceramic composites for accommodation of misfit stresses. (6) 1664-68
Yield stress of alumina-zirconia suspensions. (10) 2567-76
strontium,
Preparation and characterization of $Ba_xSr_{1-x}TiO_3$ thin films by a sol-gel technique. (6) 1593-98
Room-temperature preparation of crystallized $Ba_{1-x}Sr_xWO_4$ ($0 \le x \le$) solid-solution films by an electrochemical method. (10) 2783-85
Sequestration of cesium and strontium by tobermorite synthesized from fly ashes. (6) 1707-10
strontium barium niobate,
Synthesis of strontium barium niobate thin films through metal alkoxide. (9) 2283-88
strontium oxide,
Structure change in strontium oxide-doped dicalcium silicates. (10) 2577-81
Thermal hysteresis for the $\alpha'_L \leftrightarrow$ß transformations in strontium oxide-doped dicalcium silicates. (11) 2969-70
strontium titanate,
Atmosphere control of interface migration and its effect on dielectric property of CuO-infiltrated strontium titanate. (6) 1499-503
Microstructure of strontium titanate thin film grown by the hydrothermal-electrochemical method. (3) 613-19
structure,
Σ5 (210)/[001] symmetric tilt grain boundary in yttrium aluminum garnet. (11) 2883-91
^{17}O MAS NMR investigation of the structure of calcium silicate hydrate gel. (6) 1585-92
Chemical and structural evolution of sol-gel-derived hydroxyapatite thin films under rapid thermal processing. (4) 837-42
Effect of calcium doping on the atomistic structure of the (i104) twin boundary in alumina. (7) 1961-66
Effect of incorporation of nitrogen on the structure and dielectric properties of modified oxide sol-precipitated borosilicate glasses and glass-ceramics. (6) 1473-82
Liquid channel grain boundary structures. (6) 1703-706
Structural-property relations in a reduced and internally biased oxide wafer (RAINBOW) actuator material. (8) 2041-48
Structure change in strontium oxide-doped dicalcium silicates. (10) 2577-81
Structure evolution in hydrothermally processed (<100°C) $BaTiO_3$ films. (1) 239-47
Structures and phase relations of aluminum-substituted calcium silicate hydrate. (4) 967-71
Suppressing the formation of cone structures in chemical-vapor-deposited aluminum nitride/titanium nitride films. (4) 1109-12
Varistor performance of ZnO-based ceramics related to their densification and structural development. (6) 1504-508
sulfides,
Raman linewidths in rare-earth sesquisulfide solid solutions. (5) 1394-96
Synthesis of nickel sulfide by homogeneous precipitation from acidic solutions of thioacetamide. (4) 1073-82
sulfur,
Electronic structure of $Y_2Cu_2O_{5-x}S_x$ (x=0, 0.25, 0.75) by X-ray emission spectroscopy and X_α scattered wave calculation methods. (4) 953-56

Properties of $As_{40}S_{(60-x)}Se_x$ glasses for IR fiber optics. (5) 1324-28

superplastic,
Superplastic alumina at temperatures below 1300°C using charge-compensating dopants. (1) 233-38

surface,
Auger electron spectroscopy of aluminum nitride powder surfaces. (5) 1213-17
Surface and internal crystallization in glasses as determined by differential thermal analysis. (12) 3155-60
Surface modification of silicon nitride powder with aluminum. (2) 574-76
Surface properties of ceramic laminates fabricated by die pressing. (2) 553-56

suspensions,
Comparison of the compressive yield response of aggregated suspensions: pressure filtration, centrifugation, and osmotic consolidation. (10) 2545-56
Heteroflocculation in binary colloidal suspensions: Monte Carlo simulations. (10) 2587-91
Improved aqueous disperson of silicon nitride with aminosilanes. (11) 2940-46
Rheological properties of concentrated, nonaqueous silicon nitride suspensions. (12) 3033-40

switching,
Superoxidation and electrochemical reactions during switching in $Pb(Zr,Ti)O_3$ ceramics. (11) 2971-74

synthesis,
Alternative route for synthesis of barium titanyl oxalate: Molecular precursor for microcrystalline barium titanate powders. (10) 2795-97
Formation of new compounds $Ln_4Al_2O_9$ in the Ln_2O_3-Al_2O_3 system (Ln=La, Pr, Tb). (11) 2959-60
Hydrothermal synthesis of cerium(IV) oxide. (3) 777-80
Kinetics and mechanisms of hydrothermal synthesis of barium titanate. (11) 2929-39
Kinetics of silicon monoxide ammonolysis for nanophase silicon nitride synthesis. (11) 2947-55
Low-temperature synthesis of aluminum silicon carbide using ultrafine aluminum carbide and silicon carbide powders. (1) 275-78
Morphological forms of α-alumina particles synthesized in 1,4-butanediol solution. (1) 88-96
New "incipient-wetness" method for the synthesis of chemically stabilized ß-cristobalite. (6) 1681-84
Novel method for zirconium oxide synthesis from aqueous solution. (12) 3329-30
Polymerized complex route to synthesis of pure $Y_2Ti_2O_7$ at 750°C using yttrium titanium mixed metal citric acid complex. (6) 1673-76
Processing of highly oriented $LiNbO_3$ films for waveguides from aqueous solution. (5) 1343-50
Synthesis and characterization of a remarkable ceramic: Ti_3SiC_2. (7) 1953-56
Synthesis and electrical characterization of thin films of PT and PZT made from a diol-based sol-gel route. (2) 441-48
Synthesis and friction behavior of chemically vapor deposited composite coatings containing discrete TiN and MoS_2 phases. (4) 819-24
Synthesis of Al_2O_3-Al composites by reactive metal penetration. (1) 27-32
Synthesis of boron nitride by self-propagating reactions at high pressure. (10) 2798-800
Synthesis of Nd:YVO_4 thin films by a sol-gel method. (12) 3041-44
Synthesis of oxynitride powders via fluidized bed ammonolysis: I, Large, porous silica particles. (11) 2865-77
Synthesis of ruthenium dioxide thin films by a solution chemistry technique. (2) 525-29
Synthesis of silicon carbide from rice husk in a dc arc plasma reactor. (5) 1197-200
Synthesis of yttrium aluminum garnet from yttrium and aluminum isobutyrate precursors. (2) 385-94
Synthesis routes and characterization of high-purity, single-phase gallium nitride powders. (9) 2309-12

talc,
Formation of expandable mica from talc using the intercalation procedure. (12) 3321-24

tantalum,
Microwave dielectric properties of $CaTiO_3$-$Ca(Al_{1/2}Ta_{1/2})O_3$ ceramics. (10) 2739-43

tape casting,
Rheological property and stress development during drying of tape-cast ceramic layers. (12) 3225-34

temperature,
10 kbar phase equilibria in the Y-Ba-Cu oxide system at 950°C. (2) 533-35
Cyclic fatigue behavior of SiC/SiC composites at room and high temperatures. (12) 3065-77
Effects of temperature and atmosphere on the formation mechanism of barium titanate using the citrate process. (6) 1693-96
Nitridation of zirconia. (10) 2641-44
Passive oxidation kinetics of high-purity silicon carbide from 800° to 1100°C. (11) 2897-911
Raman study of the relationship between room temperature tetragonality and the Curie point of barium titanate. (10) 2666-72
Reference relations for the evaluation of the materials properties of orthorhombic $YBa_2Cu_3O_x$ superconductors. (3) 603-608

temperature dependence,
Reference relations for the evaluation of the materials properties of orthorhombic $YBa_2Cu_3O_x$ superconductors—correction. (11) 3000
Temperature effects on structure and dynamics in borate and borosilicate liquids: High-resolution and high-temperature NMR results. (9) 2247-56

tensile,
Effect of off-axis loading on the tensile behavior of a ceramic matrix composite. (12) 3113-23
High-temperature tensile behavior of a boron nitride coated silicon carbide fiber glass-ceramic composite. (6) 1521-29
Tensile behavior of cement-based composites with random discontinuous steel fibers. (1) 74-78
Tensile specimens from ceramic components. (2) 550-52

tension,
Surface tension of calcium aluminosilicate glass using computerized drop shape analysis. (4) 920-26

testing,
Fracture criteria for piezoelectric ceramics—comment. (4) 1133-35
Fracture criteria for piezoelectric ceramics—comment—correction. (7) 1984
Fracture criteria for piezoelectric ceramics—reply. (4) 1136
Indentation thermal shock test for ceramics. (6) 1509-14
Preloading technique in dynamic fatigue testing of glass and ceramics with an indentation flaw system. (5) 1228-32
Tensile specimens from ceramic components. (2) 550-52

texture,
Fabrication of textured silicon carbide via seeded anisotropic grain growth. (6) 1611-16
Texture assessment of magnetically processed iron titanate. (5) 1389-93
Textured magnetoplumbite fiber-matrix interphase derived from sol-gel fiber coatings. (5) 1233-46

thermal analysis,
Thermal analysis of 3 mol% yttria-stabilized tetragonal zirconia powder doped with copper oxide. (2) 401-406

thermal barriers,
Concept of functionally graded materials for advanced thermal barrier coating applications. (12) 3003-12

thermal conductivity,
Densification and thermal conductivity of AlN doped with Y_2O_3, CaO, and Li_2O. (12) 3103-108
High thermal conductivity in silicon nitride with anisotropic microstructure. (9) 2485-88
Influence of coarse aggregate content on the thermal conductivity of alumina-spinel castables. (11) 2961-64
Morphological effect of second phase on the thermal conductivity of AlN ceramics. (4) 1066-72
Thermal conductivity of gas-pressure-sintered silicon nitride. (11) 2878-82

thermal decomposition,
Thermal decomposition of alkoxides in an inert organic solvent: Novel method for the synthesis of homogeneous mullite precursor. (3) 793-95

thermal properties,
Homogeneity region and thermal stability of neodymium-doped α-SiAlON ceramics. (3) 721-32
Reference relations for the evaluation of the materials properties of orthorhombic $YBa_2Cu_3O_x$ superconductors. (3) 603-608
Thermoelastic behavior in Ca_2SiO_4 solid solutions. (11) 2925-28

thermal shock resistance,
Indentation thermal shock test for ceramics. (6) 1509-14
Thermal shock behavior of two-dimensional woven fiber-reinforced ceramic composites. (7) 1783-92

thermodynamics,
Possible explanations of transient neck formation between pairs of {100} faceted particles. (9) 2443-51
Thermodynamic analysis of the metastable regions for the Al_2O_3-SiO_2 system. (5) 1252-56
Thermodynamic assessment of the zirconia-urania system. (2) 521-24
Thermodynamic evaluation of the Bi-Cu-O system. (2) 353-58
Thermodynamic properties of manganese oxides. (7) 1761-68
Thermodynamics of the Si-O-N system: I, High-temperature study of the vaporization behavior of silicon nitride by mass spectrometry. (5) 1351-60

thermoelectric properties,
Thermoelectric properties of homologous compounds in the ZnO-In_2O_3 system. (8) 2193-96

thermophysical properties,
Gas pressure and temperature dependences of thermal conductivity of porous ceramic materials: II, Refractories and ceramics with porosity exceeding 30%. (5) 1366-76

thin films,
Nucleation- or growth-controlled orientation development in chemically derived ferroelectric lead zirconate titanate ($Pb(Zr_xTi_{1-x})O_3$, x=0.4) thin films. (2) 495-98
Synthesis of Nd:YVO_4 thin films by a sol-gel method. (12) 3041-44
Synthesis of ruthenium dioxide thin films by a solution chemistry technique. (2) 525-29
YBCO thin film formation near the stability line by resistive evaporation of BaF_2, Cu, and Y. (2) 568-70

thoria,
High-temperature electrical properties in the ThO_2-rich region of ThO_2-RE_2O_3 systems. (3) 756-62

tin oxide,
Effect of cobalt(II) oxide and manganese(IV) oxide on sintering of tin(IV) oxide. (3) 799-804
Oriented growth of tin oxide thin films on glass substrates by spray pyrolysis of organotin compounds. (10) 2557-62
Suppression of grain growth in sol-gel-derived tin dioxide ultrathin films. (8) 2201-204

titanates,
Barium neodymium titanate electroceramics: Phase equilibria studies of $Ba_{6-3x}Nd_{8+2x}Ti_{18}O_{54}$ solid solution. (6) 1605-10
Ferroic phase transitions in $(Na_{1/2}Bi_{1/2})TiO_3$ crystals. (5) 1290-96
Microstructure and dielectric characteristics of $(Pb_xBa_{0.5-x}Sr_{0.5})TiO_3$ ceramics. (1) 225-32
Novel plutonium titanate compounds and solid solutions $Pu_2Ti_2O_7$-$Ln_2Ti_2O_7$: Relevance to nuclear waste disposal. (6) 1489-93
Oxygen nonstoichiometry and defects in Mn-doped $Gd_2Ti_2O_{7+x}$. (12) 3078-82
Role of niobium in magnesium titanate microwave dielectric ceramics. (6) 1697-98
Texture assessment of magnetically processed iron titanate. (5) 1389-93

titania,
Formation of monodisperse spherical TiO_2 powders by thermal hydrolysis of $Ti(SO_4)_2$. (10) 2727-32
Microstructure of TiO_2 and ZnO films fabricated by the sol-gel method. (4) 825-30
Molecular dynamic simulation in titanium dioxide polymorphs: Rutile, brookite, and anatase. (4) 1095-99
Rutile formation in hydrothermally crystallized nanosized titania. (8) 2185-88
Solid-state diffusive amorphization in TiO_2/ZrO_2 bilayers. (7) 1975-78
Synthesis of titania composite membranes by the pressurized sol-gel technique. (1) 279-82
Synthesis, characterizations, and optical properties of stacked porous thin films derived from sol-gel process. (4) 1061-65
Temperature profile of anatase-TiO_2 powder compact during microwave heating. (10) 2533-38

titanium,
Orientation control and laser-beam-assisted crystallization of sol-gel-derived, titanium-doped $LiNbO_3$ thin films. (9) 2289-92
Spontaneous formation of bonelike apatite layer on chemically treated titanium metals. (4) 1127-29
Synthesis and characterization of a remarkable ceramic: Ti_3SiC_2. (7) 1953-56
Vacuum plasma spray deposition of titanium particle/glass-ceramic matrix biocomposites. (6) 1515-20

titanium carbide,
Carbothermal synthesis of TiC whiskers via a vapor-liquid-solid growth mechanism. (11) 2803-808
Effect of Cr_3C_2 addition on the sintering of SiC-TiC composite. (12) 3305-308
In situ toughened silicon carbide–titanium carbide composites. (6) 1711-13
Microstructural evolution during transient plastic phase processing of titanium carbide–titanium boride composites. (7) 1945-52

titanium diboride,
Combustion synthesis/dynamic densification of a TiB_2-SiC composite. (1) 177-82
Dynamic consolidation of combustion-synthesized alumina-titanium diboride composite ceramics. (10) 2687-95
Isothermal section of Ti-B-C phase diagram at 1600°C. (3) 785-87
Microstructural evolution during transient plastic phase processing of titanium carbide–titanium boride composites. (7) 1945-52
Oxidation of TiB_2 powders below 900°C. (2) 518-20
TEM investigation of impurity phases and the penetration of liquid aluminum in hot isostatically pressed TiB_2 compacts. (5) 1147-54

titanium nitride,
Phase equilibria in the quaternary system Ti-Al-C-N. (9) 2321-30
Suppressing the formation of cone structures in chemical-vapor-deposited aluminum nitride/titanium nitride films. (4) 1109-12
Using simultaneous deposition and rapid growth to produce nanostructured composite films of AlN/TiN by chemical vapor deposition. (5) 1335-42

tobermorite,
Morphological forms of tobermorite in hydrothermally treated calcium silicate hydrate gels. (8) 2175-78
Sequestration of cesium and strontium by tobermorite synthesized from fly ashes. (6) 1707-10
Structural degradation of tobermorite during vibratory milling. (6) 1569-74

toughening,
Influence of particle size distribution on ductile-phase toughening in brittle materials. (2) 562-64

toughness,
Determination of short-crack toughness curves. (1) 129-36
In situ toughened silicon carbide with Al-B-C additions. (2) 461-69
In situ toughened silicon carbide–titanium carbide composites. (6) 1711-13
Short-crack toughness and abrasive machining of silicon nitride. (12) 3055-64

transformation toughening,
Arrest of fatigue cracks in transformation-toughened ceramics. (3) 655-58
Improved endurance limit of zirconia ceramics by overloading. (9) 2500-502

transition metals,
Chemical instability of silicon carbide in the presence of transition metals. (8) 2017-26

transitions,
Wear and wear transition in silicon carbide ceramics during sliding. (5) 1247-51

tungstates,
Room temperature preparation of crystallized $Ba_{1-x}Sr_xWO_4$ ($0 \le x \le 1$) solid-solution films by an electrochemical method. (10) 2783-85
Stoichiometric dependence of the aging phenomena in lead iron tungstate ceramics. (9) 2436-42

tungsten,
Crack-interface interactions in a tungsten yttria-stabilized zirconia directionally solidified eutectic. (2) 412-16

ultrasonics,
Ultrasonic characterization of zirconia-toughened alumina ceramics. (12) 3331-35

uranium oxide,
Thermodynamic assessment of the zirconia-urania system. (2) 521-24

vacancies,
Oxygen vacancy motion in perovskite oxides. (2) 536-38

vanadates,
Synthesis of Nd:YVO_4 thin films by a sol-gel method. (12) 3041-44

vanadium,
Measurement of small concentrations of vanadium in rutile (TiO_2) using electron spin resonance. (8) 2179-80
vaporization,
Chemical vapor deposition of $YBa_2Cu_3O_x$ in a cold plasma reactor using an aerosol vaporization technique. (3) 673-80
Thermodynamics of the Si-O-N system: I, High-temperature study of the vaporization behavior of silicon nitride by mass spectrometry. (5) 1351-60
Thermodynamics of the Si-O-N system: II, Stability of Si_2N_2O(s) by high-temperature mass spectrometric vaporization. (5) 1361-65
Vaporization of $LaCrO_3$: Partial and integral thermodynamic properties. (12) 3266-72
varistors,
Low breakdown voltage varistors by grain boundary diffusion of molten Bi_2O_3 in ZnO. (4) 962-66
Varistor performance of ZnO-based ceramics related to their densification and structural development. (6) 1504-508
vibration,
Effect of polarization switch upon stress in thickness vibration of a ferroelectric plate. (3) 651-54
voids,
Generation of cracklike voids during sintering of Al_2O_3-10ZrO_2 ceramics and their prevention by presintering with low pressure (2 MPa). (6) 1723-25
water,
Water sorption-desorption characteristics of proton-conducting antimonic acids with cubic and monoclinic structures. (6) 1677-80
waves,
Relationship between field direction and wave propagation in activated combustion synthesis. (8) 2049-58
wear,
Abrasive wear behavior of an Si_3N_4-$MoSi_2$ composite. (5) 1297-302
Dynamic recrystallization during the sliding wear of alumina at elevated temperatures. (12) 3243-49
Effects of grain size and humidity on fretting wear in fine-grained alumina, Al_2O_3/TiC, and zirconia. (5) 1139-46
Grain size dependence of sliding wear in tetragonal zirconia polycrystals. (12) 3090-96
Microstructure control and wear of Al_2O_3-SiC-(Al,Si) composites made by melt oxidation. (3) 770-72
Wear and wear transition in silicon carbide ceramics during sliding. (5) 1247-51
Wear properties of alumina/aluminum composites with interpenetrating networks. (1) 121-28
wetting,
Optimization of a ductile-particle-toughened ceramic. (10) 2705-17
Reactive wetting in the liquid-silicon/solid-carbon system. (4) 873-80
whiskers,
Carbothermal synthesis of TiC whiskers via a vapor-liquid-solid growth mechanism. (11) 2803-803
Coating of fine-grained silicon nitride whiskers on fiberlike silicon nitride. (2) 557-58
Synthesis of $MgAl_2O_4$ whiskers by an oxidation-reduction reaction. (2) 491-94
ytterbium,
Compositional dependence of absorption and fluorescence of Yb^{3+} in oxide glasses. (3) 681-87
yttria,
Characterization of metastable tetragonal forms in ZrO_2-2.8 mol% Y_2O_3 ceramics. (4) 831-36
Compressive creep of a fine-grained polycrystalline yttria. (3) 773-76
Densification behavior and properties of Y_2O_3-containing α-SiAlON-based composites. (6) 1537-45
Grain boundary mobility in Y_2O_3: Defect mechanism and dopant effects. (7) 1801-809
Phase reaction and sintering behavior in the pseudoternary systen AlN-Y_2O_3-Al_2O_3. (10) 2645-51
Role of particle dissolution in the stability of binary yttria-silica colloidal suspensions. (5) 1223-27
Solid-liquid reaction in the Si_3N_4-AlN-Y_2O_3 system under 1 MPa of nitrogen. (6) 1717-19
Synthesis of transparent Nd-doped HfO_2-Y_2O_3 ceramics using HIP. (2) 359-64
System HfO_2-Y_2O_3-Er_2O_3. (3) 714-20
X-ray photoelectron spectroscopy investigation on the low-temperature degradation of 2 mol% Y_2O_3-ZrO_2 ceramics. (12) 3109-12
Yttria doping and sintering of submicrometer-grained α-alumina. (8) 2156-60
yttrium,
Electronic structure of $Y_2Cu_2O_{5-x}S_x$ (x=0, 0.25, 0.75) by X-ray emission spectroscopy and X_α scattered wave calculation methods. (4) 953-56
yttrium aluminum garnet (YAG),
Σ5 (210)/[001] symmetric tilt grain boundary *in* yttrium aluminum garnet. (11) 2883-91
Effect of composition on the oxygen tracer diffusion in transparent yttrium aluminum garnet (YAG) ceramics. (6) 1627-32
Effects of neodymium concentration on optical characteristics of polycrystalline Nd:YAG laser materials. (7) 1921-26
Fracture behavior of directionally solidified $Y_3Al_5O_{12}$/Al_2O_3 eutectic fiber. (5) 1218-22
High-temperature deformation of single-crystal yttrium aluminum garnet (YAG). (4) 1047-52
Microstructure and optical properties of hot isostatically pressed Nd:YAG ceramics. (7) 1927-33
Synthesis of yttrium aluminum garnet from yttrium and aluminum isobutyrate precursors. (2) 385-94
Transparent Cr^{4+}-doped YAG ceramics for tunable lasers. (2) 507-509
yttrium barium copper oxide (YBCO),
10 kbar phase equilibria in the Y-Ba-Cu oxide system at 950°C. (2) 533-35
Chemical vapor deposition of $YBa_2Cu_3O_x$ in a cold plasma reactor using an aerosol vaporization technique. (3) 673-80
Formation of pores and Y_2BaCuO_5-free regions during melt processing of $Y_{1.6}Ba_{2.3}Cu_{3.3}O_x$. (11) 2912-16
Reference relations for the evaluation of the materials properties of orthorhombic $YBa_2Cu_3O_x$ superconductors. (3) 603-608
Reference relations for the evaluation of the materials properties of orthorhombic $YBa_2Cu_3O_x$ superconductors—correction. (11) 3000
YBCO thin film formation near the stability line by resistive evaporation of BaF_2, Cu, and Y. (2) 568-70
yttrium iron garnet (YIG),
Nanoscale coating of silicon and manganese on ferrimagnetic yttrium iron garnets. (10) 2755-58
yttrium oxide,
Compressive properties of yttrium oxide. (3) 805-808
zinc,
Characterization and low-temperature sintering of reactive Mn-Zn ferrite powder. (10) 2792-94
Corrosion of zinc-containing cabal glasses by various leaching solutions. (3) 733-41
zinc oxide,
Effect of sintering atmosphere on the densification and abnormal grain growth of ZnO. (2) 565-67
Effect of variations in grain size and grain boundary barrier heights on the current-voltage characteristics of ZnO varistors. (12) 3185-92
Evaluation of ultrasonically determined elasticity-porosity relations in zinc oxide. (5) 1281-89
Growth morphology and mechanism of a hollow ZnO polycrystal. (4) 1121-23
Low breakdown voltage varistors by grain boundary diffusion of molten Bi_2O_3 in ZnO. (4) 962-66
Microstructure and crystal phases of praseodymium oxides in zinc oxide varistor ceramics. (9) 2379-84
Microstructure of TiO_2 and ZnO films fabricated by the sol-gel method. (4) 825-30
Phase transformations and melting effects during the sintering of bismuth-doped zinc oxide powders. (8) 2113-26
Thermoelectric properties of homologous compounds in the ZnO-In_2O_3 system. (8) 2193-96
Ultrasonic and dielectric characterization of microwave-sintered and conventionally sintered zinc oxide. (10) 2652-58
Varistor performance of ZnO-based ceramics related to their densification and structural development. (6) 1504-508
zirconia,
^{27}Al nuclear magnetic resonance of glassy and crystalline $Zr_{(1-x)}Al_xO_{(2-x/2)}$ (0.08≤x≤0.57) materials prepared from solution precursors. (2) 321-26
Characterization of metastable tetragonal forms in ZrO_2-2.8 mol% Y_2O_3 ceramics. (4) 831-36
Computer simulation model for coupled grain growth and Ostwald ripening—Application to Al_2O_3-ZrO_2 two-phase systems. (5) 1163-68
Effects of grain size and humidity on fretting wear in fine-grained alumina, Al_2O_3/TiC, and zirconia. (5) 1139-46
Generation of cracklike voids during sintering of Al_2O_3-10ZrO_2 ceramics and their prevention by presintering with low pressure (2 MPa). (6) 1723-25
Hardness variations in multilayered ZrO_2-Al_2O_3 composites. (5) 1416-18
Improved endurance limit of zirconia ceramics by overloading. (9) 2500-502
Microstructural characterization of ZrO_2/O′-SiAlON composites. (5) 1314-18
Nitridation of zirconia. (10) 2641-44
Novel method for zirconium oxide synthesis from aqueous solution. (12) 3329-30
Phase transformation of ZrO_2 in MnZn ferrite under magnetic field. (2) 559-61
Physical properties of quenched glasses in the Li_2O-ZrO_2-SiO_2 system. (4) 1092-94
Preparation of monodisperse zirconia particles by thermal hydrolysis in highly concentrated solutions. (4) 972-76
Reaction-bonded mullite/zirconia composites. (1) 248-56
Solid-state diffusive amorphization in TiO_2/ZrO_2 bilayers. (7) 1975-78
Solute segregation and grain boundary impedance in high-purity stabilized zirconia. (5) 1169-80
Stereological observations of platelet-reinforced mullite and zirconia matrix composites. (12) 3273-81
Surface properties of ceramic laminates fabricated by die pressing. (2) 553-56
Tensile ductility in zirconia-dispersed alumina at high temperatures. (2) 499-502
Thermal diffusivity/conductivity and specific heat of mullite-zirconia-silicon carbide whisker composites. (10) 2767-70
Thermodynamic assessment of the zirconia-urania system. (2) 521-24
X-ray photoelectron spectroscopy investigation on the low-temperature degradation of 2 mol% Y_2O_3-ZrO_2 ceramics. (12) 3109-12
Yield stress of alumina-zirconia suspensions. (10) 2567-76
zirconia: partially stabilized (PSZ),
High-temperature deformation of SiC whisker-reinforced MgO/PSZ mullite composites. (2) 475-83
Monoclinic phase measurement in Mg-PSZ using X-ray diffraction. (9) 2477-80
Thermally activated martensitic transformations in Mg-PSZ. (4) 895-905
Three-dimensional dynamic calculation of the equilibrium shape of a coherent tetragonal precipitate in Mg partially stabilized cubic ZrO_2. (4) 987-91
zirconia: tetragonal polycrystals (TZP),
Dislocation-related plasticity of ceria-stabilized zirconia polycrystals. (6) 1726-28
Grain size dependence of sliding wear in tetragonal zirconia polycrystals. (12) 3090-96
Preparation and mechanical properties of SiC whisker and nanosized mullite particulate-reinforced TZP ceramics. (10) 2779-82
zirconia: yttria stabilized (YSZ),
Crack-interface interactions in a tungsten yttria-stabilized zirconia directionally solidified eutectic. (2) 412-16
Electron-beam-induced loop formation on dislocations in yttria fully stabilized zirconia. (10) 2733-38
Electrophoretic deposition of Y_2O_3-stabilized ZrO_2 electrolyte films in solid oxide fuel cells. (4) 913-19
Formation, characterization, and hot isostatic pressing of Cr_2O_3-doped ZrO_2 (0,3 mol% Y_2O_3) prepared by hydrazine method. (1) 171-76
Modeling and scaleup of galvanic deoxidation of molten metals using solid electrolyte cells. (3) 641-50
Rapid rate sintering of nanocrystalline ZrO_2-3 mol% Y_2O_3. (4) 906-12
Zirconium nitride precipitation in nominally pure yttria-stabilized zirconia. (2) 487-90
zirconia: yttria-stabilized tetragonal polycrystals (Y-TZP),
Effect of heat treatment on grain size, phase assemblage, and mechanical properties of 3 mol% Y-TZP. (9) 2331-40
Influence of calcination temperature on the microstructure and mechanical properties of a gel-derived and sintered 3 mol% Y-TZP material. (4) 1034-40
Mechanical properties of infiltrated alumina–Y-TZP composites. (9) 2227-36
Thermal analysis of 3 mol% yttria-stabilized tetragonal zirconia powder doped with copper oxide. (2) 401-406
zirconia-toughened alumina (ZTA),
Ultrasonic characterization of zirconia-toughened alumina ceramics. (12) 3331-35
zirconium,
Controlled crystallization and properties of zirconium fluoride-based glass-ceramics. (9) 2397-402
zirconium nitride,
Zirconium nitride precipitation in nominally pure yttria-stabilized zirconia. (2) 487-90